



# OpenMP Application Programming Interface

## Examples

**Version 4.5.0 – November 2016**

Source codes for OpenMP 4.5.0 Examples can be downloaded from [github](#).

Copyright © 1997-2016 OpenMP Architecture Review Board.

Permission to copy without fee all or part of this material is granted, provided the OpenMP Architecture Review Board copyright notice and the title of this document appear. Notice is given that copying is by permission of OpenMP Architecture Review Board.

*This page intentionally left blank*

# Contents

---

<b>Introduction</b>	<b>1</b>
<b>Examples</b>	<b>2</b>
<b>1. Parallel Execution</b>	<b>3</b>
1.1. A Simple Parallel Loop . . . . .	5
1.2. The <b>parallel</b> Construct . . . . .	6
1.3. Controlling the Number of Threads on Multiple Nesting Levels . . . . .	8
1.4. Interaction Between the <b>num_threads</b> Clause and <b>omp_set_dynamic</b> . . . . .	11
1.5. Fortran Restrictions on the <b>do</b> Construct . . . . .	13
1.6. The <b>nowait</b> Clause . . . . .	15
1.7. The <b>collapse</b> Clause . . . . .	18
1.8. <b>linear</b> Clause in Loop Constructs . . . . .	22
1.9. The <b>parallel sections</b> Construct . . . . .	24
1.10. The <b>firstprivate</b> Clause and the <b>sections</b> Construct . . . . .	25
1.11. The <b>single</b> Construct . . . . .	27
1.12. The <b>workshare</b> Construct . . . . .	29
1.13. The <b>master</b> Construct . . . . .	33
1.14. Parallel Random Access Iterator Loop . . . . .	35
1.15. The <b>omp_set_dynamic</b> and <b>omp_set_num_threads</b> Routines . . . . .	36
1.16. The <b>omp_get_num_threads</b> Routine . . . . .	38
<b>2. OpenMP Affinity</b>	<b>40</b>
2.1. The <b>proc_bind</b> Clause . . . . .	42
2.1.1. Spread Affinity Policy . . . . .	42
2.1.2. Close Affinity Policy . . . . .	44
2.1.3. Master Affinity Policy . . . . .	47

2.2.	Affinity Query Functions . . . . .	48
<b>3.</b>	<b>Tasking</b>	<b>51</b>
3.1.	The <b>task</b> and <b>taskwait</b> Constructs . . . . .	52
3.2.	Task Priority . . . . .	71
3.3.	Task Dependences . . . . .	73
3.3.1.	Flow Dependence . . . . .	73
3.3.2.	Anti-dependence . . . . .	74
3.3.3.	Output Dependence . . . . .	75
3.3.4.	Concurrent Execution with Dependences . . . . .	76
3.3.5.	Matrix multiplication . . . . .	78
3.4.	The <b>taskgroup</b> Construct . . . . .	80
3.5.	The <b>taskyield</b> Construct . . . . .	83
3.6.	The <b>taskloop</b> Construct . . . . .	85
<b>4.</b>	<b>Devices</b>	<b>87</b>
4.1.	<b>target</b> Construct . . . . .	88
4.1.1.	<b>target</b> Construct on <b>parallel</b> Construct . . . . .	88
4.1.2.	<b>target</b> Construct with <b>map</b> Clause . . . . .	89
4.1.3.	<b>map</b> Clause with <b>to/from</b> map-types . . . . .	90
4.1.4.	<b>map</b> Clause with Array Sections . . . . .	91
4.1.5.	<b>target</b> Construct with <b>if</b> Clause . . . . .	93
4.2.	<b>target data</b> Construct . . . . .	96
4.2.1.	Simple <b>target data</b> Construct . . . . .	96
4.2.2.	<b>target data</b> Region Enclosing Multiple <b>target</b> Regions . . . . .	97
4.2.3.	<b>target data</b> Construct with Orphaned Call . . . . .	101
4.2.4.	<b>target data</b> Construct with <b>if</b> Clause . . . . .	104
4.3.	<b>target enter data</b> and <b>target exit data</b> Constructs . . . . .	108
4.4.	<b>target update</b> Construct . . . . .	111
4.4.1.	Simple <b>target data</b> and <b>target update</b> Constructs . . . . .	111
4.4.2.	<b>target update</b> Construct with <b>if</b> Clause . . . . .	113
4.5.	<b>declare target</b> Construct . . . . .	115
4.5.1.	<b>declare target</b> and <b>end declare target</b> for a Function . . . . .	115
4.5.2.	<b>declare target</b> Construct for Class Type . . . . .	117

4.5.3.	<b>declare target</b> and <b>end declare target</b> for Variables . . . . .	117
4.5.4.	<b>declare target</b> and <b>end declare target</b> with <b>declare simd</b> . . . . .	120
4.5.5.	<b>declare target</b> Directive with <b>link</b> Clause . . . . .	123
4.6.	<b>teams</b> Constructs . . . . .	126
4.6.1.	<b>target</b> and <b>teams</b> Constructs with <b>omp_get_num_teams</b> and <b>omp_get_team_num</b> Routines . . . . .	126
4.6.2.	<b>target</b> , <b>teams</b> , and <b>distribute</b> Constructs . . . . .	128
4.6.3.	<b>target teams</b> , and Distribute Parallel Loop Constructs . . . . .	129
4.6.4.	<b>target teams</b> and Distribute Parallel Loop Constructs with Scheduling Clauses . . . . .	131
4.6.5.	<b>target teams</b> and <b>distribute simd</b> Constructs . . . . .	132
4.6.6.	<b>target teams</b> and Distribute Parallel Loop SIMD Constructs . . . . .	134
4.7.	Asynchronous <b>target</b> Execution and Dependences . . . . .	135
4.7.1.	Asynchronous <b>target</b> with Tasks . . . . .	135
4.7.2.	<b>nowait</b> Clause on <b>target</b> Construct . . . . .	139
4.7.3.	Asynchronous <b>target</b> with <b>nowait</b> and <b>depend</b> Clauses . . . . .	141
4.8.	Array Sections in Device Constructs . . . . .	144
4.9.	Device Routines . . . . .	148
4.9.1.	<b>omp_is_initial_device</b> Routine . . . . .	148
4.9.2.	<b>omp_get_num_devices</b> Routine . . . . .	150
4.9.3.	<b>omp_set_default_device</b> and <b>omp_get_default_device</b> Routines . . . . .	151
4.9.4.	Target Memory and Device Pointers Routines . . . . .	152
<b>5.</b>	<b>SIMD</b> . . . . .	<b>154</b>
5.1.	<b>simd</b> and <b>declare simd</b> Constructs . . . . .	155
5.2.	<b>inbranch</b> and <b>notinbranch</b> Clauses . . . . .	161
5.3.	Loop-Carried Lexical Forward Dependence . . . . .	165
<b>6.</b>	<b>Synchronization</b> . . . . .	<b>169</b>
6.1.	The <b>critical</b> Construct . . . . .	171
6.2.	Worksharing Constructs Inside a <b>critical</b> Construct . . . . .	174
6.3.	Binding of <b>barrier</b> Regions . . . . .	176
6.4.	The <b>atomic</b> Construct . . . . .	178

6.5.	Restrictions on the <b>atomic</b> Construct . . . . .	184
6.6.	The <b>flush</b> Construct without a List . . . . .	187
6.7.	The <b>ordered</b> Clause and the <b>ordered</b> Construct . . . . .	190
6.8.	Doacross Loop Nest . . . . .	194
6.9.	Lock Routines . . . . .	200
6.9.1.	The <b>omp_init_lock</b> Routine . . . . .	200
6.9.2.	The <b>omp_init_lock_with_hint</b> Routine . . . . .	201
6.9.3.	Ownership of Locks . . . . .	202
6.9.4.	Simple Lock Routines . . . . .	203
6.9.5.	Nestable Lock Routines . . . . .	206
<b>7.</b>	<b>Data Environment</b> . . . . .	<b>209</b>
7.1.	The <b>threadprivate</b> Directive . . . . .	211
7.2.	The <b>default (none)</b> Clause . . . . .	217
7.3.	The <b>private</b> Clause . . . . .	219
7.4.	Fortran Private Loop Iteration Variables . . . . .	223
7.5.	Fortran Restrictions on <b>shared</b> and <b>private</b> Clauses with Common Blocks . . . . .	225
7.6.	Fortran Restrictions on Storage Association with the <b>private</b> Clause . . . . .	227
7.7.	C/C++ Arrays in a <b>firstprivate</b> Clause . . . . .	230
7.8.	The <b>lastprivate</b> Clause . . . . .	232
7.9.	The <b>reduction</b> Clause . . . . .	233
7.10.	The <b>copyin</b> Clause . . . . .	240
7.11.	The <b>copyprivate</b> Clause . . . . .	242
7.12.	C++ Reference in Data-Sharing Clauses . . . . .	246
7.13.	Fortran <b>ASSOCIATE</b> Construct . . . . .	247
<b>8.</b>	<b>Memory Model</b> . . . . .	<b>249</b>
8.1.	The OpenMP Memory Model . . . . .	250
8.2.	Race Conditions Caused by Implied Copies of Shared Variables in Fortran . . . . .	256
<b>9.</b>	<b>Program Control</b> . . . . .	<b>257</b>
9.1.	Conditional Compilation . . . . .	259
9.2.	Internal Control Variables (ICVs) . . . . .	260
9.3.	Placement of <b>flush</b> , <b>barrier</b> , <b>taskwait</b> and <b>taskyield</b> Directives . . . . .	263
9.4.	Cancellation Constructs . . . . .	267

9.5. Nested Loop Constructs . . . . .	272
9.6. Restrictions on Nesting of Regions . . . . .	275
<b>A. Document Revision History</b>	<b>281</b>
A.1. Changes from 4.0.2 to 4.5.0 . . . . .	281
A.2. Changes from 4.0.1 to 4.0.2 . . . . .	282
A.3. Changes from 4.0 to 4.0.1 . . . . .	282
A.4. Changes from 3.1 to 4.0 . . . . .	282

# 1 Introduction

---

2 This collection of programming examples supplements the OpenMP API for Shared Memory  
3 Parallelization specifications, and is not part of the formal specifications. It assumes familiarity  
4 with the OpenMP specifications, and shares the typographical conventions used in that document.

5 **Note** – This first release of the OpenMP Examples reflects the OpenMP Version 4.5 specifications.  
6 Additional examples are being developed and will be published in future releases of this document.

7 The OpenMP API specification provides a model for parallel programming that is portable across  
8 shared memory architectures from different vendors. Compilers from numerous vendors support  
9 the OpenMP API.

10 The directives, library routines, and environment variables demonstrated in this document allow  
11 users to create and manage parallel programs while permitting portability. The directives extend the  
12 C, C++ and Fortran base languages with single program multiple data (SPMD) constructs, tasking  
13 constructs, device constructs, worksharing constructs, and synchronization constructs, and they  
14 provide support for sharing and privatizing data. The functionality to control the runtime  
15 environment is provided by library routines and environment variables. Compilers that support the  
16 OpenMP API often include a command line option to the compiler that activates and allows  
17 interpretation of all OpenMP directives.

18 The latest source codes for OpenMP Examples can be downloaded from the **sources** directory at  
19 <https://github.com/OpenMP/Examples>. The codes for this OpenMP 4.5.0 Examples document have  
20 the tag *v4.5.0*.

21 Complete information about the OpenMP API and a list of the compilers that support the OpenMP  
22 API can be found at the OpenMP.org web site

23 <http://www.openmp.org>



# Examples

---

The following are examples of the OpenMP API directives, constructs, and routines.

▼ C / C++ ▼

A statement following a directive is compound only when necessary, and a non-compound statement is indented with respect to a directive preceding it.

▲ C / C++ ▲

Each example is labeled as *ename.seqno.ext*, where *ename* is the example name, *seqno* is the sequence number in a section, and *ext* is the source file extension to indicate the code type and source form. *ext* is one of the following:

- *c* – C code,
- *cpp* – C++ code,
- *f* – Fortran code in fixed form, and
- *f90* – Fortran code in free form.

2 

## Parallel Execution

---

3 A single thread, the *initial thread*, begins sequential execution of an OpenMP enabled program, as  
4 if the whole program is in an implicit parallel region consisting of an implicit task executed by the  
5 *initial thread*.

6 A **parallel** construct encloses code, forming a parallel region. An *initial thread* encountering a  
7 **parallel** region forks (creates) a team of threads at the beginning of the **parallel** region, and  
8 joins them (removes from execution) at the end of the region. The initial thread becomes the master  
9 thread of the team in a **parallel** region with a *thread* number equal to zero, the other threads are  
10 numbered from 1 to number of threads minus 1. A team may be comprised of just a single thread.

11 Each thread of a team is assigned an implicit task consisting of code within the parallel region. The  
12 task that creates a parallel region is suspended while the tasks of the team are executed. A thread is  
13 tied to its task; that is, only the thread assigned to the task can execute that task. After completion  
14 of the **parallel** region, the master thread resumes execution of the generating task.

15 Any task within a **parallel** region is allowed to encounter another **parallel** region to form a  
16 nested **parallel** region. The parallelism of a nested **parallel** region (whether it forks  
17 additional threads, or is executed serially by the encountering task) can be controlled by the  
18 **OMP\_NESTED** environment variable or the **omp\_set\_nested()** API routine with arguments  
19 indicating true or false.

20 The number of threads of a **parallel** region can be set by the **OMP\_NUM\_THREADS**  
21 environment variable, the **omp\_set\_num\_threads()** routine, or on the **parallel** directive  
22 with the **num\_threads** clause. The routine overrides the environment variable, and the clause  
23 overrides all. Use the **OMP\_DYNAMIC** or the **omp\_set\_dynamic()** function to specify that the  
24 OpenMP implementation dynamically adjust the number of threads for **parallel** regions. The  
25 default setting for dynamic adjustment is implementation defined. When dynamic adjustment is on  
26 and the number of threads is specified, the number of threads becomes an upper limit for the  
27 number of threads to be provided by the OpenMP runtime.

## 1 WORKSHARING CONSTRUCTS

2 A worksharing construct distributes the execution of the associated region among the members of  
3 the team that encounter it. There is an implied barrier at the end of the worksharing region (there is  
4 no barrier at the beginning). The worksharing constructs are:

- 5 • loop constructs: **for** and **do**
- 6 • **sections**
- 7 • **single**
- 8 • **workshare**

9 The **for** and **do** constructs (loop constructs) create a region consisting of a loop. A loop controlled  
10 by a loop construct is called an *associated* loop. Nested loops can form a single region when the  
11 **collapse** clause (with an integer argument) designates the number of *associated* loops to be  
12 executed in parallel, by forming a "single iteration space" for the specified number of nested loops.  
13 The **ordered** clause can also control multiple associated loops.

14 An associated loop must adhere to a "canonical form" (specified in the *Canonical Loop Form* of the  
15 OpenMP Specifications document) which allows the iteration count (of all associated loops) to be  
16 computed before the (outermost) loop is executed. Most common loops comply with the canonical  
17 form, including C++ iterators.

18 A **single** construct forms a region in which only one thread (any one of the team) executes the  
19 region. The other threads wait at the implied barrier at the end, unless the **nowait** clause is  
20 specified.

21 The **sections** construct forms a region that contains one or more structured blocks. Each block  
22 of a **sections** directive is constructed with a **section** construct, and executed once by one of  
23 the threads (any one) in the team. (If only one block is formed in the region, the **section**  
24 construct, which is used to separate blocks, is not required.) The other threads wait at the implied  
25 barrier at the end, unless the **nowait** clause is specified.

26 The **workshare** construct is a Fortran feature that consists of a region with a single structure  
27 block (section of code). Statements in the **workshare** region are divided into units of work, and  
28 executed (once) by threads of the team.

## 29 MASTER CONSTRUCT

30 The **master** construct is not a worksharing construct. The master region is executed only by the  
31 master thread. There is no implicit barrier (and flush) at the end of the **master** region; hence the  
32 other threads of the team continue execution beyond code statements beyond the **master** region.

# 1.1 A Simple Parallel Loop

The following example demonstrates how to parallelize a simple loop using the parallel loop construct. The loop iteration variable is private by default, so it is not necessary to specify it explicitly in a **private** clause.

▼ C / C++ ▼

5 *Example ploop.1.c*

```
S-1 void simple(int n, float *a, float *b)
S-2 {
S-3     int i;
S-4
S-5     #pragma omp parallel for
S-6         for (i=1; i<n; i++) /* i is private by default */
S-7             b[i] = (a[i] + a[i-1]) / 2.0;
S-8 }
```

▲ C / C++ ▲

▼ Fortran ▼

6 *Example ploop.1.f*

```
S-1     SUBROUTINE SIMPLE(N, A, B)
S-2
S-3     INTEGER I, N
S-4     REAL B(N), A(N)
S-5
S-6     !$OMP PARALLEL DO !I is private by default
S-7         DO I=2,N
S-8             B(I) = (A(I) + A(I-1)) / 2.0
S-9         ENDDO
S-10    !$OMP END PARALLEL DO
S-11
S-12    END SUBROUTINE SIMPLE
```

▲ Fortran ▲

## 1 1.2 The parallel Construct

2 The **parallel** construct can be used in coarse-grain parallel programs. In the following example,  
3 each thread in the **parallel** region decides what part of the global array *x* to work on, based on  
4 the thread number:

C / C++

5 *Example parallel.1.c*

```
S-1 #include <omp.h>
S-2
S-3 void subdomain(float *x, int istart, int ipoints)
S-4 {
S-5     int i;
S-6
S-7     for (i = 0; i < ipoints; i++)
S-8         x[istart+i] = 123.456;
S-9 }
S-10
S-11 void sub(float *x, int npoints)
S-12 {
S-13     int iam, nt, ipoints, istart;
S-14
S-15     #pragma omp parallel default(shared) private(iam,nt,ipoints,istart)
S-16     {
S-17         iam = omp_get_thread_num();
S-18         nt = omp_get_num_threads();
S-19         ipoints = npoints / nt; /* size of partition */
S-20         istart = iam * ipoints; /* starting array index */
S-21         if (iam == nt-1) /* last thread may do more */
S-22             ipoints = npoints - istart;
S-23         subdomain(x, istart, ipoints);
S-24     }
S-25 }
S-26
S-27 int main()
S-28 {
S-29     float array[10000];
S-30
S-31     sub(array, 10000);
S-32
S-33     return 0;
S-34 }
```

C / C++

1

*Example parallel.1.f*

```

S-1      SUBROUTINE SUBDOMAIN(X, ISTART, IPOINITS)
S-2          INTEGER ISTART, IPOINITS
S-3          REAL X(*)
S-4
S-5          INTEGER I
S-6
S-7          DO 100 I=1, IPOINITS
S-8              X(ISTART+I) = 123.456
S-9      100      CONTINUE
S-10
S-11      END SUBROUTINE SUBDOMAIN
S-12
S-13      SUBROUTINE SUB(X, NPOINITS)
S-14          INCLUDE "omp_lib.h"      ! or USE OMP_LIB
S-15
S-16          REAL X(*)
S-17          INTEGER NPOINITS
S-18          INTEGER IAM, NT, IPOINITS, ISTART
S-19
S-20      !$OMP PARALLEL DEFAULT(PRIVATE) SHARED(X,NPOINITS)
S-21
S-22          IAM = OMP_GET_THREAD_NUM()
S-23          NT = OMP_GET_NUM_THREADS()
S-24          IPOINITS = NPOINITS/NT
S-25          ISTART = IAM * IPOINITS
S-26          IF (IAM .EQ. NT-1) THEN
S-27              IPOINITS = NPOINITS - ISTART
S-28          ENDIF
S-29          CALL SUBDOMAIN(X, ISTART, IPOINITS)
S-30
S-31      !$OMP END PARALLEL
S-32      END SUBROUTINE SUB
S-33
S-34      PROGRAM PAREXAMPLE
S-35          REAL ARRAY(10000)
S-36          CALL SUB(ARRAY, 10000)
S-37      END PROGRAM PAREXAMPLE

```

## 1.3 Controlling the Number of Threads on Multiple Nesting Levels

The following examples demonstrate how to use the `OMP_NUM_THREADS` environment variable to control the number of threads on multiple nesting levels:

C / C++

*Example `nthrs_nesting.1.c`*

```
S-1  #include <stdio.h>
S-2  #include <omp.h>
S-3  int main (void)
S-4  {
S-5      omp_set_nested(1);
S-6      omp_set_dynamic(0);
S-7      #pragma omp parallel
S-8      {
S-9          #pragma omp parallel
S-10         {
S-11             #pragma omp single
S-12             {
S-13                 /*
S-14                 * If OMP_NUM_THREADS=2,3 was set, the following should print:
S-15                 * Inner: num_thds=3
S-16                 * Inner: num_thds=3
S-17                 *
S-18                 * If nesting is not supported, the following should print:
S-19                 * Inner: num_thds=1
S-20                 * Inner: num_thds=1
S-21                 */
S-22                 printf ("Inner: num_thds=%d\n", omp_get_num_threads());
S-23             }
S-24         }
S-25         #pragma omp barrier
S-26         omp_set_nested(0);
S-27         #pragma omp parallel
S-28         {
S-29             #pragma omp single
S-30             {
S-31                 /*
S-32                 * Even if OMP_NUM_THREADS=2,3 was set, the following should
S-33                 * print, because nesting is disabled:
S-34                 * Inner: num_thds=1
S-35                 * Inner: num_thds=1
S-36                 */
S-37                 printf ("Inner: num_thds=%d\n", omp_get_num_threads());
```

```

S-38         }
S-39     }
S-40     #pragma omp barrier
S-41     #pragma omp single
S-42     {
S-43         /*
S-44         * If OMP_NUM_THREADS=2,3 was set, the following should print:
S-45         * Outer: num_thds=2
S-46         */
S-47         printf ("Outer: num_thds=%d\n", omp_get_num_threads());
S-48     }
S-49     }
S-50     return 0;
S-51 }

```



1

*Example nthrs\_nesting.1.f*

```

S-1         program icv
S-2         use omp_lib
S-3         call omp_set_nested(.true.)
S-4         call omp_set_dynamic(.false.)
S-5     !$omp parallel
S-6     !$omp parallel
S-7     !$omp single
S-8         ! If OMP_NUM_THREADS=2,3 was set, the following should print:
S-9         ! Inner: num_thds= 3
S-10        ! Inner: num_thds= 3
S-11        ! If nesting is not supported, the following should print:
S-12        ! Inner: num_thds= 1
S-13        ! Inner: num_thds= 1
S-14        print *, "Inner: num_thds=", omp_get_num_threads()
S-15     !$omp end single
S-16     !$omp end parallel
S-17     !$omp barrier
S-18         call omp_set_nested(.false.)
S-19     !$omp parallel
S-20     !$omp single
S-21         ! Even if OMP_NUM_THREADS=2,3 was set, the following should print,
S-22         ! because nesting is disabled:
S-23         ! Inner: num_thds= 1
S-24         ! Inner: num_thds= 1
S-25         print *, "Inner: num_thds=", omp_get_num_threads()
S-26     !$omp end single
S-27     !$omp end parallel
S-28     !$omp barrier

```



```
S-29  !$omp single
S-30      ! If OMP_NUM_THREADS=2,3 was set, the following should print:
S-31      ! Outer: num_thds= 2
S-32      print *, "Outer: num_thds=", omp_get_num_threads()
S-33  !$omp end single
S-34  !$omp end parallel
S-35      end
```

Fortran

## 1.4 Interaction Between the `num_threads` Clause and `omp_set_dynamic`

The following example demonstrates the `num_threads` clause and the effect of the `omp_set_dynamic` routine on it.

The call to the `omp_set_dynamic` routine with argument `0` in C/C++, or `.FALSE.` in Fortran, disables the dynamic adjustment of the number of threads in OpenMP implementations that support it. In this case, 10 threads are provided. Note that in case of an error the OpenMP implementation is free to abort the program or to supply any number of threads available.

C / C++

Example *nthrs\_dynamic.1.c*

```
S-1 #include <omp.h>
S-2 int main()
S-3 {
S-4     omp_set_dynamic(0);
S-5     #pragma omp parallel num_threads(10)
S-6     {
S-7         /* do work here */
S-8     }
S-9     return 0;
S-10 }
```

C / C++

Fortran

Example *nthrs\_dynamic.1.f*

```
S-1     PROGRAM EXAMPLE
S-2     INCLUDE "omp_lib.h"      ! or USE OMP_LIB
S-3     CALL OMP_SET_DYNAMIC(.FALSE.)
S-4     !$OMP    PARALLEL NUM_THREADS(10)
S-5             ! do work here
S-6     !$OMP    END PARALLEL
S-7     END PROGRAM EXAMPLE
```

Fortran

The call to the `omp_set_dynamic` routine with a non-zero argument in C/C++, or `.TRUE.` in Fortran, allows the OpenMP implementation to choose any number of threads between 1 and 10.

C / C++

1

*Example nthrs\_dynamic.2.c*

```
S-1 #include <omp.h>
S-2 int main()
S-3 {
S-4     omp_set_dynamic(1);
S-5     #pragma omp parallel num_threads(10)
S-6     {
S-7         /* do work here */
S-8     }
S-9     return 0;
S-10 }
```

C / C++

Fortran

2

*Example nthrs\_dynamic.2.f*

```
S-1     PROGRAM EXAMPLE
S-2         INCLUDE "omp_lib.h"          ! or USE OMP_LIB
S-3         CALL OMP_SET_DYNAMIC(.TRUE.)
S-4     !$OMP      PARALLEL NUM_THREADS(10)
S-5             ! do work here
S-6     !$OMP      END PARALLEL
S-7     END PROGRAM EXAMPLE
```

Fortran

3

It is good practice to set the *dyn-var* ICV explicitly by calling the `omp_set_dynamic` routine, as its default setting is implementation defined.

4

## 1.5 Fortran Restrictions on the do Construct

### Fortran

If an **end do** directive follows a *do-construct* in which several **DO** statements share a **DO** termination statement, then a **do** directive can only be specified for the outermost of these **DO** statements. The following example contains correct usages of loop constructs:

*Example fort\_do.1.f*

```
S-1      SUBROUTINE WORK(I, J)
S-2      INTEGER I, J
S-3      END SUBROUTINE WORK
S-4
S-5      SUBROUTINE DO_GOOD()
S-6      INTEGER I, J
S-7      REAL A(1000)
S-8
S-9      DO 100 I = 1, 10
S-10     !$OMP DO
S-11         DO 100 J = 1, 10
S-12             CALL WORK(I, J)
S-13     100 CONTINUE      ! !$OMP ENDDO implied here
S-14
S-15     !$OMP DO
S-16         DO 200 J = 1, 10
S-17     200     A(I) = I + 1
S-18     !$OMP ENDDO
S-19
S-20     !$OMP DO
S-21         DO 300 I = 1, 10
S-22             DO 300 J = 1, 10
S-23                 CALL WORK(I, J)
S-24     300 CONTINUE
S-25     !$OMP ENDDO
S-26     END SUBROUTINE DO_GOOD
```

The following example is non-conforming because the matching **do** directive for the **end do** does not precede the outermost loop:

*Example fort\_do.2.f*

```
S-1      SUBROUTINE WORK(I, J)
S-2      INTEGER I, J
S-3      END SUBROUTINE WORK
S-4
S-5      SUBROUTINE DO_WRONG
S-6      INTEGER I, J
```

```
S-7
S-8      DO 100 I = 1,10
S-9      !$OMP      DO
S-10         DO 100 J = 1,10
S-11            CALL WORK(I,J)
S-12      100      CONTINUE
S-13      !$OMP      ENDDO
S-14      END SUBROUTINE DO_WRONG
```

Fortran

## 1 1.6 The `nowait` Clause

2 If there are multiple independent loops within a **parallel** region, you can use the **nowait**  
3 clause to avoid the implied barrier at the end of the loop construct, as follows:

C / C++

4 *Example `nowait.1.c`*

```
S-1 #include <math.h>
S-2
S-3 void nowait_example(int n, int m, float *a, float *b, float *y, float *z)
S-4 {
S-5     int i;
S-6     #pragma omp parallel
S-7     {
S-8         #pragma omp for nowait
S-9         for (i=1; i<n; i++)
S-10            b[i] = (a[i] + a[i-1]) / 2.0;
S-11
S-12         #pragma omp for nowait
S-13         for (i=0; i<m; i++)
S-14            y[i] = sqrt(z[i]);
S-15     }
S-16 }
```

C / C++

Fortran

5 *Example `nowait.1.f`*

```
S-1         SUBROUTINE NOWAIT_EXAMPLE(N, M, A, B, Y, Z)
S-2
S-3         INTEGER N, M
S-4         REAL A(*), B(*), Y(*), Z(*)
S-5
S-6         INTEGER I
S-7
S-8         !$OMP PARALLEL
S-9
S-10        !$OMP DO
S-11            DO I=2,N
S-12                B(I) = (A(I) + A(I-1)) / 2.0
S-13            ENDDO
S-14        !$OMP END DO NOWAIT
S-15
S-16        !$OMP DO
S-17            DO I=1,M
S-18                Y(I) = SQRT(Z(I))
```

```

S-19         ENDDO
S-20     !$OMP END DO NOWAIT
S-21
S-22     !$OMP END PARALLEL
S-23
S-24         END SUBROUTINE NOWAIT_EXAMPLE

```

## Fortran

1 In the following example, static scheduling distributes the same logical iteration numbers to the  
2 threads that execute the three loop regions. This allows the **nowait** clause to be used, even though  
3 there is a data dependence between the loops. The dependence is satisfied as long the same thread  
4 executes the same logical iteration numbers in each loop.

5 Note that the iteration count of the loops must be the same. The example satisfies this requirement,  
6 since the iteration space of the first two loops is from **0** to **n-1** (from **1** to **N** in the Fortran version),  
7 while the iteration space of the last loop is from **1** to **n** (**2** to **N+1** in the Fortran version).

## C / C++

8 *Example nowait.2.c*

```

S-1
S-2     #include <math.h>
S-3     void nowait_example2(int n, float *a, float *b, float *c, float *y, float
S-4     *z)
S-5     {
S-6         int i;
S-7         #pragma omp parallel
S-8         {
S-9             #pragma omp for schedule(static) nowait
S-10            for (i=0; i<n; i++)
S-11                c[i] = (a[i] + b[i]) / 2.0f;
S-12            #pragma omp for schedule(static) nowait
S-13            for (i=0; i<n; i++)
S-14                z[i] = sqrtf(c[i]);
S-15            #pragma omp for schedule(static) nowait
S-16            for (i=1; i<=n; i++)
S-17                y[i] = z[i-1] + a[i];
S-18        }
S-19    }

```

## C / C++

1

*Example nowait.2.f90*

```
S-1      SUBROUTINE NOWAIT_EXAMPLE2(N, A, B, C, Y, Z)
S-2      INTEGER N
S-3      REAL A(*), B(*), C(*), Y(*), Z(*)
S-4      INTEGER I
S-5      !$OMP PARALLEL
S-6      !$OMP DO SCHEDULE(STATIC)
S-7      DO I=1,N
S-8          C(I) = (A(I) + B(I)) / 2.0
S-9      ENDDO
S-10     !$OMP END DO NOWAIT
S-11     !$OMP DO SCHEDULE(STATIC)
S-12     DO I=1,N
S-13         Z(I) = SQRT(C(I))
S-14     ENDDO
S-15     !$OMP END DO NOWAIT
S-16     !$OMP DO SCHEDULE(STATIC)
S-17     DO I=2,N+1
S-18         Y(I) = Z(I-1) + A(I)
S-19     ENDDO
S-20     !$OMP END DO NOWAIT
S-21     !$OMP END PARALLEL
S-22     END SUBROUTINE NOWAIT_EXAMPLE2
```



## 1 1.7 The collapse Clause

2 In the following example, the **k** and **j** loops are associated with the loop construct. So the iterations  
3 of the **k** and **j** loops are collapsed into one loop with a larger iteration space, and that loop is then  
4 divided among the threads in the current team. Since the **i** loop is not associated with the loop  
5 construct, it is not collapsed, and the **i** loop is executed sequentially in its entirety in every iteration  
6 of the collapsed **k** and **j** loop.

7 The variable **j** can be omitted from the **private** clause when the **collapse** clause is used since  
8 it is implicitly private. However, if the **collapse** clause is omitted then **j** will be shared if it is  
9 omitted from the **private** clause. In either case, **k** is implicitly private and could be omitted from  
10 the **private** clause.

▼ C / C++ ▼

11 *Example collapse.1.c*

```
S-1 void bar(float *a, int i, int j, int k);  
S-2 int kl, ku, ks, jl, ju, js, il, iu, is;  
S-3 void sub(float *a)  
S-4 {  
S-5     int i, j, k;  
S-6     #pragma omp for collapse(2) private(i, k, j)  
S-7     for (k=kl; k<=ku; k+=ks)  
S-8         for (j=jl; j<=ju; j+=js)  
S-9             for (i=il; i<=iu; i+=is)  
S-10                 bar(a,i,j,k);  
S-11 }
```

▲ C / C++ ▲  
▼ Fortran ▼

12 *Example collapse.1.f*

```
S-1     subroutine sub(a)  
S-2     real a(*)  
S-3     integer kl, ku, ks, jl, ju, js, il, iu, is  
S-4     common /csub/ kl, ku, ks, jl, ju, js, il, iu, is  
S-5     integer i, j, k  
S-6     !$omp do collapse(2) private(i,j,k)  
S-7         do k = kl, ku, ks  
S-8             do j = jl, ju, js  
S-9                 do i = il, iu, is  
S-10                     call bar(a,i,j,k)  
S-11                 enddo  
S-12             enddo  
S-13         enddo  
S-14     !$omp end do  
S-15     end subroutine
```

## Fortran

1 In the next example, the **k** and **j** loops are associated with the loop construct. So the iterations of  
2 the **k** and **j** loops are collapsed into one loop with a larger iteration space, and that loop is then  
3 divided among the threads in the current team.

4 The sequential execution of the iterations in the **k** and **j** loops determines the order of the iterations  
5 in the collapsed iteration space. This implies that in the sequentially last iteration of the collapsed  
6 iteration space, **k** will have the value **2** and **j** will have the value **3**. Since **klast** and **jlast** are  
7 **lastprivate**, their values are assigned by the sequentially last iteration of the collapsed **k** and **j**  
8 loop. This example prints: **2 3**.

## C / C++

9 *Example collapse.2.c*

```
S-1 #include <stdio.h>
S-2 void test()
S-3 {
S-4     int j, k, jlast, klast;
S-5     #pragma omp parallel
S-6     {
S-7         #pragma omp for collapse(2) lastprivate(jlast, klast)
S-8         for (k=1; k<=2; k++)
S-9             for (j=1; j<=3; j++)
S-10            {
S-11                jlast=j;
S-12                klast=k;
S-13            }
S-14         #pragma omp single
S-15         printf("%d %d\n", klast, jlast);
S-16     }
S-17 }
```

## C / C++

1

*Example collapse.2.f*

```

S-1      program test
S-2      !$omp parallel
S-3      !$omp do private(j,k) collapse(2) lastprivate(jlast, klast)
S-4      do k = 1,2
S-5          do j = 1,3
S-6              jlast=j
S-7              klast=k
S-8          enddo
S-9      enddo
S-10     !$omp end do
S-11     !$omp single
S-12     print *, klast, jlast
S-13     !$omp end single
S-14     !$omp end parallel
S-15     end program test

```

2

The next example illustrates the interaction of the **collapse** and **ordered** clauses.

3

In the example, the loop construct has both a **collapse** clause and an **ordered** clause. The **collapse** clause causes the iterations of the **k** and **j** loops to be collapsed into one loop with a larger iteration space, and that loop is divided among the threads in the current team. An **ordered** clause is added to the loop construct, because an ordered region binds to the loop region arising from the loop construct.

4

5

According to Section 2.12.8 of the OpenMP 4.0 specification, a thread must not execute more than one ordered region that binds to the same loop region. So the **collapse** clause is required for the example to be conforming. With the **collapse** clause, the iterations of the **k** and **j** loops are collapsed into one loop, and therefore only one ordered region will bind to the collapsed **k** and **j** loop. Without the **collapse** clause, there would be two ordered regions that bind to each iteration of the **k** loop (one arising from the first iteration of the **j** loop, and the other arising from the second iteration of the **j** loop).

6

7

The code prints

```

16      0 1 1
17      0 1 2
18      0 2 1
19      1 2 2
20      1 3 1
21      1 3 2

```

1

*Example collapse.3.c*

```

S-1 #include <omp.h>
S-2 #include <stdio.h>
S-3 void work(int a, int j, int k);
S-4 void sub()
S-5 {
S-6     int j, k, a;
S-7     #pragma omp parallel num_threads(2)
S-8     {
S-9         #pragma omp for collapse(2) ordered private(j,k) schedule(static,3)
S-10        for (k=1; k<=3; k++)
S-11            for (j=1; j<=2; j++)
S-12                {
S-13                    #pragma omp ordered
S-14                    printf("%d %d %d\n", omp_get_thread_num(), k, j);
S-15                    /* end ordered */
S-16                    work(a, j, k);
S-17                }
S-18     }
S-19 }

```

2

*Example collapse.3.f*

```

S-1     program test
S-2     include 'omp_lib.h'
S-3     !$omp parallel num_threads(2)
S-4     !$omp do collapse(2) ordered private(j,k) schedule(static,3)
S-5     do k = 1,3
S-6     do j = 1,2
S-7     !$omp ordered
S-8     print *, omp_get_thread_num(), k, j
S-9     !$omp end ordered
S-10    call work(a, j, k)
S-11    enddo
S-12    enddo
S-13    !$omp end do
S-14    !$omp end parallel
S-15    end program test

```

## 1 1.8 linear Clause in Loop Constructs

2 The following example shows the use of the **linear** clause in a loop construct to allow the proper  
3 parallelization of a loop that contains an induction variable ( $j$ ). At the end of the execution of the  
4 loop construct, the original variable  $j$  is updated with the value  $N/2$  from the last iteration of the  
5 loop.

C / C++

6 *Example linear\_in\_loop.1.c*

```
S-1 #include <stdio.h>
S-2
S-3 #define N 100
S-4 int main(void)
S-5 {
S-6     float a[N], b[N/2];
S-7     int i, j;
S-8
S-9     for ( i = 0; i < N; i++ )
S-10         a[i] = i + 1;
S-11
S-12     j = 0;
S-13     #pragma omp parallel
S-14     #pragma omp for linear(j:1)
S-15     for ( i = 0; i < N; i += 2 ) {
S-16         b[j] = a[i] * 2.0f;
S-17         j++;
S-18     }
S-19
S-20     printf( "%d %f %f\n", j, b[0], b[j-1] );
S-21     /* print out: 50 2.0 198.0 */
S-22
S-23     return 0;
S-24 }
```

C / C++

1

*Example linear\_in\_loop.1.f90*

```
S-1  program linear_loop
S-2      implicit none
S-3      integer, parameter :: N = 100
S-4      real :: a(N), b(N/2)
S-5      integer :: i, j
S-6
S-7      do i = 1, N
S-8          a(i) = i
S-9      end do
S-10
S-11      j = 0
S-12      !$omp parallel
S-13      !$omp do linear(j:1)
S-14      do i = 1, N, 2
S-15          j = j + 1
S-16          b(j) = a(i) * 2.0
S-17      end do
S-18      !$omp end parallel
S-19
S-20      print *, j, b(1), b(j)
S-21      ! print out: 50 2.0 198.0
S-22
S-23  end program
```

## 1 1.9 The parallel sections Construct

2 In the following example routines **XAXIS**, **YAXIS**, and **ZAXIS** can be executed concurrently. The  
3 first **section** directive is optional. Note that all **section** directives need to appear in the  
4 **parallel sections** construct.

▼ C / C++ ▼

5 *Example psections.1.c*

```
S-1 void XAXIS();
S-2 void YAXIS();
S-3 void ZAXIS();
S-4
S-5 void sect_example()
S-6 {
S-7     #pragma omp parallel sections
S-8     {
S-9         #pragma omp section
S-10        XAXIS();
S-11
S-12        #pragma omp section
S-13        YAXIS();
S-14
S-15        #pragma omp section
S-16        ZAXIS();
S-17    }
S-18 }
```

▲ C / C++ ▲

▼ Fortran ▼

6 *Example psections.1.f*

```
S-1 SUBROUTINE SECT_EXAMPLE()
S-2 !$OMP PARALLEL SECTIONS
S-3 !$OMP SECTION
S-4 CALL XAXIS()
S-5 !$OMP SECTION
S-6 CALL YAXIS()
S-7
S-8 !$OMP SECTION
S-9 CALL ZAXIS()
S-10
S-11 !$OMP END PARALLEL SECTIONS
S-12 END SUBROUTINE SECT_EXAMPLE
```

▲ Fortran ▲

## 1 1.10 The `firstprivate` Clause and the `sections` Construct

3 In the following example of the `sections` construct the `firstprivate` clause is used to  
4 initialize the private copy of `section_count` of each thread. The problem is that the `section`  
5 constructs modify `section_count`, which breaks the independence of the `section` constructs.  
6 When different threads execute each section, both sections will print the value 1. When the same  
7 thread executes the two sections, one section will print the value 1 and the other will print the value  
8 2. Since the order of execution of the two sections in this case is unspecified, it is unspecified which  
9 section prints which value.

C / C++

10 *Example `fpriv_sections.1.c`*

```
S-1 #include <omp.h>
S-2 #include <stdio.h>
S-3 #define NT 4
S-4 int main( ) {
S-5     int section_count = 0;
S-6     omp_set_dynamic(0);
S-7     omp_set_num_threads(NT);
S-8 #pragma omp parallel
S-9 #pragma omp sections firstprivate( section_count )
S-10 {
S-11 #pragma omp section
S-12     {
S-13         section_count++;
S-14         /* may print the number one or two */
S-15         printf( "section_count %d\n", section_count );
S-16     }
S-17 #pragma omp section
S-18     {
S-19         section_count++;
S-20         /* may print the number one or two */
S-21         printf( "section_count %d\n", section_count );
S-22     }
S-23 }
S-24     return 0;
S-25 }
```

C / C++



1

*Example fpriv\_sections.1.f90*

```
S-1  program section
S-2      use omp_lib
S-3      integer :: section_count = 0
S-4      integer, parameter :: NT = 4
S-5      call omp_set_dynamic(.false.)
S-6      call omp_set_num_threads(NT)
S-7      !$omp parallel
S-8      !$omp sections firstprivate ( section_count )
S-9      !$omp section
S-10         section_count = section_count + 1
S-11         ! may print the number one or two
S-12         print *, 'section_count', section_count
S-13      !$omp section
S-14         section_count = section_count + 1
S-15         ! may print the number one or two
S-16         print *, 'section_count', section_count
S-17      !$omp end sections
S-18      !$omp end parallel
S-19  end program section
```

## 1 1.11 The `single` Construct

2 The following example demonstrates the **single** construct. In the example, only one thread prints  
3 each of the progress messages. All other threads will skip the **single** region and stop at the  
4 barrier at the end of the **single** construct until all threads in the team have reached the barrier. If  
5 other threads can proceed without waiting for the thread executing the **single** region, a **nowait**  
6 clause can be specified, as is done in the third **single** construct in this example. The user must  
7 not make any assumptions as to which thread will execute a **single** region.

C / C++

8 *Example single.1.c*

```
S-1 #include <stdio.h>
S-2
S-3 void work1() {}
S-4 void work2() {}
S-5
S-6 void single_example()
S-7 {
S-8     #pragma omp parallel
S-9     {
S-10        #pragma omp single
S-11            printf("Beginning work1.\n");
S-12
S-13        work1();
S-14
S-15        #pragma omp single
S-16            printf("Finishing work1.\n");
S-17
S-18        #pragma omp single nowait
S-19            printf("Finished work1 and beginning work2.\n");
S-20
S-21        work2();
S-22    }
S-23 }
```

C / C++

1

*Example single.1.f*

```
S-1      SUBROUTINE WORK1 ()
S-2      END SUBROUTINE WORK1
S-3
S-4      SUBROUTINE WORK2 ()
S-5      END SUBROUTINE WORK2
S-6
S-7      PROGRAM SINGLE_EXAMPLE
S-8      !$OMP PARALLEL
S-9
S-10     !$OMP SINGLE
S-11         print *, "Beginning work1."
S-12     !$OMP END SINGLE
S-13
S-14         CALL WORK1 ()
S-15
S-16     !$OMP SINGLE
S-17         print *, "Finishing work1."
S-18     !$OMP END SINGLE
S-19
S-20     !$OMP SINGLE
S-21         print *, "Finished work1 and beginning work2."
S-22     !$OMP END SINGLE NOWAIT
S-23
S-24         CALL WORK2 ()
S-25
S-26     !$OMP END PARALLEL
S-27
S-28     END PROGRAM SINGLE_EXAMPLE
```

## 1 1.12 The workshare Construct

### Fortran

2 The following are examples of the **workshare** construct.

3 In the following example, **workshare** spreads work across the threads executing the **parallel**  
4 region, and there is a barrier after the last statement. Implementations must enforce Fortran  
5 execution rules inside of the **workshare** block.

6 *Example workshare.1.f*

```
S-1      SUBROUTINE WSHARE1(AA, BB, CC, DD, EE, FF, N)
S-2      INTEGER N
S-3      REAL AA(N,N), BB(N,N), CC(N,N), DD(N,N), EE(N,N), FF(N,N)
S-4
S-5      !$OMP PARALLEL
S-6      !$OMP WORKSHARE
S-7          AA = BB
S-8          CC = DD
S-9          EE = FF
S-10     !$OMP END WORKSHARE
S-11     !$OMP END PARALLEL
S-12
S-13     END SUBROUTINE WSHARE1
```

7 In the following example, the barrier at the end of the first **workshare** region is eliminated with a  
8 **nowait** clause. Threads doing **CC = DD** immediately begin work on **EE = FF** when they are  
9 done with **CC = DD**.

10 *Example workshare.2.f*

```
S-1      SUBROUTINE WSHARE2(AA, BB, CC, DD, EE, FF, N)
S-2      INTEGER N
S-3      REAL AA(N,N), BB(N,N), CC(N,N)
S-4      REAL DD(N,N), EE(N,N), FF(N,N)
S-5
S-6      !$OMP PARALLEL
S-7      !$OMP WORKSHARE
S-8          AA = BB
S-9          CC = DD
S-10     !$OMP END WORKSHARE NOWAIT
S-11     !$OMP WORKSHARE
S-12          EE = FF
S-13     !$OMP END WORKSHARE
S-14     !$OMP END PARALLEL
S-15     END SUBROUTINE WSHARE2
```

## Fortran (cont.)

1 The following example shows the use of an **atomic** directive inside a **workshare** construct. The  
2 computation of **SUM(AA)** is workshared, but the update to **R** is atomic.

3 *Example workshare.3.f*

```
S-1      SUBROUTINE WSHARE3(AA, BB, CC, DD, N)
S-2      INTEGER N
S-3      REAL AA(N,N), BB(N,N), CC(N,N), DD(N,N)
S-4      REAL R
S-5      R=0
S-6      !$OMP PARALLEL
S-7      !$OMP WORKSHARE
S-8          AA = BB
S-9      !$OMP ATOMIC UPDATE
S-10         R = R + SUM(AA)
S-11         CC = DD
S-12      !$OMP END WORKSHARE
S-13      !$OMP END PARALLEL
S-14      END SUBROUTINE WSHARE3
```

4 Fortran **WHERE** and **FORALL** statements are *compound statements*, made up of a *control* part and a  
5 *statement* part. When **workshare** is applied to one of these compound statements, both the  
6 control and the statement parts are workshared. The following example shows the use of a **WHERE**  
7 statement in a **workshare** construct.

8 Each task gets worked on in order by the threads:

```
9      AA = BB then
10     CC = DD then
11     EE .ne. 0 then
12     FF = 1 / EE then
13     GG = HH
```

14 *Example workshare.4.f*

```
S-1      SUBROUTINE WSHARE4(AA, BB, CC, DD, EE, FF, GG, HH, N)
S-2      INTEGER N
S-3      REAL AA(N,N), BB(N,N), CC(N,N)
S-4      REAL DD(N,N), EE(N,N), FF(N,N)
S-5      REAL GG(N,N), HH(N,N)
S-6
S-7      !$OMP PARALLEL
S-8      !$OMP WORKSHARE
S-9          AA = BB
S-10         CC = DD
S-11         WHERE (EE .ne. 0) FF = 1 / EE
```

```

S-12          GG = HH
S-13  !$OMP    END WORKSHARE
S-14  !$OMP    END PARALLEL
S-15
S-16          END SUBROUTINE WSHARE4

```

1 In the following example, an assignment to a shared scalar variable is performed by one thread in a  
2 **workshare** while all other threads in the team wait.

3 *Example workshare.5.f*

```

S-1          SUBROUTINE WSHARE5(AA, BB, CC, DD, N)
S-2          INTEGER N
S-3          REAL AA(N,N), BB(N,N), CC(N,N), DD(N,N)
S-4
S-5          INTEGER SHR
S-6
S-7  !$OMP    PARALLEL SHARED(SHR)
S-8  !$OMP    WORKSHARE
S-9          AA = BB
S-10         SHR = 1
S-11         CC = DD * SHR
S-12  !$OMP    END WORKSHARE
S-13  !$OMP    END PARALLEL
S-14
S-15          END SUBROUTINE WSHARE5

```

4 The following example contains an assignment to a private scalar variable, which is performed by  
5 one thread in a **workshare** while all other threads wait. It is non-conforming because the private  
6 scalar variable is undefined after the assignment statement.

7 *Example workshare.6.f*

```

S-1          SUBROUTINE WSHARE6_WRONG(AA, BB, CC, DD, N)
S-2          INTEGER N
S-3          REAL AA(N,N), BB(N,N), CC(N,N), DD(N,N)
S-4
S-5          INTEGER PRI
S-6
S-7  !$OMP    PARALLEL PRIVATE(PRI)
S-8  !$OMP    WORKSHARE
S-9          AA = BB
S-10         PRI = 1
S-11         CC = DD * PRI
S-12  !$OMP    END WORKSHARE
S-13  !$OMP    END PARALLEL

```

S-14

S-15

```
END SUBROUTINE WSHARE6_WRONG
```

1

Fortran execution rules must be enforced inside a **workshare** construct. In the following example, the same result is produced in the following program fragment regardless of whether the code is executed sequentially or inside an OpenMP program with multiple threads:

2

3

4

*Example workshare.7.f*

```
S-1      SUBROUTINE WSHARE7(AA, BB, CC, N)
```

```
S-2      INTEGER N
```

```
S-3      REAL AA(N), BB(N), CC(N)
```

```
S-4
```

```
S-5      !$OMP  PARALLEL
```

```
S-6      !$OMP  WORKSHARE
```

```
S-7          AA(1:50) = BB(11:60)
```

```
S-8          CC(11:20) = AA(1:10)
```

```
S-9      !$OMP  END WORKSHARE
```

```
S-10     !$OMP  END PARALLEL
```

```
S-11
```

```
S-12     END SUBROUTINE WSHARE7
```

Fortran



## 1 1.13 The master Construct

2 The following example demonstrates the master construct . In the example, the master keeps track  
3 of how many iterations have been executed and prints out a progress report. The other threads skip  
4 the master region without waiting.

C / C++

5 *Example master.1.c*

```
S-1 #include <stdio.h>
S-2
S-3 extern float average(float,float,float);
S-4
S-5 void master_example( float* x, float* xold, int n, float tol )
S-6 {
S-7     int c, i, toobig;
S-8     float error, y;
S-9     c = 0;
S-10    #pragma omp parallel
S-11    {
S-12        do{
S-13            #pragma omp for private(i)
S-14            for( i = 1; i < n-1; ++i ){
S-15                xold[i] = x[i];
S-16            }
S-17            #pragma omp single
S-18            {
S-19                toobig = 0;
S-20            }
S-21            #pragma omp for private(i,y,error) reduction(+:toobig)
S-22            for( i = 1; i < n-1; ++i ){
S-23                y = x[i];
S-24                x[i] = average( xold[i-1], x[i], xold[i+1] );
S-25                error = y - x[i];
S-26                if( error > tol || error < -tol ) ++toobig;
S-27            }
S-28            #pragma omp master
S-29            {
S-30                ++c;
S-31                printf( "iteration %d, toobig=%d\n", c, toobig );
S-32            }
S-33        }while( toobig > 0 );
S-34    }
S-35 }
```

C / C++



1

*Example master.1.f*

```

S-1      SUBROUTINE MASTER_EXAMPLE( X, XOLD, N, TOL )
S-2      REAL X(*), XOLD(*), TOL
S-3      INTEGER N
S-4      INTEGER C, I, TOOBIG
S-5      REAL ERROR, Y, AVERAGE
S-6      EXTERNAL AVERAGE
S-7      C = 0
S-8      TOOBIG = 1
S-9      !$OMP PARALLEL
S-10     DO WHILE( TOOBIG > 0 )
S-11     !$OMP DO PRIVATE(I)
S-12         DO I = 2, N-1
S-13             XOLD(I) = X(I)
S-14         ENDDO
S-15     !$OMP SINGLE
S-16         TOOBIG = 0
S-17     END SINGLE
S-18     !$OMP DO PRIVATE(I,Y,ERROR), REDUCTION(+:TOOBIG)
S-19         DO I = 2, N-1
S-20             Y = X(I)
S-21             X(I) = AVERAGE( XOLD(I-1), X(I), XOLD(I+1) )
S-22             ERROR = Y-X(I)
S-23             IF( ERROR > TOL .OR. ERROR < -TOL ) TOOBIG = TOOBIG+1
S-24         ENDDO
S-25     !$OMP MASTER
S-26         C = C + 1
S-27         PRINT *, 'Iteration ', C, 'TOOBIG=', TOOBIG
S-28     !$OMP END MASTER
S-29     ENDDO
S-30     !$OMP END PARALLEL
S-31     END SUBROUTINE MASTER_EXAMPLE

```

## 1 1.14 Parallel Random Access Iterator Loop

C++

2 The following example shows a parallel random access iterator loop.

3 *Example pra\_iterator.1.cpp*

```
S-1 #include <vector>
S-2 void iterator_example()
S-3 {
S-4     std::vector<int> vec(23);
S-5     std::vector<int>::iterator it;
S-6     #pragma omp parallel for default(none) shared(vec)
S-7     for (it = vec.begin(); it < vec.end(); it++)
S-8     {
S-9         // do work with *it //
S-10    }
S-11 }
```

C++

## 1 1.15 The `omp_set_dynamic` and 2 `omp_set_num_threads` Routines

3 Some programs rely on a fixed, prespecified number of threads to execute correctly. Because the  
4 default setting for the dynamic adjustment of the number of threads is implementation defined, such  
5 programs can choose to turn off the dynamic threads capability and set the number of threads  
6 explicitly to ensure portability. The following example shows how to do this using  
7 `omp_set_dynamic`, and `omp_set_num_threads`.

8 In this example, the program executes correctly only if it is executed by 16 threads. If the  
9 implementation is not capable of supporting 16 threads, the behavior of this example is  
10 implementation defined. Note that the number of threads executing a **parallel** region remains  
11 constant during the region, regardless of the dynamic threads setting. The dynamic threads  
12 mechanism determines the number of threads to use at the start of the **parallel** region and keeps  
13 it constant for the duration of the region.

▼ C / C++ ▼

14 *Example set\_dynamic\_nthrs.1.c*

```
S-1 #include <omp.h>
S-2 #include <stdlib.h>
S-3
S-4 void do_by_16(float *x, int iam, int ipoints) {}
S-5
S-6 void dynthreads(float *x, int npoints)
S-7 {
S-8     int iam, ipoints;
S-9
S-10    omp_set_dynamic(0);
S-11    omp_set_num_threads(16);
S-12
S-13    #pragma omp parallel shared(x, npoints) private(iam, ipoints)
S-14    {
S-15        if (omp_get_num_threads() != 16)
S-16            abort();
S-17
S-18        iam = omp_get_thread_num();
S-19        ipoints = npoints/16;
S-20        do_by_16(x, iam, ipoints);
S-21    }
S-22 }
```

▲ C / C++ ▲

1

*Example set\_dynamic\_nthrs.1.f*

```

S-1      SUBROUTINE DO_BY_16(X, IAM, IPOINTS)
S-2          REAL X(*)
S-3          INTEGER IAM, IPOINTS
S-4      END SUBROUTINE DO_BY_16
S-5
S-6      SUBROUTINE DYNTHREADS(X, NPOINTS)
S-7
S-8          INCLUDE "omp_lib.h"      ! or USE OMP_LIB
S-9
S-10         INTEGER NPOINTS
S-11         REAL X(NPOINTS)
S-12
S-13         INTEGER IAM, IPOINTS
S-14
S-15         CALL OMP_SET_DYNAMIC(.FALSE.)
S-16         CALL OMP_SET_NUM_THREADS(16)
S-17
S-18     !$OMP  PARALLEL SHARED(X,NPOINTS) PRIVATE(IAM, IPOINTS)
S-19
S-20         IF (OMP_GET_NUM_THREADS() .NE. 16) THEN
S-21             STOP
S-22         ENDIF
S-23
S-24         IAM = OMP_GET_THREAD_NUM()
S-25         IPOINTS = NPOINTS/16
S-26         CALL DO_BY_16(X, IAM, IPOINTS)
S-27
S-28     !$OMP  END PARALLEL
S-29
S-30     END SUBROUTINE DYNTHREADS

```

## 1 1.16 The `omp_get_num_threads` Routine

2 In the following example, the `omp_get_num_threads` call returns 1 in the sequential part of  
3 the code, so `np` will always be equal to 1. To determine the number of threads that will be deployed  
4 for the `parallel` region, the call should be inside the `parallel` region.

C / C++

5 *Example `get_nthrs.1.c`*

```
S-1 #include <omp.h>
S-2 void work(int i);
S-3
S-4 void incorrect()
S-5 {
S-6     int np, i;
S-7
S-8     np = omp_get_num_threads(); /* misplaced */
S-9
S-10    #pragma omp parallel for schedule(static)
S-11    for (i=0; i < np; i++)
S-12        work(i);
S-13 }
```

C / C++

Fortran

6 *Example `get_nthrs.1.f`*

```
S-1     SUBROUTINE WORK(I)
S-2     INTEGER I
S-3     I = I + 1
S-4     END SUBROUTINE WORK
S-5
S-6     SUBROUTINE INCORRECT()
S-7     INCLUDE "omp_lib.h"           ! or USE OMP_LIB
S-8     INTEGER I, NP
S-9
S-10    NP = OMP_GET_NUM_THREADS()    !misplaced: will return 1
S-11    !$OMP PARALLEL DO SCHEDULE(STATIC)
S-12        DO I = 0, NP-1
S-13            CALL WORK(I)
S-14        ENDDO
S-15    !$OMP END PARALLEL DO
S-16    END SUBROUTINE INCORRECT
```

Fortran

1 The following example shows how to rewrite this program without including a query for the  
2 number of threads:

C / C++

3 *Example get\_nthrs.2.c*

```

S-1 #include <omp.h>
S-2 void work(int i);
S-3
S-4 void correct()
S-5 {
S-6     int i;
S-7
S-8     #pragma omp parallel private(i)
S-9     {
S-10        i = omp_get_thread_num();
S-11        work(i);
S-12    }
S-13 }

```

C / C++

Fortran

4 *Example get\_nthrs.2.f*

```

S-1     SUBROUTINE WORK(I)
S-2         INTEGER I
S-3
S-4         I = I + 1
S-5
S-6     END SUBROUTINE WORK
S-7
S-8     SUBROUTINE CORRECT()
S-9         INCLUDE "omp_lib.h"      ! or USE OMP_LIB
S-10        INTEGER I
S-11
S-12     !$OMP    PARALLEL PRIVATE(I)
S-13        I = OMP_GET_THREAD_NUM()
S-14        CALL WORK(I)
S-15     !$OMP    END PARALLEL
S-16
S-17     END SUBROUTINE CORRECT

```

Fortran

## OpenMP Affinity

---

3 OpenMP Affinity consists of a **proc\_bind** policy (thread affinity policy) and a specification of  
4 places ("location units" or *processors* that may be cores, hardware threads, sockets, etc.). OpenMP  
5 Affinity enables users to bind computations on specific places. The placement will hold for the  
6 duration of the parallel region. However, the runtime is free to migrate the OpenMP threads to  
7 different cores (hardware threads, sockets, etc.) prescribed within a given place, if two or more  
8 cores (hardware threads, sockets, etc.) have been assigned to a given place.

9 Often the binding can be managed without resorting to explicitly setting places. Without the  
10 specification of places in the **OMP\_PLACES** variable, the OpenMP runtime will distribute and bind  
11 threads using the entire range of processors for the OpenMP program, according to the  
12 **OMP\_PROC\_BIND** environment variable or the **proc\_bind** clause. When places are specified,  
13 the OMP runtime binds threads to the places according to a default distribution policy, or those  
14 specified in the **OMP\_PROC\_BIND** environment variable or the **proc\_bind** clause.

15 In the OpenMP Specifications document a processor refers to an execution unit that is enabled for  
16 an OpenMP thread to use. A processor is a core when there is no SMT (Simultaneous  
17 Multi-Threading) support or SMT is disabled. When SMT is enabled, a processor is a hardware  
18 thread (HW-thread). (This is the usual case; but actually, the execution unit is implementation  
19 defined.) Processor numbers are numbered sequentially from 0 to the number of cores less one  
20 (without SMT), or 0 to the number HW-threads less one (with SMT). OpenMP places use the  
21 processor number to designate binding locations (unless an "abstract name" is used.)

22 The processors available to a process may be a subset of the system's processors. This restriction  
23 may be the result of a wrapper process controlling the execution (such as **numactl** on Linux  
24 systems), compiler options, library-specific environment variables, or default kernel settings. For  
25 instance, the execution of multiple MPI processes, launched on a single compute node, will each  
26 have a subset of processors as determined by the MPI launcher or set by MPI affinity environment  
27 variables for the MPI library.

28 Threads of a team are positioned onto places in a compact manner, a scattered distribution, or onto  
29 the master's place, by setting the **OMP\_PROC\_BIND** environment variable or the **proc\_bind**


1 clause to *close*, *spread*, or *master*, respectively. When **OMP\_PROC\_BIND** is set to FALSE no  
2 binding is enforced; and when the value is TRUE, the binding is implementation defined to a set of  
3 places in the **OMP\_PLACES** variable or to places defined by the implementation if the  
4 **OMP\_PLACES** variable is not set.

5 The **OMP\_PLACES** variable can also be set to an abstract name (*threads*, *cores*, *sockets*) to specify  
6 that a place is either a single hardware thread, a core, or a socket, respectively. This description of  
7 the **OMP\_PLACES** is most useful when the number of threads is equal to the number of hardware  
8 thread, cores or sockets. It can also be used with a *close* or *spread* distribution policy when the  
9 equality doesn't hold.



## 1 2.1 The `proc_bind` Clause

2 The following examples demonstrate how to use the `proc_bind` clause to control the thread  
3 binding for a team of threads in a `parallel` region. The machine architecture is depicted in the  
4 figure below. It consists of two sockets, each equipped with a quad-core processor and configured  
5 to execute two hardware threads simultaneously on each core. These examples assume a contiguous  
6 core numbering starting from 0, such that the hardware threads 0,1 form the first physical core.



7 The following equivalent place list declarations consist of eight places (which we designate as p0 to  
8 p7):

9 `OMP_PLACES="{0,1},{2,3},{4,5},{6,7},{8,9},{10,11},{12,13},{14,15}"`

10 or

11 `OMP_PLACES="{0:2}:8:2"`

### 12 2.1.1 Spread Affinity Policy

13 The following example shows the result of the `spread` affinity policy on the partition list when the  
14 number of threads is less than or equal to the number of places in the parent's place partition, for  
15 the machine architecture depicted above. Note that the threads are bound to the first place of each  
16 subpartition.

▶ C / C++ ▶

17 *Example affinity.1.c*

```
S-1 void work();  
S-2 int main()  
S-3 {  
S-4 #pragma omp parallel proc_bind(spread) num_threads(4)  
S-5     {  
S-6         work();  
S-7     }  
S-8     return 0;  
S-9 }
```

C / C++

Fortran

1

*Example affinity.1.f*

```
S-1      PROGRAM EXAMPLE
S-2      !$OMP PARALLEL PROC_BIND(SPREAD) NUM_THREADS(4)
S-3      CALL WORK()
S-4      !$OMP END PARALLEL
S-5      END PROGRAM EXAMPLE
```

Fortran

2

It is unspecified on which place the master thread is initially started. If the master thread is initially started on p0, the following placement of threads will be applied in the parallel region:

3

4

- thread 0 executes on p0 with the place partition p0,p1
- thread 1 executes on p2 with the place partition p2,p3
- thread 2 executes on p4 with the place partition p4,p5
- thread 3 executes on p6 with the place partition p6,p7

5

6

7

8

If the master thread would initially be started on p2, the placement of threads and distribution of the place partition would be as follows:

9

10

- thread 0 executes on p2 with the place partition p2,p3
- thread 1 executes on p4 with the place partition p4,p5
- thread 2 executes on p6 with the place partition p6,p7
- thread 3 executes on p0 with the place partition p0,p1

11

12

13

14

The following example illustrates the **spread** thread affinity policy when the number of threads is greater than the number of places in the parent's place partition.

15

16

Let  $T$  be the number of threads in the team, and  $P$  be the number of places in the parent's place partition. The first  $T/P$  threads of the team (including the master thread) execute on the parent's place. The next  $T/P$  threads execute on the next place in the place partition, and so on, with wrap around.

17

18

19

C / C++

20

*Example affinity.2.c*

```
S-1      void work();
S-2      void foo()
S-3      {
S-4          #pragma omp parallel num_threads(16) proc_bind(spread)
S-5          {
S-6              work();
S-7          }
S-8      }
```

C / C++

## Fortran

```
1      Example affinity.2.f90
S-1     subroutine foo
S-2     !$omp parallel num_threads(16) proc_bind(spread)
S-3         call work()
S-4     !$omp end parallel
S-5     end subroutine
```

## Fortran

2 It is unspecified on which place the master thread is initially started. If the master thread is initially  
3 started on p0, the following placement of threads will be applied in the parallel region:

- 4 • threads 0,1 execute on p0 with the place partition p0
- 5 • threads 2,3 execute on p1 with the place partition p1
- 6 • threads 4,5 execute on p2 with the place partition p2
- 7 • threads 6,7 execute on p3 with the place partition p3
- 8 • threads 8,9 execute on p4 with the place partition p4
- 9 • threads 10,11 execute on p5 with the place partition p5
- 10 • threads 12,13 execute on p6 with the place partition p6
- 11 • threads 14,15 execute on p7 with the place partition p7

12 If the master thread would initially be started on p2, the placement of threads and distribution of the  
13 place partition would be as follows:

- 14 • threads 0,1 execute on p2 with the place partition p2
- 15 • threads 2,3 execute on p3 with the place partition p3
- 16 • threads 4,5 execute on p4 with the place partition p4
- 17 • threads 6,7 execute on p5 with the place partition p5
- 18 • threads 8,9 execute on p6 with the place partition p6
- 19 • threads 10,11 execute on p7 with the place partition p7
- 20 • threads 12,13 execute on p0 with the place partition p0
- 21 • threads 14,15 execute on p1 with the place partition p1

### 22 2.1.2 Close Affinity Policy

23 The following example shows the result of the **close** affinity policy on the partition list when the  
24 number of threads is less than or equal to the number of places in parent's place partition, for the  
25 machine architecture depicted above. The place partition is not changed by the **close** policy.

C / C++

```

1      Example affinity.3.c
S-1    void work();
S-2    int main()
S-3    {
S-4    #pragma omp parallel proc_bind(close) num_threads(4)
S-5        {
S-6        work();
S-7        }
S-8    return 0;
S-9    }

```

C / C++

Fortran

```

2      Example affinity.3.f
S-1    PROGRAM EXAMPLE
S-2    !$OMP PARALLEL PROC_BIND(CLOSE) NUM_THREADS(4)
S-3    CALL WORK()
S-4    !$OMP END PARALLEL
S-5    END PROGRAM EXAMPLE

```

Fortran

3 It is unspecified on which place the master thread is initially started. If the master thread is initially  
4 started on p0, the following placement of threads will be applied in the **parallel** region:

- 5 • thread 0 executes on p0 with the place partition p0-p7
- 6 • thread 1 executes on p1 with the place partition p0-p7
- 7 • thread 2 executes on p2 with the place partition p0-p7
- 8 • thread 3 executes on p3 with the place partition p0-p7

9 If the master thread would initially be started on p2, the placement of threads and distribution of the  
10 place partition would be as follows:

- 11 • thread 0 executes on p2 with the place partition p0-p7
- 12 • thread 1 executes on p3 with the place partition p0-p7
- 13 • thread 2 executes on p4 with the place partition p0-p7
- 14 • thread 3 executes on p5 with the place partition p0-p7

15 The following example illustrates the **close** thread affinity policy when the number of threads is  
16 greater than the number of places in the parent's place partition.

17 Let  $T$  be the number of threads in the team, and  $P$  be the number of places in the parent's place  
18 partition. The first  $T/P$  threads of the team (including the master thread) execute on the parent's  
19 place. The next  $T/P$  threads execute on the next place in the place partition, and so on, with wrap  
20 around. The place partition is not changed by the **close** policy.

C / C++

1

*Example affinity.4.c*

```
S-1 void work();
S-2 void foo()
S-3 {
S-4     #pragma omp parallel num_threads(16) proc_bind(close)
S-5     {
S-6         work();
S-7     }
S-8 }
```

C / C++

Fortran

2

*Example affinity.4.f90*

```
S-1 subroutine foo
S-2 !$omp parallel num_threads(16) proc_bind(close)
S-3     call work()
S-4 !$omp end parallel
S-5 end subroutine
```

Fortran

3

It is unspecified on which place the master thread is initially started. If the master thread is initially running on p0, the following placement of threads will be applied in the parallel region:

4

5

- threads 0,1 execute on p0 with the place partition p0-p7
- threads 2,3 execute on p1 with the place partition p0-p7
- threads 4,5 execute on p2 with the place partition p0-p7
- threads 6,7 execute on p3 with the place partition p0-p7
- threads 8,9 execute on p4 with the place partition p0-p7
- threads 10,11 execute on p5 with the place partition p0-p7
- threads 12,13 execute on p6 with the place partition p0-p7
- threads 14,15 execute on p7 with the place partition p0-p7

6

7

8

9

10

11

12

13

If the master thread would initially be started on p2, the placement of threads and distribution of the place partition would be as follows:

14

15

- threads 0,1 execute on p2 with the place partition p0-p7
- threads 2,3 execute on p3 with the place partition p0-p7
- threads 4,5 execute on p4 with the place partition p0-p7
- threads 6,7 execute on p5 with the place partition p0-p7
- threads 8,9 execute on p6 with the place partition p0-p7
- threads 10,11 execute on p7 with the place partition p0-p7
- threads 12,13 execute on p0 with the place partition p0-p7
- threads 14,15 execute on p1 with the place partition p0-p7

16

17

18

19

20

21

22

## 1 2.1.3 Master Affinity Policy

2 The following example shows the result of the **master** affinity policy on the partition list for the  
3 machine architecture depicted above. The place partition is not changed by the master policy.

▼ C / C++ ▼

4 *Example affinity.5.c*

```
S-1 void work();  
S-2 int main()  
S-3 {  
S-4 #pragma omp parallel proc_bind(master) num_threads(4)  
S-5 {  
S-6     work();  
S-7 }  
S-8     return 0;  
S-9 }
```

▲ C / C++ ▲

▼ Fortran ▼

5 *Example affinity.5.f*

```
S-1     PROGRAM EXAMPLE  
S-2 !$OMP PARALLEL PROC_BIND(MASTER) NUM_THREADS(4)  
S-3     CALL WORK()  
S-4 !$OMP END PARALLEL  
S-5     END PROGRAM EXAMPLE
```

▲ Fortran ▲

6 It is unspecified on which place the master thread is initially started. If the master thread is initially  
7 running on p0, the following placement of threads will be applied in the parallel region:

- 8
- threads 0-3 execute on p0 with the place partition p0-p7

9 If the master thread would initially be started on p2, the placement of threads and distribution of the  
10 place partition would be as follows:

- 11
- threads 0-3 execute on p2 with the place partition p0-p7

## 1 2.2 Affinity Query Functions

2 In the example below a team of threads is generated on each socket of the system, using nested  
3 parallelism. Several query functions are used to gather information to support the creation of the  
4 teams and to obtain socket and thread numbers.

5 For proper execution of the code, the user must create a place partition, such that each place is a  
6 listing of the core numbers for a socket. For example, in a 2 socket system with 8 cores in each  
7 socket, and sequential numbering in the socket for the core numbers, the **OMP\_PLACES** variable  
8 would be set to "{0:8},{8:8}", using the place syntax *{lower\_bound:length:stride}*, and the default  
9 stride of 1.

10 The code determines the number of sockets (*n\_sockets*) using the **omp\_get\_num\_places()**  
11 query function. In this example each place is constructed with a list of each socket's core numbers,  
12 hence the number of places is equal to the number of sockets.

13 The outer parallel region forms a team of threads, and each thread executes on a socket (place)  
14 because the **proc\_bind** clause uses **spread** in the outer **parallel** construct. Next, in the  
15 *socket\_init* function, an inner parallel region creates a team of threads equal to the number of  
16 elements (core numbers) from the place of the parent thread. Because the outer **parallel**  
17 construct uses a **spread** affinity policy, each of its threads inherits a subpartition of the original  
18 partition. Hence, the **omp\_get\_place\_num\_procs** query function returns the number of  
19 elements (here procs = cores) in the subpartition of the thread. After each parent thread creates its  
20 nested parallel region on the section, the socket number and thread number are reported.

21 Note: Portable tools like hwloc (Portable HardWare LOcality package), which support many  
22 common operating systems, can be used to determine the configuration of a system. On some  
23 systems there are utilities, files or user guides that provide configuration information. For instance,  
24 the socket number and *proc\_id*'s for a socket can be found in the */proc/cpuinfo* text file on Linux  
25 systems.

▼ C / C++ ▼

26 *Example affinity.6.c*

```
S-1  
S-2 #include <stdio.h>  
S-3 #include <omp.h>  
S-4  
S-5 void socket_init(int socket_num)  
S-6 {  
S-7     int n_procs;  
S-8  
S-9     n_procs = omp_get_place_num_procs(socket_num);  
S-10     #pragma omp parallel num_threads(n_procs) proc_bind(close)  
S-11     {  
S-12         printf("Reporting in from socket num, thread num:  %d %d\n",
```

```

S-13         socket_num, omp_get_thread_num() );
S-14     }
S-15 }
S-16
S-17 int main()
S-18 {
S-19     int n_sockets, socket_num;
S-20
S-21     omp_set_nested(1);           // or export OMP_NESTED=true
S-22     omp_set_max_active_levels(2); // or export OMP_MAX_ACTIVE_LEVELS=2
S-23
S-24     n_sockets = omp_get_num_places();
S-25     #pragma omp parallel num_threads(n_sockets) private(socket_num) \
S-26         proc_bind(spread)
S-27     {
S-28         socket_num = omp_get_place_num();
S-29         socket_init(socket_num);
S-30     }
S-31 }

```



1

*Example affinity.6.f90*

```

S-1
S-2 subroutine socket_init(socket_num)
S-3     use omp_lib
S-4     integer :: socket_num, n_procs
S-5
S-6     n_procs = omp_get_place_num_procs(socket_num)
S-7     !$omp parallel num_threads(n_procs) proc_bind(close)
S-8
S-9         print*, "Reporting in from socket num, thread num: ", &
S-10             socket_num, omp_get_thread_num()
S-11     !$omp end parallel
S-12 end subroutine
S-13
S-14 program numa_teams
S-15     use omp_lib
S-16     integer :: n_sockets, socket_num
S-17
S-18     call omp_set_nested(.true.)           ! or export OMP_NESTED=true
S-19     call omp_set_max_active_levels(2) ! or export OMP_MAX_ACTIVE_LEVELS=2
S-20
S-21     n_sockets = omp_get_num_places()
S-22     !$omp parallel num_threads(n_sockets) private(socket_num) &
S-23     !$omp&         proc_bind(spread)

```



```
S-24
S-25     socket_num = omp_get_place_num()
S-26     call socket_init(socket_num)
S-27
S-28     !$omp end parallel
S-29 end program
```

Fortran



## Tasking

---

3 Tasking constructs provide units of work to a thread for execution. Worksharing constructs do this,  
4 too (e.g. **for**, **do**, **sections**, and **singles** constructs); but the work units are tightly controlled  
5 by an iteration limit and limited scheduling, or a limited number of **sections** or **single**  
6 regions. Worksharing was designed with "data parallel" computing in mind. Tasking was designed  
7 for "task parallel" computing and often involves non-locality or irregularity in memory access.

8 The **task** construct can be used to execute work chunks: in a while loop; while traversing nodes in  
9 a list; at nodes in a tree graph; or in a normal loop (with a **taskloop** construct). Unlike the  
10 statically scheduled loop iterations of worksharing, a task is often enqueued, and then dequeued for  
11 execution by any of the threads of the team within a parallel region. The generation of tasks can be  
12 from a single generating thread (creating sibling tasks), or from multiple generators in a recursive  
13 graph tree traversals. A **taskloop** construct bundles iterations of an associated loop into tasks,  
14 and provides similar controls found in the **task** construct.

15 Sibling tasks are synchronized by the **taskwait** construct, and tasks and their descendent tasks  
16 can be synchronized by containing them in a **taskgroup** region. Ordered execution is  
17 accomplished by specifying dependences with a **depend** clause. Also, priorities can be specified  
18 as hints to the scheduler through a **priority** clause.

19 Various clauses can be used to manage and optimize task generation, as well as reduce the overhead  
20 of execution and to relinquish control of threads for work balance and forward progress.

21 Once a thread starts executing a task, it is the designated thread for executing the task to  
22 completion, even though it may leave the execution at a scheduling point and return later. The  
23 thread is tied to the task. Scheduling points can be introduced with the **taskyield** construct.  
24 With an **untied** clause any other thread is allowed to continue the task. An **if** clause with a *true*  
25 expression allows the generating thread to immediately execute the task as an undeferred task. By  
26 including the data environment of the generating task into the generated task with the **mergeable**  
27 and **final** clauses, task generation overhead can be reduced.

28 A complete list of the tasking constructs and details of their clauses can be found in the *Tasking*  
29 *Constructs* chapter of the OpenMP Specifications, in the *OpenMP Application Programming*  
30 *Interface* section.

## 1 3.1 The task and taskwait Constructs

2 The following example shows how to traverse a tree-like structure using explicit tasks. Note that the  
3 **traverse** function should be called from within a parallel region for the different specified tasks  
4 to be executed in parallel. Also note that the tasks will be executed in no specified order because  
5 there are no synchronization directives. Thus, assuming that the traversal will be done in post order,  
6 as in the sequential code, is wrong.

▼ C / C++ ▼

7 *Example tasking.1.c*

```
S-1 struct node {  
S-2     struct node *left;  
S-3     struct node *right;  
S-4 };  
S-5 extern void process(struct node *);  
S-6 void traverse( struct node *p ) {  
S-7     if (p->left)  
S-8     #pragma omp task // p is firstprivate by default  
S-9         traverse(p->left);  
S-10    if (p->right)  
S-11    #pragma omp task // p is firstprivate by default  
S-12        traverse(p->right);  
S-13    process(p);  
S-14 }
```

▲ C / C++ ▲

▼ Fortran ▼

8 *Example tasking.1.f90*

```
S-1 RECURSIVE SUBROUTINE traverse ( P )  
S-2     TYPE Node  
S-3         TYPE(Node), POINTER :: left, right  
S-4     END TYPE Node  
S-5     TYPE(Node) :: P  
S-6     IF (associated(P%left)) THEN  
S-7         !$OMP TASK ! P is firstprivate by default  
S-8             CALL traverse(P%left)  
S-9         !$OMP END TASK  
S-10    ENDIF  
S-11    IF (associated(P%right)) THEN  
S-12        !$OMP TASK ! P is firstprivate by default  
S-13            CALL traverse(P%right)  
S-14        !$OMP END TASK  
S-15    ENDIF  
S-16    CALL process ( P )  
S-17 END SUBROUTINE
```

## Fortran

1 In the next example, we force a postorder traversal of the tree by adding a **taskwait** directive.  
2 Now, we can safely assume that the left and right sons have been executed before we process the  
3 current node.

## C / C++

4 *Example tasking.2.c*

```
S-1 struct node {  
S-2     struct node *left;  
S-3     struct node *right;  
S-4 };  
S-5 extern void process(struct node *);  
S-6 void postorder_traverse( struct node *p ) {  
S-7     if (p->left)  
S-8         #pragma omp task // p is firstprivate by default  
S-9         postorder_traverse(p->left);  
S-10    if (p->right)  
S-11        #pragma omp task // p is firstprivate by default  
S-12        postorder_traverse(p->right);  
S-13    #pragma omp taskwait  
S-14    process(p);  
S-15 }
```

## C / C++

## Fortran

5 *Example tasking.2.f90*

```
S-1 RECURSIVE SUBROUTINE traverse ( P )  
S-2     TYPE Node  
S-3     TYPE(Node), POINTER :: left, right  
S-4     END TYPE Node  
S-5     TYPE(Node) :: P  
S-6     IF (associated(P%left)) THEN  
S-7         !$OMP TASK ! P is firstprivate by default  
S-8         CALL traverse(P%left)  
S-9         !$OMP END TASK  
S-10    ENDIF  
S-11    IF (associated(P%right)) THEN  
S-12        !$OMP TASK ! P is firstprivate by default  
S-13        CALL traverse(P%right)  
S-14        !$OMP END TASK  
S-15    ENDIF  
S-16    !$OMP TASKWAIT  
S-17    CALL process ( P )  
S-18 END SUBROUTINE
```

## Fortran

1 The following example demonstrates how to use the **task** construct to process elements of a linked  
2 list in parallel. The thread executing the **single** region generates all of the explicit tasks, which  
3 are then executed by the threads in the current team. The pointer *p* is **firstprivate** by default  
4 on the **task** construct so it is not necessary to specify it in a **firstprivate** clause.

## C / C++

5 *Example tasking.3.c*

```
S-1 typedef struct node node;
S-2 struct node {
S-3     int data;
S-4     node * next;
S-5 };
S-6
S-7 void process(node * p)
S-8 {
S-9     /* do work here */
S-10 }
S-11 void increment_list_items(node * head)
S-12 {
S-13     #pragma omp parallel
S-14     {
S-15         #pragma omp single
S-16         {
S-17             node * p = head;
S-18             while (p) {
S-19                 #pragma omp task
S-20                 // p is firstprivate by default
S-21                 process(p);
S-22                 p = p->next;
S-23             }
S-24         }
S-25     }
S-26 }
```

## C / C++

1

*Example tasking.3.f90*

```

S-1      MODULE LIST
S-2          TYPE NODE
S-3              INTEGER :: PAYLOAD
S-4              TYPE (NODE), POINTER :: NEXT
S-5          END TYPE NODE
S-6      CONTAINS
S-7          SUBROUTINE PROCESS(p)
S-8              TYPE (NODE), POINTER :: P
S-9              ! do work here
S-10         END SUBROUTINE
S-11         SUBROUTINE INCREMENT_LIST_ITEMS (HEAD)
S-12             TYPE (NODE), POINTER :: HEAD
S-13             TYPE (NODE), POINTER :: P
S-14             !$OMP PARALLEL PRIVATE(P)
S-15                 !$OMP SINGLE
S-16                     P => HEAD
S-17                     DO
S-18                         !$OMP TASK
S-19                             ! P is firstprivate by default
S-20                             CALL PROCESS(P)
S-21                         !$OMP END TASK
S-22                     P => P%NEXT
S-23                     IF ( .NOT. ASSOCIATED (P) ) EXIT
S-24                 END DO
S-25             !$OMP END SINGLE
S-26         !$OMP END PARALLEL
S-27     END SUBROUTINE
S-28 END MODULE

```

2

The `fib()` function should be called from within a `parallel` region for the different specified tasks to be executed in parallel. Also, only one thread of the `parallel` region should call `fib()` unless multiple concurrent Fibonacci computations are desired.

3

4

## C / C++

1

*Example tasking.4.c*

```

S-1     int fib(int n) {
S-2         int i, j;
S-3         if (n<2)
S-4             return n;
S-5         else {
S-6             #pragma omp task shared(i)
S-7                 i=fib(n-1);
S-8             #pragma omp task shared(j)
S-9                 j=fib(n-2);
S-10            #pragma omp taskwait
S-11                return i+j;
S-12        }
S-13    }

```

## C / C++

## Fortran

2

*Example tasking.4.f*

```

S-1     RECURSIVE INTEGER FUNCTION fib(n) RESULT(res)
S-2         INTEGER n, i, j
S-3         IF ( n .LT. 2) THEN
S-4             res = n
S-5         ELSE
S-6             !$OMP TASK SHARED(i)
S-7                 i = fib( n-1 )
S-8             !$OMP END TASK
S-9             !$OMP TASK SHARED(j)
S-10            j = fib( n-2 )
S-11            !$OMP END TASK
S-12            !$OMP TASKWAIT
S-13            res = i+j
S-14            END IF
S-15            END FUNCTION

```

## Fortran

3

Note: There are more efficient algorithms for computing Fibonacci numbers. This classic recursion algorithm is for illustrative purposes.

4

5

The following example demonstrates a way to generate a large number of tasks with one thread and execute them with the threads in the team. While generating these tasks, the implementation may reach its limit on unassigned tasks. If it does, the implementation is allowed to cause the thread executing the task generating loop to suspend its task at the task scheduling point in the **task** directive, and start executing unassigned tasks. Once the number of unassigned tasks is sufficiently low, the thread may resume execution of the task generating loop.

6

7

8

9

10

1

*Example tasking.5.c*

```
S-1 #define LARGE_NUMBER 10000000
S-2 double item[LARGE_NUMBER];
S-3 extern void process(double);
S-4
S-5 int main() {
S-6 #pragma omp parallel
S-7 {
S-8     #pragma omp single
S-9     {
S-10         int i;
S-11         for (i=0; i<LARGE_NUMBER; i++)
S-12             #pragma omp task // i is firstprivate, item is shared
S-13                 process(item[i]);
S-14     }
S-15 }
S-16 }
```



## Fortran

1 *Example tasking.5.f*

```
S-1      real*8 item(10000000)
S-2      integer i
S-3
S-4      !$omp parallel
S-5      !$omp single ! loop iteration variable i is private
S-6      do i=1,10000000
S-7      !$omp task
S-8          ! i is firstprivate, item is shared
S-9          call process(item(i))
S-10     !$omp end task
S-11     end do
S-12     !$omp end single
S-13     !$omp end parallel
S-14     end
```

## Fortran

2 The following example is the same as the previous one, except that the tasks are generated in an  
3 untied task. While generating the tasks, the implementation may reach its limit on unassigned tasks.  
4 If it does, the implementation is allowed to cause the thread executing the task generating loop to  
5 suspend its task at the task scheduling point in the **task** directive, and start executing unassigned  
6 tasks. If that thread begins execution of a task that takes a long time to complete, the other threads  
7 may complete all the other tasks before it is finished.

8 In this case, since the loop is in an untied task, any other thread is eligible to resume the task  
9 generating loop. In the previous examples, the other threads would be forced to idle until the  
10 generating thread finishes its long task, since the task generating loop was in a tied task.

## C / C++

11 *Example tasking.6.c*

```
S-1      #define LARGE_NUMBER 10000000
S-2      double item[LARGE_NUMBER];
S-3      extern void process(double);
S-4      int main() {
S-5      #pragma omp parallel
S-6      {
S-7          #pragma omp single
S-8          {
S-9              int i;
S-10             #pragma omp task untied
S-11             // i is firstprivate, item is shared
S-12             {
S-13                 for (i=0; i<LARGE_NUMBER; i++)
S-14                 #pragma omp task
```

```

S-15         process(item[i]);
S-16     }
S-17 }
S-18 }
S-19     return 0;
S-20 }

```

C / C++

Fortran

1 *Example tasking.6.f*

```

S-1         real*8 item(10000000)
S-2     !$omp parallel
S-3     !$omp single
S-4     !$omp task untied
S-5         ! loop iteration variable i is private
S-6         do i=1,10000000
S-7     !$omp task ! i is firstprivate, item is shared
S-8         call process(item(i))
S-9     !$omp end task
S-10        end do
S-11     !$omp end task
S-12     !$omp end single
S-13     !$omp end parallel
S-14        end

```

Fortran

2 The following two examples demonstrate how the scheduling rules illustrated in Section 2.11.3 of  
3 the OpenMP 4.0 specification affect the usage of **threadprivate** variables in tasks. A  
4 **threadprivate** variable can be modified by another task that is executed by the same thread.  
5 Thus, the value of a **threadprivate** variable cannot be assumed to be unchanged across a task  
6 scheduling point. In untied tasks, task scheduling points may be added in any place by the  
7 implementation.

8 A task switch may occur at a task scheduling point. A single thread may execute both of the task  
9 regions that modify **tp**. The parts of these task regions in which **tp** is modified may be executed in  
10 any order so the resulting value of **var** can be either 1 or 2.

1

*Example tasking.7.c*

```

S-1
S-2  int tp;
S-3  #pragma omp threadprivate(tp)
S-4  int var;
S-5  void work()
S-6  {
S-7  #pragma omp task
S-8  {
S-9      /* do work here */
S-10 #pragma omp task
S-11 {
S-12     tp = 1;
S-13     /* do work here */
S-14 #pragma omp task
S-15 {
S-16     /* no modification of tp */
S-17 }
S-18     var = tp; //value of tp can be 1 or 2
S-19 }
S-20     tp = 2;
S-21 }
S-22 }

```

2

*Example tasking.7.f*

```

S-1      module example
S-2      integer tp
S-3  !$omp threadprivate(tp)
S-4      integer var
S-5      contains
S-6      subroutine work
S-7  !$omp task
S-8      ! do work here
S-9  !$omp task
S-10     tp = 1
S-11     ! do work here
S-12  !$omp task
S-13     ! no modification of tp
S-14  !$omp end task
S-15     var = tp    ! value of var can be 1 or 2
S-16  !$omp end task
S-17     tp = 2

```

```
S-18 !$omp end task
S-19     end subroutine
S-20     end module
```

Fortran

1 In this example, scheduling constraints prohibit a thread in the team from executing a new task that  
2 modifies **tp** while another such task region tied to the same thread is suspended. Therefore, the  
3 value written will persist across the task scheduling point.

C / C++

4 *Example tasking.8.c*

```
S-1
S-2 int tp;
S-3 #pragma omp threadprivate(tp)
S-4 int var;
S-5 void work()
S-6 {
S-7 #pragma omp parallel
S-8     {
S-9         /* do work here */
S-10 #pragma omp task
S-11     {
S-12         tp++;
S-13         /* do work here */
S-14 #pragma omp task
S-15     {
S-16         /* do work here but don't modify tp */
S-17     }
S-18     var = tp; //Value does not change after write above
S-19     }
S-20 }
S-21 }
```

C / C++

## Fortran

1 *Example tasking.8.f*

```
S-1      module example
S-2      integer tp
S-3      !$omp threadprivate (tp)
S-4      integer var
S-5      contains
S-6      subroutine work
S-7      !$omp parallel
S-8          ! do work here
S-9      !$omp task
S-10         tp = tp + 1
S-11         ! do work here
S-12      !$omp task
S-13         ! do work here but don't modify tp
S-14      !$omp end task
S-15         var = tp      ! value does not change after write above
S-16      !$omp end task
S-17      !$omp end parallel
S-18      end subroutine
S-19      end module
```

## Fortran

2 The following two examples demonstrate how the scheduling rules illustrated in Section 2.11.3 of  
3 the OpenMP 4.0 specification affect the usage of locks and critical sections in tasks. If a lock is  
4 held across a task scheduling point, no attempt should be made to acquire the same lock in any code  
5 that may be interleaved. Otherwise, a deadlock is possible.

6 In the example below, suppose the thread executing task 1 defers task 2. When it encounters the  
7 task scheduling point at task 3, it could suspend task 1 and begin task 2 which will result in a  
8 deadlock when it tries to enter critical region 1.

## C / C++

9 *Example tasking.9.c*

```
S-1      void work()
S-2      {
S-3          #pragma omp task
S-4          { //Task 1
S-5              #pragma omp task
S-6              { //Task 2
S-7                  #pragma omp critical //Critical region 1
S-8                      { /*do work here */ }
S-9              }
S-10             #pragma omp critical //Critical Region 2
S-11             {
```

```

S-12         //Capture data for the following task
S-13         #pragma omp task
S-14         { /* do work here */ } //Task 3
S-15     }
S-16 }
S-17 }

```



1 *Example tasking.9.f*

```

S-1     module example
S-2     contains
S-3     subroutine work
S-4     !$omp task
S-5         ! Task 1
S-6     !$omp task
S-7         ! Task 2
S-8     !$omp critical
S-9         ! Critical region 1
S-10        ! do work here
S-11     !$omp end critical
S-12     !$omp end task
S-13     !$omp critical
S-14        ! Critical region 2
S-15        ! Capture data for the following task
S-16     !$omp task
S-17         !Task 3
S-18        ! do work here
S-19     !$omp end task
S-20     !$omp end critical
S-21     !$omp end task
S-22     end subroutine
S-23     end module

```



2 In the following example, **lock** is held across a task scheduling point. However, according to the  
3 scheduling restrictions, the executing thread can't begin executing one of the non-descendant tasks  
4 that also acquires **lock** before the task region is complete. Therefore, no deadlock is possible.

1

*Example tasking.10.c*

```

S-1  #include <omp.h>
S-2  void work() {
S-3      omp_lock_t lock;
S-4      omp_init_lock(&lock);
S-5      #pragma omp parallel
S-6      {
S-7          int i;
S-8      #pragma omp for
S-9          for (i = 0; i < 100; i++) {
S-10     #pragma omp task
S-11         {
S-12             // lock is shared by default in the task
S-13             omp_set_lock(&lock);
S-14             // Capture data for the following task
S-15     #pragma omp task
S-16         // Task Scheduling Point 1
S-17             { /* do work here */ }
S-18             omp_unset_lock(&lock);
S-19         }
S-20     }
S-21 }
S-22     omp_destroy_lock(&lock);
S-23 }

```

2

*Example tasking.10.f90*

```

S-1      module example
S-2      include 'omp_lib.h'
S-3      integer (kind=omp_lock_kind) lock
S-4      integer i
S-5
S-6      contains
S-7
S-8      subroutine work
S-9          call omp_init_lock(lock)
S-10     !$omp parallel
S-11         !$omp do
S-12             do i=1,100
S-13                 !$omp task
S-14                     ! Outer task
S-15                     call omp_set_lock(lock)      ! lock is shared by
S-16                                                     ! default in the task

```

```

S-17             ! Capture data for the following task
S-18             !$omp task      ! Task Scheduling Point 1
S-19             ! do work here
S-20             !$omp end task
S-21             call omp_unset_lock(lock)
S-22             !$omp end task
S-23             end do
S-24 !$omp end parallel
S-25             call omp_destroy_lock(lock)
S-26             end subroutine
S-27
S-28             end module

```

## Fortran

1 The following examples illustrate the use of the **mergeable** clause in the **task** construct. In this  
2 first example, the **task** construct has been annotated with the **mergeable** clause. The addition  
3 of this clause allows the implementation to reuse the data environment (including the ICVs) of the  
4 parent task for the task inside **foo** if the task is included or undeferred. Thus, the result of the  
5 execution may differ depending on whether the task is merged or not. Therefore the mergeable  
6 clause needs to be used with caution. In this example, the use of the mergeable clause is safe. As **x**  
7 is a shared variable the outcome does not depend on whether or not the task is merged (that is, the  
8 task will always increment the same variable and will always compute the same value for **x**).

## C / C++

9 *Example tasking.11.c*

```

S-1 #include <stdio.h>
S-2 void foo ( )
S-3 {
S-4     int x = 2;
S-5     #pragma omp task shared(x) mergeable
S-6     {
S-7         x++;
S-8     }
S-9     #pragma omp taskwait
S-10    printf("%d\n",x); // prints 3
S-11 }

```

## C / C++



## Fortran

1 *Example tasking.11.f90*

```
S-1  subroutine foo()  
S-2      integer :: x  
S-3      x = 2  
S-4      !$omp task shared(x) mergeable  
S-5          x = x + 1  
S-6      !$omp end task  
S-7      !$omp taskwait  
S-8      print *, x      ! prints 3  
S-9  end subroutine
```

## Fortran

2 This second example shows an incorrect use of the **mergeable** clause. In this example, the  
3 created task will access different instances of the variable **x** if the task is not merged, as **x** is  
4 **firstprivate**, but it will access the same variable **x** if the task is merged. As a result, the  
5 behavior of the program is unspecified and it can print two different values for **x** depending on the  
6 decisions taken by the implementation.

## C / C++

7 *Example tasking.12.c*

```
S-1  #include <stdio.h>  
S-2  void foo ( )  
S-3  {  
S-4      int x = 2;  
S-5      #pragma omp task mergeable  
S-6      {  
S-7          x++;  
S-8      }  
S-9      #pragma omp taskwait  
S-10     printf("%d\n",x); // prints 2 or 3  
S-11 }
```

## C / C++

1 *Example tasking.12.f90*

```
S-1  subroutine foo()
S-2      integer :: x
S-3      x = 2
S-4      !$omp task mergeable
S-5          x = x + 1
S-6      !$omp end task
S-7      !$omp taskwait
S-8      print *, x    ! prints 2 or 3
S-9  end subroutine
```

2 The following example shows the use of the **final** clause and the **omp\_in\_final** API call in a  
 3 recursive binary search program. To reduce overhead, once a certain depth of recursion is reached  
 4 the program uses the **final** clause to create only included tasks, which allow additional  
 5 optimizations.

6 The use of the **omp\_in\_final** API call allows programmers to optimize their code by specifying  
 7 which parts of the program are not necessary when a task can create only included tasks (that is, the  
 8 code is inside a **final** task). In this example, the use of a different state variable is not necessary  
 9 so once the program reaches the part of the computation that is finalized and copying from the  
 10 parent state to the new state is eliminated. The allocation of **new\_state** in the stack could also be  
 11 avoided but it would make this example less clear. The **final** clause is most effective when used  
 12 in conjunction with the **mergeable** clause since all tasks created in a **final** task region are  
 13 included tasks that can be merged if the **mergeable** clause is present.

14 *Example tasking.13.c*

```
S-1  #include <string.h>
S-2  #include <omp.h>
S-3  #define LIMIT 3 /* arbitrary limit on recursion depth */
S-4  void check_solution(char *);
S-5  void bin_search (int pos, int n, char *state)
S-6  {
S-7      if ( pos == n ) {
S-8          check_solution(state);
S-9          return;
S-10 }
S-11 #pragma omp task final( pos > LIMIT ) mergeable
S-12 {
S-13     char new_state[n];
S-14     if (!omp_in_final() ) {
S-15         memcpy(new_state, state, pos );
```

```

S-16     state = new_state;
S-17     }
S-18     state[pos] = 0;
S-19     bin_search(pos+1, n, state );
S-20     }
S-21     #pragma omp task final( pos > LIMIT ) mergeable
S-22     {
S-23         char new_state[n];
S-24         if (! omp_in_final() ) {
S-25             memcpy(new_state, state, pos );
S-26             state = new_state;
S-27         }
S-28         state[pos] = 1;
S-29         bin_search(pos+1, n, state );
S-30     }
S-31     #pragma omp taskwait
S-32 }

```



1

*Example tasking.13.f90*

```

S-1 recursive subroutine bin_search(pos, n, state)
S-2     use omp_lib
S-3     integer :: pos, n
S-4     character, pointer :: state(:)
S-5     character, target, dimension(n) :: new_state1, new_state2
S-6     integer, parameter :: LIMIT = 3
S-7     if (pos .eq. n) then
S-8         call check_solution(state)
S-9         return
S-10    endif
S-11    !$omp task final(pos > LIMIT) mergeable
S-12    if (.not. omp_in_final()) then
S-13        new_state1(1:pos) = state(1:pos)
S-14        state => new_state1
S-15    endif
S-16    state(pos+1) = 'z'
S-17    call bin_search(pos+1, n, state)
S-18    !$omp end task
S-19    !$omp task final(pos > LIMIT) mergeable
S-20    if (.not. omp_in_final()) then
S-21        new_state2(1:pos) = state(1:pos)
S-22        state => new_state2
S-23    endif
S-24    state(pos+1) = 'y'
S-25    call bin_search(pos+1, n, state)

```

```
S-26 !$omp end task
S-27 !$omp taskwait
S-28 end subroutine
```

---

## Fortran

1 The following example illustrates the difference between the **if** and the **final** clauses. The **if**  
2 clause has a local effect. In the first nest of tasks, the one that has the **if** clause will be undeferred  
3 but the task nested inside that task will not be affected by the **if** clause and will be created as usual.  
4 Alternatively, the **final** clause affects all **task** constructs in the **final** task region but not the  
5 **final** task itself. In the second nest of tasks, the nested tasks will be created as included tasks.  
6 Note also that the conditions for the **if** and **final** clauses are usually the opposite.

---

## C / C++

7 *Example tasking.14.c*

```
S-1 void bar(void);
S-2
S-3 void foo ( )
S-4 {
S-5     int i;
S-6     #pragma omp task if(0) // This task is undeferred
S-7     {
S-8         #pragma omp task // This task is a regular task
S-9         for (i = 0; i < 3; i++) {
S-10             #pragma omp task // This task is a regular task
S-11             bar();
S-12         }
S-13     }
S-14     #pragma omp task final(1) // This task is a regular task
S-15     {
S-16         #pragma omp task // This task is included
S-17         for (i = 0; i < 3; i++) {
S-18             #pragma omp task // This task is also included
S-19             bar();
S-20         }
S-21     }
S-22 }
```

---

## C / C++

1

*Example tasking.14.f90*

```
S-1  subroutine foo()
S-2  integer i
S-3  !$omp task if(.FALSE.) ! This task is undeferred
S-4  !$omp task             ! This task is a regular task
S-5      do i = 1, 3
S-6          !$omp task             ! This task is a regular task
S-7              call bar()
S-8          !$omp end task
S-9      enddo
S-10 !$omp end task
S-11 !$omp end task
S-12 !$omp task final(.TRUE.) ! This task is a regular task
S-13 !$omp task             ! This task is included
S-14      do i = 1, 3
S-15          !$omp task             ! This task is also included
S-16              call bar()
S-17          !$omp end task
S-18      enddo
S-19 !$omp end task
S-20 !$omp end task
S-21 end subroutine
```

## 1 3.2 Task Priority

2 In this example we compute arrays in a matrix through a *compute\_array* routine. Each task has a  
3 priority value equal to the value of the loop variable *i* at the moment of its creation. A higher  
4 priority on a task means that a task is a candidate to run sooner.

5 The creation of tasks occurs in ascending order (according to the iteration space of the loop) but a  
6 hint, by means of the **priority** clause, is provided to reverse the execution order.

▼ C / C++ ▼

7 *Example task\_priority.I.c*

```
S-1 void compute_array (float *node, int M);  
S-2  
S-3 void compute_matrix (float *array, int N, int M)  
S-4 {  
S-5     int i;  
S-6     #pragma omp parallel private(i)  
S-7     #pragma omp single  
S-8     {  
S-9         for (i=0;i<N; i++) {  
S-10             #pragma omp task priority(i)  
S-11             compute_array(&array[i*M], M);  
S-12         }  
S-13     }  
S-14 }
```

▲ C / C++ ▲

▼ Fortran ▼

8 *Example task\_priority.I.f90*

```
S-1 subroutine compute_matrix(matrix, M, N)  
S-2     implicit none  
S-3     integer :: M, N  
S-4     real :: matrix(M, N)  
S-5     integer :: i  
S-6     interface  
S-7         subroutine compute_array(node, M)  
S-8             implicit none  
S-9             integer :: M  
S-10            real :: node(M)  
S-11            end subroutine  
S-12     end interface  
S-13     !$omp parallel private(i)  
S-14     !$omp single  
S-15     do i=1,N  
S-16         !$omp task priority(i)
```

```
S-17     call compute_array(matrix(:, i), M)
S-18     !$omp end task
S-19     enddo
S-20     !$omp end single
S-21     !$omp end parallel
S-22 end subroutine compute_matrix
```

▲————— Fortran —————▲

## 1 3.3 Task Dependences

### 2 3.3.1 Flow Dependence

3 In this example we show a simple flow dependence expressed using the **depend** clause on the  
4 **task** construct.

C / C++

5 *Example task\_dep.1.c*

```
S-1 #include <stdio.h>
S-2 int main()
S-3 {
S-4     int x = 1;
S-5     #pragma omp parallel
S-6     #pragma omp single
S-7     {
S-8         #pragma omp task shared(x) depend(out: x)
S-9         x = 2;
S-10        #pragma omp task shared(x) depend(in: x)
S-11        printf("x = %d\n", x);
S-12    }
S-13    return 0;
S-14 }
```

C / C++

Fortran

6 *Example task\_dep.1.f90*

```
S-1 program example
S-2     integer :: x
S-3     x = 1
S-4     !$omp parallel
S-5     !$omp single
S-6         !$omp task shared(x) depend(out: x)
S-7         x = 2
S-8     !$omp end task
S-9     !$omp task shared(x) depend(in: x)
S-10        print*, "x = ", x
S-11    !$omp end task
S-12    !$omp end single
S-13    !$omp end parallel
S-14 end program
```



## Fortran

1 The program will always print "x = 2", because the **depend** clauses enforce the ordering of the  
2 tasks. If the **depend** clauses had been omitted, then the tasks could execute in any order and the  
3 program and the program would have a race condition.

### 4 3.3.2 Anti-dependence

5 In this example we show an anti-dependence expressed using the **depend** clause on the **task**  
6 construct.

## C / C++

7 *Example task\_dep.2.c*

```
S-1 #include <stdio.h>
S-2 int main()
S-3 {
S-4     int x = 1;
S-5     #pragma omp parallel
S-6     #pragma omp single
S-7     {
S-8         #pragma omp task shared(x) depend(in: x)
S-9         printf("x = %d\n", x);
S-10        #pragma omp task shared(x) depend(out: x)
S-11        x = 2;
S-12    }
S-13    return 0;
S-14 }
```

## C / C++

1 *Example task\_dep.2.f90*

```

S-1  program example
S-2      integer :: x
S-3      x = 1
S-4      !$omp parallel
S-5          !$omp single
S-6              !$omp task shared(x) depend(in: x)
S-7                  print*, "x = ", x
S-8              !$omp end task
S-9              !$omp task shared(x) depend(out: x)
S-10                 x = 2
S-11          !$omp end task
S-12      !$omp end single
S-13      !$omp end parallel
S-14  end program

```

2 The program will always print "x = 1", because the **depend** clauses enforce the ordering of the  
 3 tasks. If the **depend** clauses had been omitted, then the tasks could execute in any order and the  
 4 program would have a race condition.

### 5 3.3.3 Output Dependence

6 In this example we show an output dependence expressed using the **depend** clause on the **task**  
 7 construct.

8 *Example task\_dep.3.c*

```

S-1  #include <stdio.h>
S-2  int main()
S-3  {
S-4      int x;
S-5      #pragma omp parallel
S-6          #pragma omp single
S-7              {
S-8                  #pragma omp task shared(x) depend(out: x)
S-9                      x = 1;
S-10                 #pragma omp task shared(x) depend(out: x)
S-11                     x = 2;
S-12                 #pragma omp taskwait

```

```

S-13     printf("x = %d\n", x);
S-14     }
S-15     return 0;
S-16     }

```

C / C++

Fortran

1

*Example task\_dep.3.f90*

```

S-1  program example
S-2      integer :: x
S-3      !$omp parallel
S-4      !$omp single
S-5          !$omp task shared(x) depend(out: x)
S-6              x = 1
S-7          !$omp end task
S-8          !$omp task shared(x) depend(out: x)
S-9              x = 2
S-10         !$omp end task
S-11         !$omp taskwait
S-12         print*, "x = ", x
S-13     !$omp end single
S-14     !$omp end parallel
S-15 end program

```

Fortran

2

The program will always print "x = 2", because the **depend** clauses enforce the ordering of the tasks. If the **depend** clauses had been omitted, then the tasks could execute in any order and the program would have a race condition.

3

4

### 5 3.3.4 Concurrent Execution with Dependences

6

In this example we show potentially concurrent execution of tasks using multiple flow dependences expressed using the **depend** clause on the **task** construct.

7

1 *Example task\_dep.4.c*

```

S-1 #include <stdio.h>
S-2 int main()
S-3 {
S-4     int x = 1;
S-5     #pragma omp parallel
S-6     #pragma omp single
S-7     {
S-8         #pragma omp task shared(x) depend(out: x)
S-9         x = 2;
S-10        #pragma omp task shared(x) depend(in: x)
S-11        printf("x + 1 = %d. ", x+1);
S-12        #pragma omp task shared(x) depend(in: x)
S-13        printf("x + 2 = %d\n", x+2);
S-14    }
S-15    return 0;
S-16 }

```

2 *Example task\_dep.4.f90*

```

S-1 program example
S-2     integer :: x
S-3     x = 1
S-4     !$omp parallel
S-5     !$omp single
S-6         !$omp task shared(x) depend(out: x)
S-7         x = 2
S-8         !$omp end task
S-9         !$omp task shared(x) depend(in: x)
S-10        print*, "x + 1 = ", x+1, "."
S-11        !$omp end task
S-12        !$omp task shared(x) depend(in: x)
S-13        print*, "x + 2 = ", x+2, "."
S-14        !$omp end task
S-15    !$omp end single
S-16    !$omp end parallel
S-17 end program

```

1 The last two tasks are dependent on the first task. However there is no dependence between the last  
 2 two tasks, which may execute in any order (or concurrently if more than one thread is available).  
 3 Thus, the possible outputs are "x + 1 = 3. x + 2 = 4. " and "x + 2 = 4. x + 1 = 3. ". If the **depend**  
 4 clauses had been omitted, then all of the tasks could execute in any order and the program would  
 5 have a race condition.

### 6 3.3.5 Matrix multiplication

7 This example shows a task-based blocked matrix multiplication. Matrices are of NxN elements, and  
 8 the multiplication is implemented using blocks of BSxBS elements.

9 *Example task\_dep.5.c*

```
S-1 // Assume BS divides N perfectly
S-2 void matmul_depend(int N, int BS, float A[N][N], float B[N][N], float
S-3 C[N][N] )
S-4 {
S-5     int i, j, k, ii, jj, kk;
S-6     for (i = 0; i < N; i+=BS) {
S-7         for (j = 0; j < N; j+=BS) {
S-8             for (k = 0; k < N; k+=BS) {
S-9 // Note 1: i, j, k, A, B, C are firstprivate by default
S-10 // Note 2: A, B and C are just pointers
S-11 #pragma omp task private(ii, jj, kk) \
S-12     depend ( in: A[i:BS][k:BS], B[k:BS][j:BS] ) \
S-13     depend ( inout: C[i:BS][j:BS] )
S-14     for (ii = i; ii < i+BS; ii++ )
S-15         for (jj = j; jj < j+BS; jj++ )
S-16             for (kk = k; kk < k+BS; kk++ )
S-17                 C[ii][jj] = C[ii][jj] + A[ii][kk] * B[kk][jj];
S-18     }
S-19 }
S-20 }
S-21 }
```

1

*Example task\_dep.5.f90*

```

S-1  ! Assume BS divides N perfectly
S-2  subroutine matmul_depend ( N, BS, A, B, C)
S-3      implicit none
S-4      integer :: N, BS, BM
S-5      real, dimension(N, N) :: A, B, C
S-6      integer :: i, j, k, ii, jj, kk
S-7      BM = BS - 1
S-8      do i = 1, N, BS
S-9          do j = 1, N, BS
S-10             do k = 1, N, BS
S-11                 !$omp task shared(A,B,C) private(ii,jj,kk) & ! I,J,K are firstprivate by default
S-12                 !$omp depend ( in: A(i:i+BM, k:k+BM), B(k:k+BM, j:j+BM) ) &
S-13                 !$omp depend ( inout: C(i:i+BM, j:j+BM) )
S-14                     do ii = i, i+BM
S-15                         do jj = j, j+BM
S-16                             do kk = k, k+BM
S-17                                 C(jj,ii) = C(jj,ii) + A(kk,ii) * B(jj,kk)
S-18                             end do
S-19                         end do
S-20                     end do
S-21                 !$omp end task
S-22             end do
S-23         end do
S-24     end do
S-25 end subroutine

```

## 1 3.4 The taskgroup Construct

2 In this example, tasks are grouped and synchronized using the **taskgroup** construct.

3 Initially, one task (the task executing the **start\_background\_work()** call) is created in the  
4 **parallel** region, and later a parallel tree traversal is started (the task executing the root of the  
5 recursive **compute\_tree()** calls). While synchronizing tasks at the end of each tree traversal,  
6 using the **taskgroup** construct ensures that the formerly started background task does not  
7 participate in the synchronization, and is left free to execute in parallel. This is opposed to the  
8 behaviour of the **taskwait** construct, which would include the background tasks in the  
9 synchronization.

C / C++

10 *Example taskgroup.1.c*

```
S-1 extern void start_background_work(void);
S-2 extern void check_step(void);
S-3 extern void print_results(void);
S-4 struct tree_node
S-5 {
S-6     struct tree_node *left;
S-7     struct tree_node *right;
S-8 };
S-9 typedef struct tree_node* tree_type;
S-10 extern void init_tree(tree_type);
S-11 #define max_steps 100
S-12 void compute_something(tree_type tree)
S-13 {
S-14     // some computation
S-15 }
S-16 void compute_tree(tree_type tree)
S-17 {
S-18     if (tree->left)
S-19     {
S-20         #pragma omp task
S-21         compute_tree(tree->left);
S-22     }
S-23     if (tree->right)
S-24     {
S-25         #pragma omp task
S-26         compute_tree(tree->right);
S-27     }
S-28     #pragma omp task
S-29     compute_something(tree);
S-30 }
S-31 int main()
S-32 {
```

```

S-33     int i;
S-34     tree_type tree;
S-35     init_tree(tree);
S-36     #pragma omp parallel
S-37     #pragma omp single
S-38     {
S-39         #pragma omp task
S-40         start_background_work();
S-41         for (i = 0; i < max_steps; i++)
S-42         {
S-43             #pragma omp taskgroup
S-44             {
S-45                 #pragma omp task
S-46                 compute_tree(tree);
S-47             } // wait on tree traversal in this step
S-48             check_step();
S-49         }
S-50     } // only now is background work required to be complete
S-51     print_results();
S-52     return 0;
S-53 }

```



1

*Example taskgroup.1.f90*

```

S-1  module tree_type_mod
S-2      integer, parameter :: max_steps=100
S-3      type tree_type
S-4          type(tree_type), pointer :: left, right
S-5      end type
S-6      contains
S-7          subroutine compute_something(tree)
S-8              type(tree_type), pointer :: tree
S-9              ! some computation
S-10         end subroutine
S-11         recursive subroutine compute_tree(tree)
S-12             type(tree_type), pointer :: tree
S-13             if (associated(tree%left)) then
S-14             !$omp task
S-15                 call compute_tree(tree%left)
S-16             !$omp end task
S-17             endif
S-18             if (associated(tree%right)) then
S-19             !$omp task
S-20                 call compute_tree(tree%right)
S-21             !$omp end task

```



```

S-22         endif
S-23     !$omp task
S-24         call compute_something(tree)
S-25     !$omp end task
S-26         end subroutine
S-27     end module
S-28     program main
S-29         use tree_type_mod
S-30         type(tree_type), pointer :: tree
S-31         call init_tree(tree);
S-32     !$omp parallel
S-33     !$omp single
S-34     !$omp task
S-35         call start_background_work()
S-36     !$omp end task
S-37         do i=1, max_steps
S-38     !$omp taskgroup
S-39     !$omp task
S-40         call compute_tree(tree)
S-41     !$omp end task
S-42     !$omp end taskgroup ! wait on tree traversal in this step
S-43         call check_step()
S-44     enddo
S-45     !$omp end single
S-46     !$omp end parallel    ! only now is background work required to be complete
S-47         call print_results()
S-48     end program

```


 Fortran

## 1 3.5 The taskyield Construct

2 The following example illustrates the use of the **taskyield** directive. The tasks in the example  
3 compute something useful and then do some computation that must be done in a critical region. By  
4 using **taskyield** when a task cannot get access to the **critical** region the implementation  
5 can suspend the current task and schedule some other task that can do something useful.

C / C++

6 *Example taskyield.1.c*

```
S-1 #include <omp.h>
S-2
S-3 void something_useful ( void );
S-4 void something_critical ( void );
S-5 void foo ( omp_lock_t * lock, int n )
S-6 {
S-7     int i;
S-8
S-9     for ( i = 0; i < n; i++ )
S-10         #pragma omp task
S-11         {
S-12             something_useful();
S-13             while ( !omp_test_lock(lock) ) {
S-14                 #pragma omp taskyield
S-15             }
S-16             something_critical();
S-17             omp_unset_lock(lock);
S-18         }
S-19 }
```

C / C++

Fortran

7 *Example taskyield.1.f90*

```
S-1 subroutine foo ( lock, n )
S-2     use omp_lib
S-3     integer (kind=omp_lock_kind) :: lock
S-4     integer n
S-5     integer i
S-6
S-7     do i = 1, n
S-8         !$omp task
S-9         call something_useful()
S-10        do while ( .not. omp_test_lock(lock) )
S-11            !$omp taskyield
S-12        end do
```

```
S-13         call something_critical()
S-14         call omp_unset_lock(lock)
S-15         !$omp end task
S-16     end do
S-17
S-18 end subroutine
```

Fortran



## 1 3.6 The `taskloop` Construct

2 The following example illustrates how to execute a long running task concurrently with tasks  
3 created with a `taskloop` directive for a loop having unbalanced amounts of work for its iterations.

4 The `grainsize` clause specifies that each task is to execute at least 500 iterations of the loop.

5 The `nogroup` clause removes the implicit taskgroup of the `taskloop` construct; the explicit  
6 `taskgroup` construct in the example ensures that the function is not exited before the  
7 long-running task and the loops have finished execution.

▼ C / C++ ▼

8 *Example `taskloop.1.c`*

```
S-1 void long_running_task(void);  
S-2 void loop_body(int i, int j);  
S-3  
S-4 void parallel_work(void) {  
S-5     int i, j;  
S-6     #pragma omp taskgroup  
S-7     {  
S-8         #pragma omp task  
S-9             long_running_task(); // can execute concurrently  
S-10  
S-11     #pragma omp taskloop private(j) grainsize(500) nogroup  
S-12         for (i = 0; i < 10000; i++) { // can execute concurrently  
S-13             for (j = 0; j < i; j++) {  
S-14                 loop_body(i, j);  
S-15             }  
S-16         }  
S-17     }  
S-18 }
```

▲ C / C++ ▲

1

*Example taskloop.1.f90*

```
S-1  subroutine parallel_work
S-2      integer i
S-3      integer j
S-4      !$omp taskgroup
S-5
S-6      !$omp task
S-7          call long_running_task()
S-8      !$omp end task
S-9
S-10     !$omp taskloop private(j) grainsize(500) nogroup
S-11         do i=1,10000
S-12             do j=1,i
S-13                 call loop_body(i, j)
S-14             end do
S-15         end do
S-16     !$omp end taskloop
S-17
S-18     !$omp end taskgroup
S-19 end subroutine
```

2 **Devices**

---

3 The **target** construct consists of a **target** directive and an execution region. The **target**  
4 region is executed on the default device or the device specified in the **device** clause.

5 In OpenMP version 4.0, by default, all variables within the lexical scope of the construct are copied  
6 *to* and *from* the device, unless the device is the host, or the data exists on the device from a  
7 previously executed data-type construct that has created space on the device and possibly copied  
8 host data to the device storage.

9 The constructs that explicitly create storage, transfer data, and free storage on the device are  
10 categorized as structured and unstructured. The **target data** construct is structured. It creates a  
11 data region around **target** constructs, and is convenient for providing persistent data throughout  
12 multiple **target** regions. The **target enter data** and **target exit data** constructs are  
13 unstructured, because they can occur anywhere and do not support a "structure" (a region) for  
14 enclosing **target** constructs, as does the **target data** construct.

15 The **map** clause is used on **target** constructs and the data-type constructs to map host data. It  
16 specifies the device storage and data movement **to** and **from** the device, and controls on the  
17 storage duration.

18 There is an important change in the OpenMP 4.5 specification that alters the data model for scalar  
19 variables and C/C++ pointer variables. The default behavior for scalar variables and C/C++ pointer  
20 variables in an 4.5 compliant code is **firstprivate**. Example codes that have been updated to  
21 reflect this new behavior are annotated with a description that describes changes required for  
22 correct execution. Often it is a simple matter of mapping the variable as **tofrom** to obtain the  
23 intended 4.0 behavior.

24 In OpenMP version 4.5 the mechanism for target execution is specified as occurring through a *target*  
25 *task*. When the **target** construct is encountered a new *target task* is generated. The *target task*  
26 completes after the **target** region has executed and all data transfers have finished.

27 This new specification does not affect the execution of pre-4.5 code; it is a necessary element for  
28 asynchronous execution of the **target** region when using the new **nowait** clause introduced in  
29 OpenMP 4.5.

# 1 4.1 target Construct

## 2 4.1.1 target Construct on parallel Construct

3 This following example shows how the **target** construct offloads a code region to a target device.  
4 The variables  $p$ ,  $v1$ ,  $v2$ , and  $N$  are implicitly mapped to the target device.

▼ C / C++ ▼

5 *Example target.1.c*

```
S-1 extern void init(float*, float*, int);  
S-2 extern void output(float*, int);  
S-3 void vec_mult(int N)  
S-4 {  
S-5     int i;  
S-6     float p[N], v1[N], v2[N];  
S-7     init(v1, v2, N);  
S-8     #pragma omp target  
S-9     #pragma omp parallel for private(i)  
S-10    for (i=0; i<N; i++)  
S-11        p[i] = v1[i] * v2[i];  
S-12    output(p, N);  
S-13 }
```

▲ C / C++ ▲  
▼ Fortran ▼

6 *Example target.1.f90*

```
S-1 subroutine vec_mult(N)  
S-2     integer :: i,N  
S-3     real    :: p(N), v1(N), v2(N)  
S-4     call init(v1, v2, N)  
S-5     !$omp target  
S-6     !$omp parallel do  
S-7     do i=1,N  
S-8         p(i) = v1(i) * v2(i)  
S-9     end do  
S-10    !$omp end target  
S-11    call output(p, N)  
S-12 end subroutine
```

▲ Fortran ▲

## 1 4.1.2 target Construct with map Clause

2 This following example shows how the **target** construct offloads a code region to a target device.  
3 The variables *p*, *v1* and *v2* are explicitly mapped to the target device using the **map** clause. The  
4 variable *N* is implicitly mapped to the target device.

C / C++

5 *Example target.2.c*

```
S-1 extern void init(float*, float*, int);  
S-2 extern void output(float*, int);  
S-3 void vec_mult(int N)  
S-4 {  
S-5     int i;  
S-6     float p[N], v1[N], v2[N];  
S-7     init(v1, v2, N);  
S-8     #pragma omp target map(v1, v2, p)  
S-9     #pragma omp parallel for  
S-10    for (i=0; i<N; i++)  
S-11        p[i] = v1[i] * v2[i];  
S-12    output(p, N);  
S-13 }
```

C / C++

Fortran

6 *Example target.2.f90*

```
S-1 subroutine vec_mult(N)  
S-2     integer :: i,N  
S-3     real    :: p(N), v1(N), v2(N)  
S-4     call init(v1, v2, N)  
S-5     !$omp target map(v1,v2,p)  
S-6     !$omp parallel do  
S-7     do i=1,N  
S-8         p(i) = v1(i) * v2(i)  
S-9     end do  
S-10    !$omp end target  
S-11    call output(p, N)  
S-12 end subroutine
```

Fortran



## 1 4.1.3 map Clause with **to/from** map-types

2 The following example shows how the **target** construct offloads a code region to a target device.  
3 In the **map** clause, the **to** and **from** map-types define the mapping between the original (host) data  
4 and the target (device) data. The **to** map-type specifies that the data will only be read on the  
5 device, and the **from** map-type specifies that the data will only be written to on the device. By  
6 specifying a guaranteed access on the device, data transfers can be reduced for the **target** region.

7 The **to** map-type indicates that at the start of the **target** region the variables *v1* and *v2* are  
8 initialized with the values of the corresponding variables on the host device, and at the end of the  
9 **target** region the variables *v1* and *v2* are not assigned to their corresponding variables on the  
10 host device.

11 The **from** map-type indicates that at the start of the **target** region the variable *p* is not initialized  
12 with the value of the corresponding variable on the host device, and at the end of the **target**  
13 region the variable *p* is assigned to the corresponding variable on the host device.

▼ C / C++ ▼

14 *Example target.3.c*

```
S-1 extern void init(float*, float*, int);  
S-2 extern void output(float*, int);  
S-3 void vec_mult(int N)  
S-4 {  
S-5     int i;  
S-6     float p[N], v1[N], v2[N];  
S-7     init(v1, v2, N);  
S-8     #pragma omp target map(to: v1, v2) map(from: p)  
S-9     #pragma omp parallel for  
S-10     for (i=0; i<N; i++)  
S-11         p[i] = v1[i] * v2[i];  
S-12     output(p, N);  
S-13 }
```

▲ C / C++ ▲

15 The **to** and **from** map-types allow programmers to optimize data motion. Since data for the *v*  
16 arrays are not returned, and data for the *p* array are not transferred to the device, only one-half of  
17 the data is moved, compared to the default behavior of an implicit mapping.

1 *Example target.3.f90*

```

S-1  subroutine vec_mult(N)
S-2      integer :: i,N
S-3      real    :: p(N), v1(N), v2(N)
S-4      call init(v1, v2, N)
S-5      !$omp target map(to: v1,v2) map(from: p)
S-6      !$omp parallel do
S-7          do i=1,N
S-8              p(i) = v1(i) * v2(i)
S-9          end do
S-10     !$omp end target
S-11     call output(p, N)
S-12 end subroutine

```

## 2 4.1.4 map Clause with Array Sections

3 The following example shows how the **target** construct offloads a code region to a target device.  
 4 In the **map** clause, map-types are used to optimize the mapping of variables to the target device.  
 5 Because variables *p*, *v1* and *v2* are pointers, array section notation must be used to map the arrays.  
 6 The notation **:N** is equivalent to **0:N**.

7 *Example target.4.c*

```

S-1  extern void init(float*, float*, int);
S-2  extern void output(float*, int);
S-3  void vec_mult(float *p, float *v1, float *v2, int N)
S-4  {
S-5      int i;
S-6      init(v1, v2, N);
S-7      #pragma omp target map(to: v1[0:N], v2[:N]) map(from: p[0:N])
S-8      #pragma omp parallel for
S-9      for (i=0; i<N; i++)
S-10         p[i] = v1[i] * v2[i];
S-11         output(p, N);
S-12 }

```

## C / C++

1 In C, the length of the pointed-to array must be specified. In Fortran the extent of the array is  
2 known and the length need not be specified. A section of the array can be specified with the usual  
3 Fortran syntax, as shown in the following example. The value 1 is assumed for the lower bound for  
4 array section `v2(:N)`.

## Fortran

5 *Example target.4.f90*

```
S-1 module mults
S-2 contains
S-3 subroutine vec_mult(p,v1,v2,N)
S-4     real,pointer,dimension(:) :: p, v1, v2
S-5     integer                    :: N,i
S-6     call init(v1, v2, N)
S-7     !$omp target map(to: v1(1:N), v2(:N)) map(from: p(1:N))
S-8     !$omp parallel do
S-9     do i=1,N
S-10        p(i) = v1(i) * v2(i)
S-11     end do
S-12     !$omp end target
S-13     call output(p, N)
S-14 end subroutine
S-15 end module
```

## Fortran

6 A more realistic situation in which an assumed-size array is passed to `vec_mult` requires that the  
7 length of the arrays be specified, because the compiler does not know the size of the storage. A  
8 section of the array must be specified with the usual Fortran syntax, as shown in the following  
9 example. The value 1 is assumed for the lower bound for array section `v2(:N)`.

1 *Example target.4b.f90*

```

S-1  module mults
S-2  contains
S-3  subroutine vec_mult(p,v1,v2,N)
S-4      real,dimension(*) :: p, v1, v2
S-5      integer           :: N,i
S-6      call init(v1, v2, N)
S-7      !$omp target map(to: v1(1:N), v2(:N)) map(from: p(1:N))
S-8      !$omp parallel do
S-9          do i=1,N
S-10         p(i) = v1(i) * v2(i)
S-11     end do
S-12     !$omp end target
S-13     call output(p, N)
S-14 end subroutine
S-15 end module

```

## 2 4.1.5 target Construct with if Clause

3 The following example shows how the **target** construct offloads a code region to a target device.

4 The **if** clause on the **target** construct indicates that if the variable  $N$  is smaller than a given  
5 threshold, then the **target** region will be executed by the host device.

6 The **if** clause on the **parallel** construct indicates that if the variable  $N$  is smaller than a second  
7 threshold then the **parallel** region is inactive.

8 *Example target.5.c*

```

S-1  #define THRESHOLD1 1000000
S-2  #define THRESHOLD2 1000
S-3  extern void init(float*, float*, int);
S-4  extern void output(float*, int);
S-5  void vec_mult(float *p, float *v1, float *v2, int N)
S-6  {
S-7      int i;
S-8      init(v1, v2, N);
S-9      #pragma omp target if(N>THRESHOLD1) map(to: v1[0:N], v2[:N])\
S-10         map(from: p[0:N])
S-11      #pragma omp parallel for if(N>THRESHOLD2)

```

```

S-12     for (i=0; i<N; i++)
S-13         p[i] = v1[i] * v2[i];
S-14     output(p, N);
S-15 }

```

C / C++

Fortran

1

*Example target.5.f90*

```

S-1  module params
S-2  integer,parameter :: THRESHOLD1=1000000, THRESHHOLD2=1000
S-3  end module
S-4  subroutine vec_mult(p, v1, v2, N)
S-5      use params
S-6      real      :: p(N), v1(N), v2(N)
S-7      integer :: i
S-8      call init(v1, v2, N)
S-9      !$omp target if(N>THRESHHOLD1) map(to: v1, v2 ) map(from: p)
S-10         !$omp parallel do if(N>THRESHHOLD2)
S-11             do i=1,N
S-12                 p(i) = v1(i) * v2(i)
S-13             end do
S-14         !$omp end target
S-15         call output(p, N)
S-16     end subroutine

```

Fortran

2

The following example is a modification of the above *target.5* code to show the combined **target** and parallel loop directives. It uses the *directive-name* modifier in multiple **if** clauses to specify the component directive to which it applies.

3

4

5

The **if** clause with the **target** modifier applies to the **target** component of the combined directive, and the **if** clause with the **parallel** modifier applies to the **parallel** component of the combined directive.

6

7

1

*Example target.6.c*

```

S-1  #define THRESHOLD1 1000000
S-2  #define THRESHOLD2 1000
S-3  extern void init(float*, float*, int);
S-4  extern void output(float*, int);
S-5  void vec_mult(float *p, float *v1, float *v2, int N)
S-6  {
S-7      int i;
S-8      init(v1, v2, N);
S-9      #pragma omp target parallel for \
S-10         if(target: N>THRESHOLD1) if(parallel: N>THRESHOLD2) \
S-11         map(to: v1[0:N], v2[:N]) map(from: p[0:N])
S-12         for (i=0; i<N; i++)
S-13             p[i] = v1[i] * v2[i];
S-14         output(p, N);
S-15     }

```

2

*Example target.6.f90*

```

S-1  module params
S-2  integer,parameter :: THRESHOLD1=1000000, THRESHHOLD2=1000
S-3  end module
S-4  subroutine vec_mult(p, v1, v2, N)
S-5      use params
S-6      real    :: p(N), v1(N), v2(N)
S-7      integer :: i
S-8      call init(v1, v2, N)
S-9      !$omp target parallel do &
S-10         !$omp&   if(target: N>THRESHHOLD1) if(parallel: N>THRESHOLD2) &
S-11         !$omp&   map(to: v1, v2 ) map(from: p)
S-12         do i=1,N
S-13             p(i) = v1(i) * v2(i)
S-14         end do
S-15         !$omp end target parallel do
S-16         call output(p, N)
S-17     end subroutine

```

## 1 4.2 target data Construct

### 2 4.2.1 Simple target data Construct

3 This example shows how the **target data** construct maps variables to a device data  
4 environment. The **target data** construct creates a new device data environment and maps the  
5 variables  $v1$ ,  $v2$ , and  $p$  to the new device data environment. The **target** construct enclosed in the  
6 **target data** region creates a new device data environment, which inherits the variables  $v1$ ,  $v2$ ,  
7 and  $p$  from the enclosing device data environment. The variable  $N$  is mapped into the new device  
8 data environment from the encountering task's data environment.

▼ C / C++ ▼

9 *Example target\_data.f.c*

```
S-1 extern void init(float*, float*, int);  
S-2 extern void output(float*, int);  
S-3 void vec_mult(float *p, float *v1, float *v2, int N)  
S-4 {  
S-5     int i;  
S-6     init(v1, v2, N);  
S-7     #pragma omp target data map(to: v1[0:N], v2[:N]) map(from: p[0:N])  
S-8     {  
S-9         #pragma omp target  
S-10        #pragma omp parallel for  
S-11        for (i=0; i<N; i++)  
S-12            p[i] = v1[i] * v2[i];  
S-13    }  
S-14    output(p, N);  
S-15 }
```

▲ C / C++ ▲

10 The Fortran code passes a reference and specifies the extent of the arrays in the declaration. No  
11 length information is necessary in the map clause, as is required with C/C++ pointers.

1 *Example target\_data.1.f90*

```

S-1  subroutine vec_mult(p, v1, v2, N)
S-2      real    :: p(N), v1(N), v2(N)
S-3      integer :: i
S-4      call init(v1, v2, N)
S-5      !$omp target data map(to: v1, v2) map(from: p)
S-6      !$omp target
S-7      !$omp parallel do
S-8          do i=1,N
S-9              p(i) = v1(i) * v2(i)
S-10         end do
S-11     !$omp end target
S-12     !$omp end target data
S-13     call output(p, N)
S-14 end subroutine

```

## 2 4.2.2 target data Region Enclosing Multiple target 3 Regions

4 The following examples show how the **target data** construct maps variables to a device data  
5 environment of a **target** region. The **target data** construct creates a device data environment  
6 and encloses **target** regions, which have their own device data environments. The device data  
7 environment of the **target data** region is inherited by the device data environment of an  
8 enclosed **target** region. The **target data** construct is used to create variables that will persist  
9 throughout the **target data** region.

10 In the following example the variables *v1* and *v2* are mapped at each **target** construct. Instead of  
11 mapping the variable *p* twice, once at each **target** construct, *p* is mapped once by the **target**  
12 **data** construct.



## C / C++

1

*Example target\_data.2.c*

```
S-1  extern void init(float*, float*, int);
S-2  extern void init_again(float*, float*, int);
S-3  extern void output(float*, int);
S-4  void vec_mult(float *p, float *v1, float *v2, int N)
S-5  {
S-6      int i;
S-7      init(v1, v2, N);
S-8      #pragma omp target data map(from: p[0:N])
S-9      {
S-10         #pragma omp target map(to: v1[:N], v2[:N])
S-11         #pragma omp parallel for
S-12         for (i=0; i<N; i++)
S-13             p[i] = v1[i] * v2[i];
S-14         init_again(v1, v2, N);
S-15         #pragma omp target map(to: v1[:N], v2[:N])
S-16         #pragma omp parallel for
S-17         for (i=0; i<N; i++)
S-18             p[i] = p[i] + (v1[i] * v2[i]);
S-19     }
S-20     output(p, N);
S-21 }
```

## C / C++

2

The Fortran code uses reference and specifies the extent of the *p*, *v1* and *v2* arrays. No length information is necessary in the **map** clause, as is required with C/C++ pointers. The arrays *v1* and *v2* are mapped at each **target** construct. Instead of mapping the array *p* twice, once at each target construct, *p* is mapped once by the **target data** construct.

3

4

5

## Fortran

6

*Example target\_data.2.f90*

```
S-1  subroutine vec_mult(p, v1, v2, N)
S-2      real    :: p(N), v1(N), v2(N)
S-3      integer :: i
S-4      call init(v1, v2, N)
S-5      !$omp target data map(from: p)
S-6          !$omp target map(to: v1, v2 )
S-7          !$omp parallel do
S-8              do i=1,N
S-9                  p(i) = v1(i) * v2(i)
S-10             end do
S-11         !$omp end target
S-12         call init_again(v1, v2, N)
```

```

S-13         !$omp target map(to: v1, v2 )
S-14         !$omp parallel do
S-15         do i=1,N
S-16             p(i) = p(i) + v1(i) * v2(i)
S-17         end do
S-18         !$omp end target
S-19     !$omp end target data
S-20     call output(p, N)
S-21 end subroutine

```

## Fortran

1 In the following example, the variable `tmp` defaults to `tofrom` map-type and is mapped at each  
2 **target** construct. The array  $Q$  is mapped once at the enclosing **target data** region instead of  
3 at each **target** construct.

## C / C++

4 *Example target\_data.3.c*

```

S-1 #include <math.h>
S-2 #define COLS 100
S-3 void gramSchmidt(float Q[][COLS], const int rows)
S-4 {
S-5     int cols = COLS;
S-6     #pragma omp target data map(Q[0:rows][0:cols])
S-7     for(int k=0; k < cols; k++)
S-8     {
S-9         double tmp = 0.0;
S-10        #pragma omp target map(tofrom: tmp)
S-11        #pragma omp parallel for reduction(+:tmp)
S-12        for(int i=0; i < rows; i++)
S-13            tmp += (Q[i][k] * Q[i][k]);
S-14
S-15        tmp = 1/sqrt(tmp);
S-16
S-17        #pragma omp target
S-18        #pragma omp parallel for
S-19        for(int i=0; i < rows; i++)
S-20            Q[i][k] *= tmp;
S-21    }
S-22 }
S-23
S-24 /* Note: The variable tmp is now mapped with tofrom, for correct
S-25    execution with 4.5 (and pre-4.5) compliant compilers. See Devices Intro.
S-26 */

```

## C / C++

1 In the following example the arrays *v1* and *v2* are mapped at each **target** construct. Instead of  
2 mapping the array *Q* twice at each **target** construct, *Q* is mapped once by the **target data**  
3 construct. Note, the *tmp* variable is implicitly remapped for each **target** region, mapping the  
4 value from the device to the host at the end of the first **target** region, and from the host to the  
5 device for the second **target** region.

## Fortran

6 *Example target\_data.3.f90*

```
S-1  subroutine gramSchmidt(Q,rows,cols)
S-2  integer          ::  rows,cols,  i,k
S-3  double precision ::  Q(rows,cols), tmp
S-4      !$omp target data map(Q)
S-5      do k=1,cols
S-6          tmp = 0.0d0
S-7          !$omp target map(tofrom: tmp)
S-8              !$omp parallel do reduction(+:tmp)
S-9                  do i=1,rows
S-10                     tmp = tmp + (Q(i,k) * Q(i,k))
S-11                 end do
S-12             !$omp end target
S-13
S-14             tmp = 1.0d0/sqrt(tmp)
S-15
S-16             !$omp target
S-17                 !$omp parallel do
S-18                     do i=1,rows
S-19                         Q(i,k) = Q(i,k)*tmp
S-20                     enddo
S-21             !$omp end target
S-22         end do
S-23     !$omp end target data
S-24 end subroutine
S-25
S-26 ! Note: The variable tmp is now mapped with tofrom, for correct
S-27 ! execution with 4.5 (and pre-4.5) compliant compilers. See Devices Intro.
```

## Fortran

## 1 4.2.3 target data Construct with Orphaned Call

2 The following two examples show how the **target data** construct maps variables to a device  
3 data environment. The **target data** construct's device data environment encloses the **target**  
4 construct's device data environment in the function **vec\_mult()**.

5 When the type of the variable appearing in an array section is pointer, the pointer variable and the  
6 storage location of the corresponding array section are mapped to the device data environment. The  
7 pointer variable is treated as if it had appeared in a **map** clause with a map-type of **alloc**. The  
8 array section's storage location is mapped according to the map-type in the **map** clause (the default  
9 map-type is **tofrom**).

10 The **target** construct's device data environment inherits the storage locations of the array  
11 sections  $v1[0:N]$ ,  $v2[:n]$ , and  $p0[0:N]$  from the enclosing target data construct's device data  
12 environment. Neither initialization nor assignment is performed for the array sections in the new  
13 device data environment.

14 The pointer variables  $p1$ ,  $v3$ , and  $v4$  are mapped into the target construct's device data environment  
15 with an implicit map-type of **alloc** and they are assigned the address of the storage location  
16 associated with their corresponding array sections. Note that the following pairs of array section  
17 storage locations are equivalent ( $p0[:N]$ ,  $p1[:N]$ ), ( $v1[:N]$ ,  $v3[:N]$ ), and ( $v2[:N]$ ,  $v4[:N]$ ).

▼ C / C++ ▼

18 *Example target\_data.4.c*

```
S-1 void vec_mult(float*, float*, float*, int);
S-2 extern void init(float*, float*, int);
S-3 extern void output(float*, int);
S-4 void foo(float *p0, float *v1, float *v2, int N)
S-5 {
S-6     init(v1, v2, N);
S-7     #pragma omp target data map(to: v1[0:N], v2[:N]) map(from: p0[0:N])
S-8     {
S-9         vec_mult(p0, v1, v2, N);
S-10    }
S-11    output(p0, N);
S-12 }
S-13 void vec_mult(float *p1, float *v3, float *v4, int N)
S-14 {
S-15     int i;
S-16     #pragma omp target map(to: v3[0:N], v4[:N]) map(from: p1[0:N])
S-17     #pragma omp parallel for
S-18     for (i=0; i<N; i++)
S-19         p1[i] = v3[i] * v4[i];
S-20 }
```

## C / C++

1 The Fortran code maps the pointers and storage in an identical manner (same extent, but uses  
2 indices from 1 to  $N$ ).

3 The **target** construct's device data environment inherits the storage locations of the arrays  $v1$ ,  $v2$   
4 and  $p0$  from the enclosing **target data** constructs's device data environment. However, in  
5 Fortran the associated data of the pointer is known, and the shape is not required.

6 The pointer variables  $p1$ ,  $v3$ , and  $v4$  are mapped into the **target** construct's device data  
7 environment with an implicit map-type of **alloc** and they are assigned the address of the storage  
8 location associated with their corresponding array sections. Note that the following pair of array  
9 storage locations are equivalent ( $p0,p1$ ), ( $v1,v3$ ), and ( $v2,v4$ ).

## Fortran

10 *Example target\_data.4.f90*

```
S-1 module mults
S-2 contains
S-3 subroutine foo(p0,v1,v2,N)
S-4 real,pointer,dimension(:) :: p0, v1, v2
S-5 integer :: N,i
S-6 call init(v1, v2, N)
S-7 !$omp target data map(to: v1, v2) map(from: p0)
S-8 call vec_mult(p0,v1,v2,N)
S-9 !$omp end target data
S-10 call output(p0, N)
S-11 end subroutine
S-12 subroutine vec_mult(p1,v3,v4,N)
S-13 real,pointer,dimension(:) :: p1, v3, v4
S-14 integer :: N,i
S-15 !$omp target map(to: v3, v4) map(from: p1)
S-16 !$omp parallel do
S-17 do i=1,N
S-18 p1(i) = v3(i) * v4(i)
S-19 end do
S-20 !$omp end target
S-21 end subroutine
S-22 end module
```

## Fortran

11 In the following example, the variables  $p1$ ,  $v3$ , and  $v4$  are references to the pointer variables  $p0$ ,  $v1$   
12 and  $v2$  respectively. The **target** construct's device data environment inherits the pointer variables  
13  $p0$ ,  $v1$ , and  $v2$  from the enclosing **target data** construct's device data environment. Thus,  $p1$ ,  
14  $v3$ , and  $v4$  are already present in the device data environment.

## C++

1 *Example target\_data.5.cpp*

```

S-1 void vec_mult(float* &, float* &, float* &, int &);
S-2 extern void init(float*, float*, int);
S-3 extern void output(float*, int);
S-4 void foo(float *p0, float *v1, float *v2, int N)
S-5 {
S-6     init(v1, v2, N);
S-7     #pragma omp target data map(to: v1[0:N], v2[:N]) map(from: p0[0:N])
S-8     {
S-9         vec_mult(p0, v1, v2, N);
S-10    }
S-11    output(p0, N);
S-12 }
S-13 void vec_mult(float* &p1, float* &v3, float* &v4, int &N)
S-14 {
S-15     int i;
S-16     #pragma omp target map(to: v3[0:N], v4[:N]) map(from: p1[0:N])
S-17     #pragma omp parallel for
S-18     for (i=0; i<N; i++)
S-19         p1[i] = v3[i] * v4[i];
S-20 }

```

## C++

2 In the following example, the usual Fortran approach is used for dynamic memory. The *p0*, *v1*, and  
3 *v2* arrays are allocated in the main program and passed as references from one routine to another. In  
4 **vec\_mult**, *p1*, *v3* and *v4* are references to the *p0*, *v1*, and *v2* arrays, respectively. The **target**  
5 construct's device data environment inherits the arrays *p0*, *v1*, and *v2* from the enclosing target data  
6 construct's device data environment. Thus, *p1*, *v3*, and *v4* are already present in the device data  
7 environment.

## Fortran

8 *Example target\_data.5.f90*

```

S-1 module my_mult
S-2 contains
S-3 subroutine foo(p0,v1,v2,N)
S-4 real,dimension(:) :: p0, v1, v2
S-5 integer          :: N,i
S-6     call init(v1, v2, N)
S-7     !$omp target data map(to: v1, v2) map(from: p0)
S-8     call vec_mult(p0,v1,v2,N)
S-9     !$omp end target data
S-10    call output(p0, N)
S-11 end subroutine

```

```

S-12  subroutine vec_mult(p1,v3,v4,N)
S-13  real,dimension(:) :: p1, v3, v4
S-14  integer           :: N,i
S-15  !$omp target map(to: v3, v4) map(from: p1)
S-16  !$omp parallel do
S-17  do i=1,N
S-18  p1(i) = v3(i) * v4(i)
S-19  end do
S-20  !$omp end target
S-21  end subroutine
S-22  end module
S-23  program main
S-24  use my_mult
S-25  integer, parameter :: N=1024
S-26  real,allocatable, dimension(:) :: p, v1, v2
S-27  allocate( p(N), v1(N), v2(N) )
S-28  call foo(p,v1,v2,N)
S-29  end program

```

Fortran

## 1 4.2.4 target data Construct with if Clause

2 The following two examples show how the **target data** construct maps variables to a device  
3 data environment.

4 In the following example, the if clause on the **target data** construct indicates that if the variable  
5 *N* is smaller than a given threshold, then the **target data** construct will not create a device data  
6 environment.

7 The **target** constructs enclosed in the **target data** region must also use an **if** clause on the  
8 same condition, otherwise the pointer variable *p* is implicitly mapped with a map-type of **tofrom**,  
9 but the storage location for the array section *p[0:N]* will not be mapped in the device data  
10 environments of the **target** constructs.

---

## C / C++

---

1 *Example target\_data.6.c*

```
S-1 #define THRESHOLD 1000000
S-2 extern void init(float*, float*, int);
S-3 extern void init_again(float*, float*, int);
S-4 extern void output(float*, int);
S-5 void vec_mult(float *p, float *v1, float *v2, int N)
S-6 {
S-7     int i;
S-8     init(v1, v2, N);
S-9     #pragma omp target data if (N>THRESHOLD) map(from: p[0:N])
S-10    {
S-11        #pragma omp target if (N>THRESHOLD) map(to: v1[:N], v2[:N])
S-12        #pragma omp parallel for
S-13        for (i=0; i<N; i++)
S-14            p[i] = v1[i] * v2[i];
S-15        init_again(v1, v2, N);
S-16        #pragma omp target if (N>THRESHOLD) map(to: v1[:N], v2[:N])
S-17        #pragma omp parallel for
S-18        for (i=0; i<N; i++)
S-19            p[i] = p[i] + (v1[i] * v2[i]);
S-20    }
S-21    output(p, N);
S-22 }
```

---

## C / C++

---

2 The **if** clauses work the same way for the following Fortran code. The **target** constructs  
3 enclosed in the **target data** region should also use an **if** clause with the same condition, so  
4 that the **target data** region and the **target** region are either both created for the device, or are  
5 both ignored.

---

## Fortran

---

6 *Example target\_data.6.f90*

```
S-1 module params
S-2 integer,parameter :: THRESHOLD=1000000
S-3 end module
S-4 subroutine vec_mult(p, v1, v2, N)
S-5     use params
S-6     real    :: p(N), v1(N), v2(N)
S-7     integer :: i
S-8     call init(v1, v2, N)
S-9     !$omp target data if (N>THRESHOLD) map(from: p)
S-10    !$omp target if (N>THRESHOLD) map(to: v1, v2)
S-11    !$omp parallel do
```



```

S-12         do i=1,N
S-13             p(i) = v1(i) * v2(i)
S-14         end do
S-15         !$omp end target
S-16         call init_again(v1, v2, N)
S-17         !$omp target if(N>THRESHOLD) map(to: v1, v2)
S-18             !$omp parallel do
S-19                 do i=1,N
S-20                     p(i) = p(i) + v1(i) * v2(i)
S-21                 end do
S-22             !$omp end target
S-23         !$omp end target data
S-24         call output(p, N)
S-25     end subroutine

```

## Fortran

1 In the following example, when the **if** clause conditional expression on the **target** construct  
2 evaluates to *false*, the target region will execute on the host device. However, the **target data**  
3 construct created an enclosing device data environment that mapped  $p[0:N]$  to a device data  
4 environment on the default device. At the end of the **target data** region the array section  
5  $p[0:N]$  will be assigned from the device data environment to the corresponding variable in the data  
6 environment of the task that encountered the **target data** construct, resulting in undefined  
7 values in  $p[0:N]$ .

## C / C++

8 *Example target\_data.7.c*

```

S-1     #define THRESHOLD 1000000
S-2     extern void init(float*, float*, int);
S-3     extern void output(float*, int);
S-4     void vec_mult(float *p, float *v1, float *v2, int N)
S-5     {
S-6         int i;
S-7         init(v1, v2, N);
S-8         #pragma omp target data map(from: p[0:N])
S-9         {
S-10            #pragma omp target if (N>THRESHOLD) map(to: v1[:N], v2[:N])
S-11            #pragma omp parallel for
S-12            for (i=0; i<N; i++)
S-13                p[i] = v1[i] * v2[i];
S-14            } /* UNDEFINED behavior if N<=THRESHOLD */
S-15            output(p, N);
S-16        }

```

1 The **if** clauses work the same way for the following Fortran code. When the **if** clause conditional  
 2 expression on the **target** construct evaluates to *false*, the **target** region will execute on the host  
 3 device. However, the **target data** construct created an enclosing device data environment that  
 4 mapped the *p* array (and *v1* and *v2*) to a device data environment on the default target device. At the  
 5 end of the **target data** region the *p* array will be assigned from the device data environment to  
 6 the corresponding variable in the data environment of the task that encountered the **target data**  
 7 construct, resulting in undefined values in *p*.

8 *Example target\_data.7.f90*

```
S-1 module params
S-2 integer, parameter :: THRESHOLD=1000000
S-3 end module
S-4 subroutine vec_mult(p, v1, v2, N)
S-5   use params
S-6   real    :: p(N), v1(N), v2(N)
S-7   integer :: i
S-8   call init(v1, v2, N)
S-9   !$omp target data map(from: p)
S-10     !$omp target if(N>THRESHOLD) map(to: v1, v2)
S-11     !$omp parallel do
S-12       do i=1,N
S-13         p(i) = v1(i) * v2(i)
S-14       end do
S-15     !$omp end target
S-16   !$omp end target data
S-17   call output(p, N) !*** UNDEFINED behavior if N<=THRESHOLD
S-18 end subroutine
```

## 1 4.3 target enter data and target exit data 2 Constructs

3 The structured data construct (**target data**) provides persistent data on a device for subsequent  
4 **target** constructs as shown in the **target data** examples above. This is accomplished by  
5 creating a single **target data** region containing **target** constructs.

6 The unstructured data constructs allow the creation and deletion of data on the device at any  
7 appropriate point within the host code, as shown below with the **target enter data** and  
8 **target exit data** constructs.

9 The following C++ code creates/deletes a vector in a constructor/destructor of a class. The  
10 constructor creates a vector with **target enter data** and uses an **alloc** modifier in the **map**  
11 clause to avoid copying values to the device. The destructor deletes the data  
12 (**target exit data**) and uses the **delete** modifier in the **map** clause to avoid copying data  
13 back to the host. Note, the stand-alone **target enter data** occurs after the host vector is  
14 created, and the **target exit data** construct occurs before the host data is deleted.

C++

15 *Example target\_unstructured\_data.1.cpp*

```
S-1 class Matrix  
S-2 {  
S-3  
S-4     Matrix(int n) {  
S-5         len = n;  
S-6         v = new double[len];  
S-7         #pragma omp target enter data map(alloc:v[0:len])  
S-8     }  
S-9  
S-10    ~Matrix() {  
S-11        // NOTE: delete map type should be used, since the corresponding  
S-12        // host data will cease to exist after the deconstructor is called.  
S-13  
S-14        #pragma omp target exit data map(delete:v[0:len])  
S-15        delete[] v;  
S-16    }  
S-17  
S-18    private:  
S-19    double* v;  
S-20    int len;  
S-21  
S-22 };
```

C++

16 The following C code allocates and frees the data member of a Matrix structure. The

1 **init\_matrix** function allocates the memory used in the structure and uses the  
2 **target enter data** directive to map it to the target device. The **free\_matrix** function  
3 removes the mapped array from the target device and then frees the memory on the host. Note, the  
4 stand-alone **target enter data** occurs after the host memory is allocated, and the  
5 **target exit data** construct occurs before the host data is freed.

▼ C / C++ ▼

6 *Example target\_unstructured\_data.1.c*

```
S-1 #include <stdlib.h>
S-2 typedef struct {
S-3     double *A;
S-4     int N;
S-5 } Matrix;
S-6
S-7 void init_matrix(Matrix *mat, int n)
S-8 {
S-9     mat->A = (double *)malloc(n*sizeof(double));
S-10    mat->N = n;
S-11    #pragma omp target enter data map(alloc:mat->A[:n])
S-12 }
S-13
S-14 void free_matrix(Matrix *mat)
S-15 {
S-16    #pragma omp target exit data map(delete:mat->A[:mat->N])
S-17    mat->N = 0;
S-18    free(mat->A);
S-19    mat->A = NULL;
S-20 }
```

▲ C / C++ ▲

7 The following Fortran code allocates and deallocates a module array. The **initialize**  
8 subroutine allocates the module array and uses the **target enter data** directive to map it to the  
9 target device. The **finalize** subroutine removes the mapped array from the target device and  
10 then deallocates the array on the host. Note, the stand-alone **target enter data** occurs after  
11 the host memory is allocated, and the **target exit data** construct occurs before the host data is  
12 deallocated.

1 *Example target\_unstructured\_data.1.f90*

```
S-1 module example
S-2   real(8), allocatable :: A(:)
S-3
S-4   contains
S-5     subroutine initialize(N)
S-6       integer :: N
S-7
S-8       allocate(A(N))
S-9       !$omp target enter data map(alloc:A)
S-10
S-11     end subroutine initialize
S-12
S-13     subroutine finalize()
S-14
S-15       !$omp target exit data map(delete:A)
S-16       deallocate(A)
S-17
S-18     end subroutine finalize
S-19 end module example
```

## 1 4.4 target update Construct

### 2 4.4.1 Simple target data and target update Constructs

3 The following example shows how the **target update** construct updates variables in a device  
4 data environment.

5 The **target data** construct maps array sections  $v1[:N]$  and  $v2[:N]$  (arrays  $v1$  and  $v2$  in the  
6 Fortran code) into a device data environment.

7 The task executing on the host device encounters the first **target** region and waits for the  
8 completion of the region.

9 After the execution of the first **target** region, the task executing on the host device then assigns  
10 new values to  $v1[:N]$  and  $v2[:N]$  ( $v1$  and  $v2$  arrays in Fortran code) in the task's data environment  
11 by calling the function `init_again()`.

12 The **target update** construct assigns the new values of  $v1$  and  $v2$  from the task's data  
13 environment to the corresponding mapped array sections in the device data environment of the  
14 **target data** construct.

15 The task executing on the host device then encounters the second **target** region and waits for the  
16 completion of the region.

17 The second **target** region uses the updated values of  $v1[:N]$  and  $v2[:N]$ .

C / C++

18 *Example target\_update.1.c*

```
S-1 extern void init(float *, float *, int);  
S-2 extern void init_again(float *, float *, int);  
S-3 extern void output(float *, int);  
S-4 void vec_mult(float *p, float *v1, float *v2, int N)  
S-5 {  
S-6     int i;  
S-7     init(v1, v2, N);  
S-8     #pragma omp target data map(to: v1[:N], v2[:N]) map(from: p[0:N])  
S-9     {  
S-10        #pragma omp target  
S-11        #pragma omp parallel for  
S-12        for (i=0; i<N; i++)  
S-13            p[i] = v1[i] * v2[i];  
S-14        init_again(v1, v2, N);  
S-15        #pragma omp target update to(v1[:N], v2[:N])  
S-16        #pragma omp target  
S-17        #pragma omp parallel for  
S-18        for (i=0; i<N; i++)
```

```

S-19         p[i] = p[i] + (v1[i] * v2[i]);
S-20     }
S-21     output(p, N);
S-22 }

```

C / C++

Fortran

1

*Example target\_update.1.f90*

```

S-1  subroutine vec_mult(p, v1, v2, N)
S-2      real    :: p(N), v1(N), v2(N)
S-3      integer :: i
S-4      call init(v1, v2, N)
S-5      !$omp target data map(to: v1, v2) map(from: p)
S-6          !$omp target
S-7          !$omp parallel do
S-8              do i=1,N
S-9                  p(i) = v1(i) * v2(i)
S-10             end do
S-11         !$omp end target
S-12         call init_again(v1, v2, N)
S-13         !$omp target update to(v1, v2)
S-14         !$omp target
S-15         !$omp parallel do
S-16             do i=1,N
S-17                 p(i) = p(i) + v1(i) * v2(i)
S-18             end do
S-19         !$omp end target
S-20     !$omp end target data
S-21     call output(p, N)
S-22 end subroutine

```

Fortran

## 1 4.4.2 target update Construct with if Clause

2 The following example shows how the **target update** construct updates variables in a device  
3 data environment.

4 The **target data** construct maps array sections  $v1[:N]$  and  $v2[:N]$  (arrays  $v1$  and  $v2$  in the  
5 Fortran code) into a device data environment. In between the two **target** regions, the task  
6 executing on the host device conditionally assigns new values to  $v1$  and  $v2$  in the task's data  
7 environment. The function **maybe\_init\_again()** returns *true* if new data is written.

8 When the conditional expression (the return value of **maybe\_init\_again()**) in the **if** clause  
9 is *true*, the **target update** construct assigns the new values of  $v1$  and  $v2$  from the task's data  
10 environment to the corresponding mapped array sections in the **target data** construct's device  
11 data environment.

C / C++

12 *Example target\_update.2.c*

```
S-1 extern void init(float *, float *, int);  
S-2 extern int maybe_init_again(float *, int);  
S-3 extern void output(float *, int);  
S-4 void vec_mult(float *p, float *v1, float *v2, int N)  
S-5 {  
S-6     int i;  
S-7     init(v1, v2, N);  
S-8     #pragma omp target data map(to: v1[:N], v2[:N]) map(from: p[0:N])  
S-9     {  
S-10        int changed;  
S-11        #pragma omp target  
S-12        #pragma omp parallel for  
S-13        for (i=0; i<N; i++)  
S-14            p[i] = v1[i] * v2[i];  
S-15        changed = maybe_init_again(v1, N);  
S-16        #pragma omp target update if (changed) to(v1[:N])  
S-17        changed = maybe_init_again(v2, N);  
S-18        #pragma omp target update if (changed) to(v2[:N])  
S-19        #pragma omp target  
S-20        #pragma omp parallel for  
S-21        for (i=0; i<N; i++)  
S-22            p[i] = p[i] + (v1[i] * v2[i]);  
S-23    }  
S-24    output(p, N);  
S-25 }
```

C / C++



1

*Example target\_update.2.f90*

```
S-1  subroutine vec_mult(p, v1, v2, N)
S-2      interface
S-3          logical function maybe_init_again (v1, N)
S-4              real :: v1(N)
S-5              integer :: N
S-6          end function
S-7      end interface
S-8      real    :: p(N), v1(N), v2(N)
S-9      integer :: i
S-10     logical :: changed
S-11     call init(v1, v2, N)
S-12     !$omp target data map(to: v1, v2) map(from: p)
S-13         !$omp target
S-14             !$omp parallel do
S-15                 do i=1, N
S-16                     p(i) = v1(i) * v2(i)
S-17                 end do
S-18             !$omp end target
S-19     changed = maybe_init_again(v1, N)
S-20     !$omp target update if(changed) to(v1(:N))
S-21     changed = maybe_init_again(v2, N)
S-22     !$omp target update if(changed) to(v2(:N))
S-23     !$omp target
S-24         !$omp parallel do
S-25             do i=1, N
S-26                 p(i) = p(i) + v1(i) * v2(i)
S-27             end do
S-28         !$omp end target
S-29     !$omp end target data
S-30     call output(p, N)
S-31 end subroutine
```

## 1 4.5 declare target Construct

### 2 4.5.1 declare target and end declare target 3 for a Function

4 The following example shows how the **declare target** directive is used to indicate that the  
5 corresponding call inside a **target** region is to a **fib** function that can execute on the default  
6 target device.

7 A version of the function is also available on the host device. When the **if** clause conditional  
8 expression on the **target** construct evaluates to *false*, the **target** region (thus **fib**) will execute  
9 on the host device.

10 For C/C++ codes the declaration of the function **fib** appears between the **declare target** and  
11 **end declare target** directives.

▼ C / C++ ▼

12 *Example declare\_target.f.c*

```
S-1 #pragma omp declare target  
S-2 extern void fib(int N);  
S-3 #pragma omp end declare target  
S-4 #define THRESHOLD 1000000  
S-5 void fib_wrapper(int n)  
S-6 {  
S-7     #pragma omp target if(n > THRESHOLD)  
S-8     {  
S-9         fib(n);  
S-10    }  
S-11 }
```

▲ C / C++ ▲

13 The Fortran **fib** subroutine contains a **declare target** declaration to indicate to the compiler  
14 to create an device executable version of the procedure. The subroutine name has not been included  
15 on the **declare target** directive and is, therefore, implicitly assumed.

16 The program uses the **module\_fib** module, which presents an explicit interface to the compiler  
17 with the **declare target** declarations for processing the **fib** call.

## Fortran

1 *Example declare\_target.1.f90*

```
S-1 module module_fib
S-2 contains
S-3     subroutine fib(N)
S-4         integer :: N
S-5         !$omp declare target
S-6         !...
S-7     end subroutine
S-8 end module
S-9 module params
S-10 integer :: THRESHOLD=1000000
S-11 end module
S-12 program my_fib
S-13 use params
S-14 use module_fib
S-15     !$omp target if( N > THRESHOLD )
S-16         call fib(N)
S-17     !$omp end target
S-18 end program
```

## Fortran

2 The next Fortran example shows the use of an external subroutine. Without an explicit interface  
3 (through module use or an interface block) the **declare target** declarations within a external  
4 subroutine are unknown to the main program unit; therefore, a **declare target** must be  
5 provided within the program scope for the compiler to determine that a target binary should be  
6 available.

## Fortran

7 *Example declare\_target.2.f90*

```
S-1 program my_fib
S-2 integer :: N = 8
S-3 !$omp declare target (fib)
S-4     !$omp target
S-5         call fib(N)
S-6     !$omp end target
S-7 end program
S-8 subroutine fib(N)
S-9 integer :: N
S-10 !$omp declare target
S-11     print*, "hello from fib"
S-12     !...
S-13 end subroutine
```

## Fortran

## 1 4.5.2 declare target Construct for Class Type

C++

2 The following example shows how the **declare target** and **end declare target** directives  
3 are used to enclose the declaration of a variable *varY* with a class type **typeY**. The member  
4 function **typeY::foo()** cannot be accessed on a target device because its declaration did not  
5 appear between **declare target** and **end declare target** directives.

6 *Example declare\_target.2.cpp*

```
S-1 struct typeX
S-2 {
S-3     int a;
S-4 };
S-5 class typeY
S-6 {
S-7     int a;
S-8     public:
S-9         int foo() { return a^0x01;}
S-10 };
S-11 #pragma omp declare target
S-12 struct typeX varX; // ok
S-13 class typeY varY; // ok if varY.foo() not called on target device
S-14 #pragma omp end declare target
S-15 void foo()
S-16 {
S-17     #pragma omp target
S-18     {
S-19         varX.a = 100; // ok
S-20         varY.foo(); // error foo() is not available on a target device
S-21     }
S-22 }
```

C++

## 7 4.5.3 declare target and end declare target 8 for Variables

9 The following examples show how the **declare target** and **end declare target** directives  
10 are used to indicate that global variables are mapped to the implicit device data environment of  
11 each target device.

12 In the following example, the declarations of the variables *p*, *v1*, and *v2* appear between **declare**  
13 **target** and **end declare target** directives indicating that the variables are mapped to the

1 implicit device data environment of each target device. The **target update** directive is then  
2 used to manage the consistency of the variables  $p$ ,  $v1$ , and  $v2$  between the data environment of the  
3 encountering host device task and the implicit device data environment of the default target device.

### C / C++

4 *Example declare\_target.3.c*

```
S-1 #define N 1000
S-2 #pragma omp declare target
S-3 float p[N], v1[N], v2[N];
S-4 #pragma omp end declare target
S-5 extern void init(float *, float *, int);
S-6 extern void output(float *, int);
S-7 void vec_mult()
S-8 {
S-9     int i;
S-10    init(v1, v2, N);
S-11    #pragma omp target update to(v1, v2)
S-12    #pragma omp target
S-13    #pragma omp parallel for
S-14    for (i=0; i<N; i++)
S-15        p[i] = v1[i] * v2[i];
S-16    #pragma omp target update from(p)
S-17    output(p, N);
S-18 }
```

### C / C++

5 The Fortran version of the above C code uses a different syntax. Fortran modules use a list syntax  
6 on the **declare target** directive to declare mapped variables.

### Fortran

7 *Example declare\_target.3.f90*

```
S-1 module my_arrays
S-2 !$omp declare target (N, p, v1, v2)
S-3 integer, parameter :: N=1000
S-4 real                :: p(N), v1(N), v2(N)
S-5 end module
S-6 subroutine vec_mult()
S-7 use my_arrays
S-8     integer :: i
S-9     call init(v1, v2, N);
S-10    !$omp target update to(v1, v2)
S-11    !$omp target
S-12    !$omp parallel do
S-13    do i = 1,N
S-14        p(i) = v1(i) * v2(i)
```

```

S-15     end do
S-16     !$omp end target
S-17     !$omp target update from (p)
S-18     call output(p, N)
S-19     end subroutine

```

## Fortran

1 The following example also indicates that the function **Pfun ()** is available on the target device, as  
2 well as the variable *Q*, which is mapped to the implicit device data environment of each target  
3 device. The **target update** directive is then used to manage the consistency of the variable *Q*  
4 between the data environment of the encountering host device task and the implicit device data  
5 environment of the default target device.

6 In the following example, the function and variable declarations appear between the **declare**  
7 **target** and **end declare target** directives.

## C / C++

8 *Example declare\_target.4.c*

```

S-1     #define N 10000
S-2     #pragma omp declare target
S-3     float Q[N][N];
S-4     float Pfun(const int i, const int k)
S-5     { return Q[i][k] * Q[k][i]; }
S-6     #pragma omp end declare target
S-7     float accum(int k)
S-8     {
S-9         float tmp = 0.0;
S-10        #pragma omp target update to(Q)
S-11        #pragma omp target map(tofrom: tmp)
S-12        #pragma omp parallel for reduction(+:tmp)
S-13        for(int i=0; i < N; i++)
S-14            tmp += Pfun(i,k);
S-15        return tmp;
S-16    }
S-17
S-18    /* Note: The variable tmp is now mapped with tofrom, for correct
S-19    execution with 4.5 (and pre-4.5) compliant compilers. See Devices Intro.
S-20    */

```

## C / C++

9 The Fortran version of the above C code uses a different syntax. In Fortran modules a list syntax on  
10 the **declare target** directive is used to declare mapped variables and procedures. The *N* and *Q*  
11 variables are declared as a comma separated list. When the **declare target** directive is used to  
12 declare just the procedure, the procedure name need not be listed – it is implicitly assumed, as  
13 illustrated in the **Pfun ()** function.

1

*Example declare\_target.4.f90*

```

S-1  module my_global_array
S-2  !$omp declare target (N,Q)
S-3  integer, parameter :: N=10
S-4  real                :: Q(N,N)
S-5  contains
S-6  function Pfun(i,k)
S-7  !$omp declare target
S-8  real                :: Pfun
S-9  integer,intent(in) :: i,k
S-10  Pfun=(Q(i,k) * Q(k,i))
S-11  end function
S-12  end module

S-13
S-14  function accum(k) result(tmp)
S-15  use my_global_array
S-16  real    :: tmp
S-17  integer :: i, k
S-18      tmp = 0.0e0
S-19      !$omp target map(tofrom: tmp)
S-20      !$omp parallel do reduction(+:tmp)
S-21      do i=1,N
S-22          tmp = tmp + Pfun(k,i)
S-23      end do
S-24      !$omp end target
S-25  end function
S-26
S-27  ! Note: The variable tmp is now mapped with tofrom, for correct
S-28  ! execution with 4.5 (and pre-4.5) compliant compilers. See Devices Intro.

```

## 2 4.5.4 declare target and end declare target 3 with declare simd

4 The following example shows how the **declare target** and **end declare target** directives  
5 are used to indicate that a function is available on a target device. The **declare simd** directive  
6 indicates that there is a SIMD version of the function **P ( )** that is available on the target device as  
7 well as one that is available on the host device.

```

1      Example declare_target.5.c
S-1      #define N 10000
S-2      #define M 1024
S-3      #pragma omp declare target
S-4      float Q[N][N];
S-5      #pragma omp declare simd uniform(i) linear(k) notinbranch
S-6      float P(const int i, const int k)
S-7      {
S-8          return Q[i][k] * Q[k][i];
S-9      }
S-10     #pragma omp end declare target
S-11
S-12     float accum(void)
S-13     {
S-14         float tmp = 0.0;
S-15         int i, k;
S-16         #pragma omp target map(tofrom: tmp)
S-17         #pragma omp parallel for reduction(+:tmp)
S-18         for (i=0; i < N; i++) {
S-19             float tmp1 = 0.0;
S-20             #pragma omp simd reduction(+:tmp1)
S-21             for (k=0; k < M; k++) {
S-22                 tmp1 += P(i,k);
S-23             }
S-24             tmp += tmp1;
S-25         }
S-26         return tmp;
S-27     }
S-28
S-29     /* Note: The variable tmp is now mapped with tofrom, for correct
S-30         execution with 4.5 (and pre-4.5) compliant compilers. See Devices Intro.
S-31     */

```

2 The Fortran version of the above C code uses a different syntax. Fortran modules use a list syntax  
3 of the **declare target** declaration for the mapping. Here the  $N$  and  $Q$  variables are declared in  
4 the list form as a comma separated list. The function declaration does not use a list and implicitly  
5 assumes the function name. In this Fortran example row and column indices are reversed relative to  
6 the C/C++ example, as is usual for codes optimized for memory access.



1

*Example declare\_target.5.f90*

```

S-1  module my_global_array
S-2  !$omp declare target (N,Q)
S-3  integer, parameter :: N=10000, M=1024
S-4  real                :: Q(N,N)
S-5  contains
S-6  function P(k,i)
S-7  !$omp declare simd uniform(i) linear(k) notinbranch
S-8  !$omp declare target
S-9  real                :: P
S-10 integer,intent(in) :: k,i
S-11     P=(Q(k,i) * Q(i,k))
S-12 end function
S-13 end module

S-14
S-15 function accum() result(tmp)
S-16 use my_global_array
S-17 real    :: tmp, tmp1
S-18 integer :: i
S-19     tmp = 0.0e0
S-20     !$omp target map(tofrom: tmp)
S-21     !$omp parallel do private(tmp1) reduction(+:tmp)
S-22     do i=1,N
S-23         tmp1 = 0.0e0
S-24         !$omp simd reduction(+:tmp1)
S-25         do k = 1,M
S-26             tmp1 = tmp1 + P(k,i)
S-27         end do
S-28         tmp = tmp + tmp1
S-29     end do
S-30     !$omp end target
S-31 end function
S-32
S-33 ! Note: The variable tmp is now mapped with tofrom, for correct
S-34 ! execution with 4.5 (and pre-4.5) compliant compilers. See Devices Intro.

```

## 1 4.5.5 declare target Directive with link Clause

2 In the OpenMP 4.5 standard the **declare target** directive was extended to allow static data to  
3 be mapped, *when needed*, through a **link** clause.

4 Data storage for items listed in the **link** clause becomes available on the device when it is mapped  
5 implicitly or explicitly in a **map** clause, and it persists for the scope of the mapping (as specified by  
6 a **target** construct, a **target data** construct, or **target enter/exit data** constructs).

7 Tip: When all the global data items will not fit on a device and are not needed simultaneously, use  
8 the **link** clause and map the data only when it is needed.

9 The following C and Fortran examples show two sets of data (single precision and double  
10 precision) that are global on the host for the entire execution on the host; but are only used globally  
11 on the device for part of the program execution. The single precision data are allocated and persist  
12 only for the first **target** region. Similarly, the double precision data are in scope on the device  
13 only for the second **target** region.

▼ C / C++ ▼

14 *Example declare\_target.6.c*

```
S-1 #define N 100000000
S-2
S-3 #pragma omp declare target link(sp,sv1,sv2) \
S-4                               link(dp,dv1,dv2)
S-5 float sp[N], sv1[N], sv2[N];
S-6 double dp[N], dv1[N], dv2[N];
S-7
S-8 void s_init(float *, float *, int);
S-9 void d_init(double *, double *, int);
S-10 void s_output(float *, int);
S-11 void d_output(double *, int);
S-12
S-13 #pragma omp declare target
S-14 void s_vec_mult_accum()
S-15 {
S-16     int i;
S-17
S-18     #pragma omp parallel for
S-19     for (i=0; i<N; i++)
S-20         sp[i] = sv1[i] * sv2[i];
S-21 }
S-22
S-23 void d_vec_mult_accum()
S-24 {
S-25     int i;
S-26
```

```

S-27     #pragma omp parallel for
S-28     for (i=0; i<N; i++)
S-29         dp[i] = dv1[i] * dv2[i];
S-30     }
S-31     #pragma omp end declare target
S-32
S-33     int main()
S-34     {
S-35         s_init(sv1, sv2, N);
S-36         #pragma omp target map(to:sv1,sv2) map(from:sp)
S-37             s_vec_mult_accum();
S-38         s_output(sp, N);
S-39
S-40         d_init(dv1, dv2, N);
S-41         #pragma omp target map(to:dv1,dv2) map(from:dp)
S-42             d_vec_mult_accum();
S-43         d_output(dp, N);
S-44
S-45         return 0;
S-46     }

```



1

*Example declare\_target.6.f90*

```

S-1     module m_dat
S-2         integer, parameter :: N=100000000
S-3         !$omp declare target link(sp,sv1,sv2)
S-4         real :: sp(N), sv1(N), sv2(N)
S-5
S-6         !$omp declare target link(dp,dv1,dv2)
S-7         double precision :: dp(N), dv1(N), dv2(N)
S-8
S-9     contains
S-10        subroutine s_vec_mult_accum()
S-11            !$omp declare target
S-12            integer :: i
S-13
S-14            !$omp parallel do
S-15                do i = 1,N
S-16                    sp(i) = sv1(i) * sv2(i)
S-17                end do
S-18
S-19        end subroutine s_vec_mult_accum
S-20
S-21        subroutine d_vec_mult_accum()
S-22            !$omp declare target

```

```

S-23         integer :: i
S-24
S-25         !$omp parallel do
S-26         do i = 1,N
S-27             dp(i) = dv1(i) * dv2(i)
S-28         end do
S-29
S-30     end subroutine
S-31 end module m_dat
S-32
S-33 program prec_vec_mult
S-34     use m_dat
S-35
S-36     call s_init(sv1, sv2, N)
S-37     !$omp target map(to:sv1,sv2) map(from:sp)
S-38         call s_vec_mult_accum()
S-39     !$omp end target
S-40     call s_output(sp, N)
S-41
S-42     call d_init(dv1, dv2, N)
S-43     !$omp target map(to:dv1,dv2) map(from:dp)
S-44         call d_vec_mult_accum()
S-45     !$omp end target
S-46     call d_output(dp, N)
S-47
S-48 end program

```

Fortran

## 1 4.6 teams Constructs

### 2 4.6.1 target and teams Constructs with omp\_get\_num\_teams 3 and omp\_get\_team\_num Routines

4 The following example shows how the **target** and **teams** constructs are used to create a league  
5 of thread teams that execute a region. The **teams** construct creates a league of at most two teams  
6 where the master thread of each team executes the **teams** region.

7 The **omp\_get\_num\_teams** routine returns the number of teams executing in a **teams** region.  
8 The **omp\_get\_team\_num** routine returns the team number, which is an integer between 0 and  
9 one less than the value returned by **omp\_get\_num\_teams**. The following example manually  
10 distributes a loop across two teams.

▼ C / C++ ▼

11 *Example teams.1.c*

```
S-1 #include <stdlib.h>
S-2 #include <omp.h>
S-3 float dotprod(float B[], float C[], int N)
S-4 {
S-5     float sum0 = 0.0;
S-6     float sum1 = 0.0;
S-7     #pragma omp target map(to: B[:N], C[:N]) map(tofrom: sum0, sum1)
S-8     #pragma omp teams num_teams(2)
S-9     {
S-10        int i;
S-11        if (omp_get_num_teams() != 2)
S-12            abort();
S-13        if (omp_get_team_num() == 0)
S-14            {
S-15                #pragma omp parallel for reduction(+:sum0)
S-16                for (i=0; i<N/2; i++)
S-17                    sum0 += B[i] * C[i];
S-18            }
S-19        else if (omp_get_team_num() == 1)
S-20            {
S-21                #pragma omp parallel for reduction(+:sum1)
S-22                for (i=N/2; i<N; i++)
S-23                    sum1 += B[i] * C[i];
S-24            }
S-25        }
S-26        return sum0 + sum1;
S-27    }
S-28
S-29    /* Note: The variables sum0,sum1 are now mapped with tofrom, for correct
```



## 1 4.6.2 target, teams, and distribute Constructs

2 The following example shows how the **target**, **teams**, and **distribute** constructs are used to  
3 execute a loop nest in a **target** region. The **teams** construct creates a league and the master  
4 thread of each team executes the **teams** region. The **distribute** construct schedules the  
5 subsequent loop iterations across the master threads of each team.

6 The number of teams in the league is less than or equal to the variable *num\_blocks*. Each team in  
7 the league has a number of threads less than or equal to the variable *block\_threads*. The iterations  
8 in the outer loop are distributed among the master threads of each team.

9 When a team's master thread encounters the parallel loop construct before the inner loop, the other  
10 threads in its team are activated. The team executes the **parallel** region and then workshares the  
11 execution of the loop.

12 Each master thread executing the **teams** region has a private copy of the variable *sum* that is  
13 created by the **reduction** clause on the **teams** construct. The master thread and all threads in  
14 its team have a private copy of the variable *sum* that is created by the **reduction** clause on the  
15 parallel loop construct. The second private *sum* is reduced into the master thread's private copy of  
16 *sum* created by the **teams** construct. At the end of the **teams** region, each master thread's private  
17 copy of *sum* is reduced into the final *sum* that is implicitly mapped into the **target** region.

▼ C / C++ ▼

18 *Example teams.2.c*

```
S-1 #define min(x, y) (((x) < (y)) ? (x) : (y))
S-2
S-3 float dotprod(float B[], float C[], int N, int block_size,
S-4 int num_teams, int block_threads)
S-5 {
S-6     float sum = 0.0;
S-7     int i, i0;
S-8     #pragma omp target map(to: B[0:N], C[0:N]) map(tofrom: sum)
S-9     #pragma omp teams num_teams(num_teams) thread_limit(block_threads) \
S-10         reduction(+:sum)
S-11     #pragma omp distribute
S-12     for (i0=0; i0<N; i0 += block_size)
S-13         #pragma omp parallel for reduction(+:sum)
S-14         for (i=i0; i< min(i0+block_size,N); i++)
S-15             sum += B[i] * C[i];
S-16     return sum;
S-17 }
S-18
S-19 /* Note: The variable sum is now mapped with tofrom, for correct
S-20     execution with 4.5 (and pre-4.5) compliant compilers. See Devices Intro.
S-21 */
```

▲ C / C++ ▲

1

*Example teams.2.f90*

```

S-1  function dotprod(B,C,N, block_size, num_teams, block_threads) result(sum)
S-2  implicit none
S-3      real    :: B(N), C(N), sum
S-4      integer :: N, block_size, num_teams, block_threads, i, i0
S-5      sum = 0.0e0
S-6      !$omp target map(to: B, C) map(tofrom: sum)
S-7      !$omp teams num_teams(num_teams) thread_limit(block_threads) &
S-8      !$omp&  reduction(+:sum)
S-9      !$omp distribute
S-10     do i0=1,N, block_size
S-11         !$omp parallel do reduction(+:sum)
S-12             do i = i0, min(i0+block_size,N)
S-13                 sum = sum + B(i) * C(i)
S-14             end do
S-15         end do
S-16     !$omp end teams
S-17     !$omp end target
S-18 end function
S-19
S-20 ! Note: The variable sum is now mapped with tofrom, for correct
S-21 ! execution with 4.5 (and pre-4.5) compliant compilers. See Devices Intro.

```

## 2 4.6.3 target teams, and Distribute Parallel Loop 3 Constructs

4 The following example shows how the **target teams** and distribute parallel loop constructs are  
5 used to execute a **target** region. The **target teams** construct creates a league of teams where  
6 the master thread of each team executes the **teams** region.

7 The distribute parallel loop construct schedules the loop iterations across the master threads of each  
8 team and then across the threads of each team.



C / C++

1

*Example teams.3.c*

```
S-1 float dotprod(float B[], float C[], int N)
S-2 {
S-3     float sum = 0;
S-4     int i;
S-5     #pragma omp target teams map(to: B[0:N], C[0:N]) \
S-6                               defaultmap(tofrom:scalar) reduction(+:sum)
S-7     #pragma omp distribute parallel for reduction(+:sum)
S-8     for (i=0; i<N; i++)
S-9         sum += B[i] * C[i];
S-10    return sum;
S-11 }
S-12
S-13 /* Note: The variable sum is now mapped with tofrom from the defaultmap
S-14    clause on the combined target teams construct, for correct
S-15    execution with 4.5 (and pre-4.5) compliant compilers. See Devices Intro.
S-16 */
```

C / C++

Fortran

2

*Example teams.3.f90*

```
S-1 function dotprod(B,C,N) result(sum)
S-2     real    :: B(N), C(N), sum
S-3     integer :: N, i
S-4     sum = 0.0e0
S-5     !$omp target teams map(to: B, C) &
S-6     !$omp&                defaultmap(tofrom:scalar) reduction(+:sum)
S-7     !$omp distribute parallel do reduction(+:sum)
S-8         do i = 1,N
S-9             sum = sum + B(i) * C(i)
S-10        end do
S-11     !$omp end target teams
S-12 end function
S-13
S-14 ! Note: The variable sum is now mapped with tofrom from the defaultmap
S-15 ! clause on the combined target teams construct, for correct
S-16 ! execution with 4.5 (and pre-4.5) compliant compilers. See Devices Intro.
```

Fortran

## 1 4.6.4 target teams and Distribute Parallel Loop Constructs 2 with Scheduling Clauses

3 The following example shows how the **target teams** and distribute parallel loop constructs are  
4 used to execute a **target** region. The **teams** construct creates a league of at most eight teams  
5 where the master thread of each team executes the **teams** region. The number of threads in each  
6 team is less than or equal to 16.

7 The **distribute** parallel loop construct schedules the subsequent loop iterations across the  
8 master threads of each team and then across the threads of each team.

9 The **dist\_schedule** clause on the distribute parallel loop construct indicates that loop iterations  
10 are distributed to the master thread of each team in chunks of 1024 iterations.

11 The **schedule** clause indicates that the 1024 iterations distributed to a master thread are then  
12 assigned to the threads in its associated team in chunks of 64 iterations.

▼ C / C++ ▼

13 *Example teams.4.c*

```
S-1 #define N 1024*1024
S-2 float dotprod(float B[], float C[])
S-3 {
S-4     float sum = 0.0;
S-5     int i;
S-6     #pragma omp target map(to: B[0:N], C[0:N]) map(tofrom: sum)
S-7     #pragma omp teams num_teams(8) thread_limit(16) reduction(+:sum)
S-8     #pragma omp distribute parallel for reduction(+:sum) \
S-9         dist_schedule(static, 1024) schedule(static, 64)
S-10    for (i=0; i<N; i++)
S-11        sum += B[i] * C[i];
S-12    return sum;
S-13 }
S-14
S-15 /* Note: The variable sum is now mapped with tofrom, for correct
S-16    execution with 4.5 (and pre-4.5) compliant compilers. See Devices Intro.
S-17    */
```

▲ C / C++ ▲

1

*Example teams.4.f90*

```

S-1  module arrays
S-2  integer,parameter :: N=1024*1024
S-3  real :: B(N), C(N)
S-4  end module
S-5  function dotprod() result(sum)
S-6  use arrays
S-7  real    :: sum
S-8  integer :: i
S-9  sum = 0.0e0
S-10  !$omp target map(to: B, C) map(tofrom: sum)
S-11  !$omp teams num_teams(8) thread_limit(16) reduction(+:sum)
S-12  !$omp distribute parallel do reduction(+:sum) &
S-13  !$omp& dist_schedule(static, 1024) schedule(static, 64)
S-14  do i = 1,N
S-15  sum = sum + B(i) * C(i)
S-16  end do
S-17  !$omp end teams
S-18  !$omp end target
S-19  end function
S-20
S-21  ! Note: The variable sum is now mapped with tofrom, for correct
S-22  ! execution with 4.5 (and pre-4.5) compliant compilers. See Devices Intro.

```

## 2 4.6.5 target teams and distribute simd Constructs

3 The following example shows how the **target teams** and **distribute simd** constructs are  
 4 used to execute a loop in a **target** region. The **target teams** construct creates a league of  
 5 teams where the master thread of each team executes the **teams** region.

6 The **distribute simd** construct schedules the loop iterations across the master thread of each  
 7 team and then uses SIMD parallelism to execute the iterations.

C / C++

```
1      Example teams.5.c
S-1    extern void init(float *, float *, int);
S-2    extern void output(float *, int);
S-3    void vec_mult(float *p, float *v1, float *v2, int N)
S-4    {
S-5        int i;
S-6        init(v1, v2, N);
S-7        #pragma omp target teams map(to: v1[0:N], v2[:N]) map(from: p[0:N])
S-8        #pragma omp distribute simd
S-9        for (i=0; i<N; i++)
S-10       p[i] = v1[i] * v2[i];
S-11       output(p, N);
S-12    }
```

C / C++

Fortran

```
2      Example teams.5.f90
S-1    subroutine vec_mult(p, v1, v2, N)
S-2        real    :: p(N), v1(N), v2(N)
S-3        integer :: i
S-4        call init(v1, v2, N)
S-5        !$omp target teams map(to: v1, v2) map(from: p)
S-6        !$omp distribute simd
S-7            do i=1,N
S-8                p(i) = v1(i) * v2(i)
S-9            end do
S-10       !$omp end target teams
S-11       call output(p, N)
S-12    end subroutine
```

Fortran

## 1 4.6.6 target teams and Distribute Parallel Loop SIMD 2 Constructs

3 The following example shows how the **target teams** and the distribute parallel loop SIMD  
4 constructs are used to execute a loop in a **target teams** region. The **target teams** construct  
5 creates a league of teams where the master thread of each team executes the **teams** region.

6 The distribute parallel loop SIMD construct schedules the loop iterations across the master thread  
7 of each team and then across the threads of each team where each thread uses SIMD parallelism.

▼ C / C++ ▼

8 *Example teams.6.c*

```
S-1 extern void init(float *, float *, int);  
S-2 extern void output(float *, int);  
S-3 void vec_mult(float *p, float *v1, float *v2, int N)  
S-4 {  
S-5     int i;  
S-6     init(v1, v2, N);  
S-7     #pragma omp target teams map(to: v1[0:N], v2[:N]) map(from: p[0:N])  
S-8     #pragma omp distribute parallel for simd  
S-9     for (i=0; i<N; i++)  
S-10         p[i] = v1[i] * v2[i];  
S-11     output(p, N);  
S-12 }
```

▲ C / C++ ▲

▼ Fortran ▼

9 *Example teams.6.f90*

```
S-1 subroutine vec_mult(p, v1, v2, N)  
S-2     real :: p(N), v1(N), v2(N)  
S-3     integer :: i  
S-4     call init(v1, v2, N)  
S-5     !$omp target teams map(to: v1, v2) map(from: p)  
S-6     !$omp distribute parallel do simd  
S-7         do i=1,N  
S-8             p(i) = v1(i) * v2(i)  
S-9         end do  
S-10     !$omp end target teams  
S-11     call output(p, N)  
S-12 end subroutine
```

▲ Fortran ▲

## 1 4.7 Asynchronous target Execution and Dependences

2 Asynchronous execution of a **target** region can be accomplished by creating an explicit task  
3 around the **target** region. Examples with explicit tasks are shown at the beginning of this section.

4 As of OpenMP 4.5 and beyond the **nowait** clause can be used on the **target** directive for  
5 asynchronous execution. Examples with **nowait** clauses follow the explicit **task** examples.

6 This section also shows the use of **depend** clauses to order executions through dependences.

### 7 4.7.1 Asynchronous target with Tasks

8 The following example shows how the **task** and **target** constructs are used to execute multiple  
9 **target** regions asynchronously. The task that encounters the **task** construct generates an  
10 explicit task that contains a **target** region. The thread executing the explicit task encounters a  
11 task scheduling point while waiting for the execution of the **target** region to complete, allowing  
12 the thread to switch back to the execution of the encountering task or one of the previously  
13 generated explicit tasks.

▼ C / C++ ▼

14 *Example `async_target.1.c`*

```
S-1 #pragma omp declare target
S-2 float F(float);
S-3 #pragma omp end declare target
S-4 #define N 1000000000
S-5 #define CHUNKSZ 1000000
S-6 void init(float *, int);
S-7 float Z[N];
S-8 void pipedF()
S-9 {
S-10     int C, i;
S-11     init(Z, N);
S-12     for (C=0; C<N; C+=CHUNKSZ)
S-13     {
S-14         #pragma omp task shared(Z)
S-15         #pragma omp target map(Z[C:CHUNKSZ])
S-16         #pragma omp parallel for
S-17         for (i=0; i<CHUNKSZ; i++)
S-18             Z[i] = F(Z[i]);
S-19     }
S-20     #pragma omp taskwait
S-21 }
```

## C / C++

1 The Fortran version has an interface block that contains the **declare target**. An identical  
2 statement exists in the function declaration (not shown here).

## Fortran

3 *Example async\_target.1.f90*

```
S-1  module parameters
S-2  integer, parameter :: N=1000000000, CHUNKSZ=1000000
S-3  end module
S-4  subroutine pipedF()
S-5  use parameters, ONLY: N, CHUNKSZ
S-6  integer           :: C, i
S-7  real              :: z(N)
S-8
S-9  interface
S-10     function F(z)
S-11     !$omp declare target
S-12     real, intent(IN) :: z
S-13     real              :: F
S-14     end function F
S-15  end interface
S-16
S-17     call init(z,N)
S-18
S-19     do C=1,N,CHUNKSZ
S-20
S-21         !$omp task shared(z)
S-22         !$omp target map(z(C:C+CHUNKSZ-1))
S-23         !$omp parallel do
S-24             do i=C,C+CHUNKSZ-1
S-25                 z(i) = F(z(i))
S-26             end do
S-27         !$omp end target
S-28         !$omp end task
S-29
S-30     end do
S-31     !$omp taskwait
S-32     print*, z
S-33
S-34  end subroutine pipedF
```

## Fortran

4 The following example shows how the **task** and **target** constructs are used to execute multiple  
5 **target** regions asynchronously. The task dependence ensures that the storage is allocated and  
6 initialized on the device before it is accessed.

```

1      Example async_target.2.c
S-1      #include <stdlib.h>
S-2      #include <omp.h>
S-3      #pragma omp declare target
S-4      extern void init(float *, float *, int);
S-5      #pragma omp end declare target
S-6      extern void foo();
S-7      extern void output(float *, int);
S-8      void vec_mult(float *p, int N, int dev)
S-9      {
S-10     float *v1, *v2;
S-11     int i;
S-12     #pragma omp task shared(v1, v2) depend(out: v1, v2)
S-13     #pragma omp target device(dev) map(v1, v2)
S-14     {
S-15         // check whether on device dev
S-16         if (omp_is_initial_device())
S-17             abort();
S-18         v1 = malloc(N*sizeof(float));
S-19         v2 = malloc(N*sizeof(float));
S-20         init(v1, v2, N);
S-21     }
S-22     foo(); // execute other work asynchronously
S-23     #pragma omp task shared(v1, v2, p) depend(in: v1, v2)
S-24     #pragma omp target device(dev) map(to: v1, v2) map(from: p[0:N])
S-25     {
S-26         // check whether on device dev
S-27         if (omp_is_initial_device())
S-28             abort();
S-29         #pragma omp parallel for
S-30         for (i=0; i<N; i++)
S-31             p[i] = v1[i] * v2[i];
S-32         free(v1);
S-33         free(v2);
S-34     }
S-35     #pragma omp taskwait
S-36     output(p, N);
S-37 }

```

2 The Fortran example below is similar to the C version above. Instead of pointers, though, it uses the  
3 convenience of Fortran allocatable arrays on the device. In order to preserve the arrays allocated on  
4 the device across multiple **target** regions, a **target data** region is used in this case.



1 If there is no shape specified for an allocatable array in a **map** clause, only the array descriptor (also  
2 called a dope vector) is mapped. That is, device space is created for the descriptor, and it is initially  
3 populated with host values. In this case, the *v1* and *v2* arrays will be in a non-associated state on the  
4 device. When space for *v1* and *v2* is allocated on the device in the first **target** region the  
5 addresses to the space will be included in their descriptors.

6 At the end of the first **target** region, the arrays *v1* and *v2* are preserved on the device for access in  
7 the second **target** region. At the end of the second **target** region, the data in array *p* is copied  
8 back, the arrays *v1* and *v2* are not.

9 A **depend** clause is used in the **task** directive to provide a wait at the beginning of the second  
10 **target** region, to insure that there is no race condition with *v1* and *v2* in the two tasks. It would  
11 be noncompliant to use *v1* and/or *v2* in lieu of *N* in the **depend** clauses, because the use of  
12 non-allocated allocatable arrays as list items in a **depend** clause would lead to unspecified  
13 behavior.

14 **Note** – This example is not strictly compliant with the OpenMP 4.5 specification since the  
15 allocation status of allocatable arrays *v1* and *v2* is changed inside the **target** region, which is not  
16 allowed. (See the restrictions for the **map** clause in the *Data-mapping Attribute Rules and Clauses*  
17 section of the specification.) However, the intention is to relax the restrictions on mapping of  
18 allocatable variables in the next release of the specification so that the example will be compliant.

## Fortran

19 *Example async\_target.2.f90*

```
S-1  subroutine mult(p, N, idev)
S-2      use omp_lib, ONLY: omp_is_initial_device
S-3      real                :: p(N)
S-4      real,allocatable :: v1(:), v2(:)
S-5      integer :: i, idev
S-6      !$omp declare target (init)
S-7
S-8      !$omp target data map(v1,v2)
S-9
S-10     !$omp task shared(v1,v2) depend(out: N)
S-11         !$omp target device(idev)
S-12             if( omp_is_initial_device() ) &
S-13                 stop "not executing on target device"
S-14             allocate(v1(N), v2(N))
S-15             call init(v1,v2,N)
S-16         !$omp end target
S-17     !$omp end task
S-18
S-19     call foo() ! execute other work asynchronously
S-20
S-21     !$omp task shared(v1,v2,p) depend(in: N)
S-22         !$omp target device(idev) map(from: p)
```



1

*Example async\_target.3.c*

```

S-1
S-2 #include <stdio.h>
S-3
S-4 #define N 1000000 //N must be even
S-5 void init(int n, float *v1, float *v2);
S-6
S-7 int main(){
S-8     int i, n=N;
S-9     int chunk=1000;
S-10    float v1[N],v2[N],vxv[N];
S-11
S-12    init(n, v1,v2);
S-13
S-14    #pragma omp parallel
S-15    {
S-16
S-17        #pragma omp master
S-18        #pragma omp target teams distribute parallel for nowait \
S-19                map(to: v1[0:n/2]) \
S-20                map(to: v2[0:n/2]) \
S-21                map(from: vxv[0:n/2])
S-22        for(i=0; i<n/2; i++){ vxv[i] = v1[i]*v2[i]; }
S-23
S-24        #pragma omp for schedule(dynamic,chunk)
S-25        for(i=n/2; i<n; i++){ vxv[i] = v1[i]*v2[i]; }
S-26
S-27    }
S-28    printf(" vxv[0] vxv[n-1] %f %f\n", vxv[0], vxv[n-1]);
S-29    return 0;
S-30 }

```

2

*Example async\_target.3.f90*

```

S-1
S-2 program concurrent_async
S-3     use omp_lib
S-4     integer,parameter :: n=1000000 !!n must be even
S-5     integer           :: i, chunk=1000
S-6     real              :: v1(n),v2(n),vxv(n)
S-7
S-8     call init(n, v1,v2)
S-9

```

```

S-10      !$omp parallel
S-11
S-12          !$omp master
S-13          !$omp target teams distribute parallel do nowait &
S-14          !$omp&                                map(to: v1(1:n/2))    &
S-15          !$omp&                                map(to: v2(1:n/2))    &
S-16          !$omp&                                map(from: vxv(1:n/2))
S-17          do i = 1,n/2;    vxv(i) = v1(i)*v2(i); end do
S-18          !$omp end master
S-19
S-20          !$omp do schedule(dynamic,chunk)
S-21          do i = n/2+1,n;  vxv(i) = v1(i)*v2(i); end do
S-22
S-23      !$omp end parallel
S-24
S-25      print*, " vxv(1) vxv(n) :", vxv(1), vxv(n)
S-26
S-27  end program

```

▲────────────────── Fortran ───────────────────▲

### 1 4.7.3 Asynchronous target with nowait and depend 2 Clauses

3 More details on dependences can be found in Section 3.3 on page 73, Task Dependences. In this  
4 example, there are three flow dependences. In the first two dependences the target task does not  
5 execute until the preceding explicit tasks have finished. These dependences are produced by arrays  
6 *v1* and *v2* with the **out** dependence type in the first two tasks, and the **in** dependence type in the  
7 target task.

8 The last dependence is produced by array *p* with the **out** dependence type in the target task, and  
9 the **in** dependence type in the last task. The last task does not execute until the target task finishes.

10 The **nowait** clause on the **target** construct creates a deferrable *target task*, allowing the  
11 encountering task to continue execution without waiting for the completion of the *target task*.

1

*Example async\_target.4.c*

```

S-1
S-2  extern void init( float*, int);
S-3  extern void output(float*, int);
S-4
S-5  void vec_mult(int N)
S-6  {
S-7      int i;
S-8      float p[N], v1[N], v2[N];
S-9
S-10     #pragma omp parallel num_threads(2)
S-11     {
S-12         #pragma omp single
S-13         {
S-14             #pragma omp task depend(out:v1)
S-15             init(v1, N);
S-16
S-17             #pragma omp task depend(out:v2)
S-18             init(v2, N);
S-19
S-20             #pragma omp target nowait depend(in:v1,v2) depend(out:p) \
S-21                 map(to:v1,v2) map( from: p)
S-22             #pragma omp parallel for private(i)
S-23             for (i=0; i<N; i++)
S-24                 p[i] = v1[i] * v2[i];
S-25
S-26             #pragma omp task depend(in:p)
S-27             output(p, N);
S-28         }
S-29     }
S-30 }

```

2

*Example async\_target.4.f90*

```

S-1
S-2  subroutine vec_mult(N)
S-3      implicit none
S-4      integer          :: i, N
S-5      real, allocatable :: p(:), v1(:), v2(:)
S-6      allocate( p(N), v1(N), v2(N) )
S-7
S-8      !$omp parallel num_threads(2)
S-9

```

```
S-10      !$omp single
S-11
S-12          !$omp task depend(out:v1)
S-13          call init(v1, N)
S-14          !$omp end task
S-15
S-16          !$omp task depend(out:v2)
S-17          call init(v2, N)
S-18          !$omp end task
S-19
S-20          !$omp target nowait depend(in:v1,v2) depend(out:p) &
S-21          !$omp&                                map(to:v1,v2) map(from: p)
S-22          !$omp parallel do
S-23          do i=1,N
S-24              p(i) = v1(i) * v2(i)
S-25          end do
S-26          !$omp end target
S-27
S-28
S-29          !$omp task depend(in:p)
S-30          call output(p, N)
S-31          !$omp end task
S-32
S-33      !$omp end single
S-34  !$omp end parallel
S-35
S-36      deallocate( p, v1, v2 )
S-37
S-38  end subroutine
```

Fortran

## 1 4.8 Array Sections in Device Constructs

2 The following examples show the usage of array sections in **map** clauses on **target** and **target**  
3 **data** constructs.

4 This example shows the invalid usage of two separate sections of the same array inside of a  
5 **target** construct.

▼ C / C++ ▼

6 *Example array\_sections.1.c*

```
S-1 void foo ()  
S-2 {  
S-3     int A[30];  
S-4     #pragma omp target data map( A[0:4] )  
S-5     {  
S-6         /* Cannot map distinct parts of the same array */  
S-7         #pragma omp target map( A[7:20] )  
S-8         {  
S-9             A[2] = 0;  
S-10        }  
S-11    }  
S-12 }
```

▲ C / C++ ▲

▼ Fortran ▼

7 *Example array\_sections.1.f90*

```
S-1 subroutine foo()  
S-2 integer :: A(30)  
S-3     A = 1  
S-4     !$omp target data map( A(1:4) )  
S-5         ! Cannot map distinct parts of the same array  
S-6         !$omp target map( A(8:27) )  
S-7             A(3) = 0  
S-8         !$omp end target  
S-9         !$omp end target data  
S-10 end subroutine
```

▲ Fortran ▲

8 This example shows the invalid usage of two separate sections of the same array inside of a  
9 **target** construct.

1 *Example array\_sections.2.c*

```

S-1 void foo ()
S-2 {
S-3     int A[30], *p;
S-4     #pragma omp target data map( A[0:4] )
S-5     {
S-6         p = &A[0];
S-7         /* invalid because p[3] and A[3] are the same
S-8            * location on the host but the array section
S-9            * specified via p[...] is not a subset of A[0:4] */
S-10        #pragma omp target map( p[3:20] )
S-11        {
S-12            A[2] = 0;
S-13            p[8] = 0;
S-14        }
S-15    }
S-16 }

```

2 *Example array\_sections.2.f90*

```

S-1 subroutine foo()
S-2 integer,target :: A(30)
S-3 integer,pointer :: p(:)
S-4     A=1
S-5     !$omp target data map( A(1:4) )
S-6     p=>A
S-7     ! invalid because p(4) and A(4) are the same
S-8     ! location on the host but the array section
S-9     ! specified via p(...) is not a subset of A(1:4)
S-10    !$omp target map( p(4:23) )
S-11        A(3) = 0
S-12        p(9) = 0
S-13    !$omp end target
S-14    !$omp end target data
S-15 end subroutine

```

3 This example shows the valid usage of two separate sections of the same array inside of a **target**  
 4 construct.



C / C++

1

*Example array\_sections.3.c*

```
S-1 void foo ()
S-2 {
S-3     int A[30], *p;
S-4     #pragma omp target data map( A[0:4] )
S-5     {
S-6         p = &A[0];
S-7         #pragma omp target map( p[7:20] )
S-8         {
S-9             A[2] = 0;
S-10            p[8] = 0;
S-11        }
S-12    }
S-13 }
```

C / C++

Fortran

2

*Example array\_sections.3.f90*

```
S-1 subroutine foo()
S-2 integer,target :: A(30)
S-3 integer,pointer :: p(:)
S-4     !$omp target data map( A(1:4) )
S-5     p=>A
S-6     !$omp target map( p(8:27) )
S-7     A(3) = 0
S-8     p(9) = 0
S-9     !$omp end target
S-10    !$omp end target data
S-11 end subroutine
```

Fortran

3

This example shows the valid usage of a wholly contained array section of an already mapped array section inside of a **target** construct.

4

1 *Example array\_sections.4.c*

```

S-1 void foo ()
S-2 {
S-3     int A[30], *p;
S-4     #pragma omp target data map( A[0:10] )
S-5     {
S-6         p = &A[0];
S-7         #pragma omp target map( p[3:7] )
S-8         {
S-9             A[2] = 0;
S-10            p[8] = 0;
S-11            A[8] = 1;
S-12        }
S-13    }
S-14 }

```

2 *Example array\_sections.4.f90*

```

S-1 subroutine foo()
S-2 integer,target :: A(30)
S-3 integer,pointer :: p(:)
S-4     !$omp target data map( A(1:10) )
S-5     p=>A
S-6     !$omp target map( p(4:10) )
S-7     A(3) = 0
S-8     p(9) = 0
S-9     A(9) = 1
S-10    !$omp end target
S-11    !$omp end target data
S-12 end subroutine

```

## 1 4.9 Device Routines

### 2 4.9.1 `omp_is_initial_device` Routine

3 The following example shows how the `omp_is_initial_device` runtime library routine can  
4 be used to query if a code is executing on the initial host device or on a target device. The example  
5 then sets the number of threads in the `parallel` region based on where the code is executing.

C / C++

6 *Example device.1.c*

```
S-1 #include <stdio.h>
S-2 #include <omp.h>
S-3 #pragma omp declare target
S-4 void vec_mult(float *p, float *v1, float *v2, int N);
S-5 extern float *p, *v1, *v2;
S-6 extern int N;
S-7 #pragma omp end declare target
S-8 extern void init_vars(float *, float *, int);
S-9 extern void output(float *, int);
S-10 void foo()
S-11 {
S-12     init_vars(v1, v2, N);
S-13     #pragma omp target device(42) map(p[:N], v1[:N], v2[:N])
S-14     {
S-15         vec_mult(p, v1, v2, N);
S-16     }
S-17     output(p, N);
S-18 }
S-19 void vec_mult(float *p, float *v1, float *v2, int N)
S-20 {
S-21     int i;
S-22     int nthreads;
S-23     if (!omp_is_initial_device())
S-24     {
S-25         printf("1024 threads on target device\n");
S-26         nthreads = 1024;
S-27     }
S-28     else
S-29     {
S-30         printf("8 threads on initial device\n");
S-31         nthreads = 8;
S-32     }
S-33     #pragma omp parallel for private(i) num_threads(nthreads)
S-34     for (i=0; i<N; i++)
```

```
S-35     p[i] = v1[i] * v2[i];
S-36 }
```

C / C++

Fortran

1

*Example device.f90*

```
S-1  module params
S-2      integer,parameter :: N=1024
S-3  end module params
S-4  module vmult
S-5  contains
S-6      subroutine vec_mult(p, v1, v2, N)
S-7      use omp_lib, ONLY : omp_is_initial_device
S-8      !$omp declare target
S-9      real    :: p(N), v1(N), v2(N)
S-10     integer :: i, nthreads, N
S-11     if (.not. omp_is_initial_device()) then
S-12         print*, "1024 threads on target device"
S-13         nthreads = 1024
S-14     else
S-15         print*, "8 threads on initial device"
S-16         nthreads = 8
S-17     endif
S-18     !$omp parallel do private(i) num_threads(nthreads)
S-19     do i = 1,N
S-20         p(i) = v1(i) * v2(i)
S-21     end do
S-22     end subroutine vec_mult
S-23 end module vmult
S-24 program prog_vec_mult
S-25 use params
S-26 use vmult
S-27 real :: p(N), v1(N), v2(N)
S-28 call init(v1,v2,N)
S-29 !$omp target device(42) map(p, v1, v2)
S-30 call vec_mult(p, v1, v2, N)
S-31 !$omp end target
S-32 call output(p, N)
S-33 end program
```

Fortran

## 1 4.9.2 omp\_get\_num\_devices Routine

2 The following example shows how the `omp_get_num_devices` runtime library routine can be  
3 used to determine the number of devices.

▼ C / C++ ▼

4 *Example device.2.c*

```
S-1 #include <omp.h>
S-2 extern void init(float *, float *, int);
S-3 extern void output(float *, int);
S-4 void vec_mult(float *p, float *v1, float *v2, int N)
S-5 {
S-6     int i;
S-7     init(v1, v2, N);
S-8     int ndev = omp_get_num_devices();
S-9     int do_offload = (ndev>0 && N>1000000);
S-10    #pragma omp target if(do_offload) map(to: v1[0:N], v2[:N]) map(from: p[0:N])
S-11    #pragma omp parallel for if(N>1000) private(i)
S-12    for (i=0; i<N; i++)
S-13        p[i] = v1[i] * v2[i];
S-14    output(p, N);
S-15 }
```

▲ C / C++ ▲

▼ Fortran ▼

5 *Example device.2.f90*

```
S-1 subroutine vec_mult(p, v1, v2, N)
S-2 use omp_lib, ONLY : omp_get_num_devices
S-3 real    :: p(N), v1(N), v2(N)
S-4 integer :: N, i, ndev
S-5 logical :: do_offload
S-6     call init(v1, v2, N)
S-7     ndev = omp_get_num_devices()
S-8     do_offload = (ndev>0) .and. (N>1000000)
S-9     !$omp target if(do_offload) map(to: v1, v2) map(from: p)
S-10    !$omp parallel do if(N>1000)
S-11        do i=1,N
S-12            p(i) = v1(i) * v2(i)
S-13        end do
S-14    !$omp end target
S-15    call output(p, N)
S-16 end subroutine
```

▲ Fortran ▲

## 1 4.9.3 `omp_set_default_device` and 2 `omp_get_default_device` Routines

3 The following example shows how the `omp_set_default_device` and  
4 `omp_get_default_device` runtime library routines can be used to set the default device and  
5 determine the default device respectively.

C / C++

6 *Example device.3.c*

```
S-1 #include <omp.h>
S-2 #include <stdio.h>
S-3 void foo(void)
S-4 {
S-5     int default_device = omp_get_default_device();
S-6     printf("Default device = %d\n", default_device);
S-7     omp_set_default_device(default_device+1);
S-8     if (omp_get_default_device() != default_device+1)
S-9         printf("Default device is still = %d\n", default_device);
S-10 }
```

C / C++

Fortran

7 *Example device.3.f90*

```
S-1 program foo
S-2 use omp_lib, ONLY : omp_get_default_device, omp_set_default_device
S-3 integer :: old_default_device, new_default_device
S-4     old_default_device = omp_get_default_device()
S-5     print*, "Default device = ", old_default_device
S-6     new_default_device = old_default_device + 1
S-7     call omp_set_default_device(new_default_device)
S-8     if (omp_get_default_device() == old_default_device) &
S-9         print*, "Default device is STILL = ", old_default_device
S-10 end program
```

Fortran

## 1 4.9.4 Target Memory and Device Pointers Routines

2 The following example shows how to create space on a device, transfer data to and from that space,  
3 and free the space, using API calls. The API calls directly execute allocation, copy and free  
4 operations on the device, without invoking any mapping through a **target** directive. The  
5 **omp\_target\_alloc** routine allocates space and returns a device pointer for referencing the  
6 space in the **omp\_target\_memcpy** API routine on the host. The **omp\_target\_free** routine  
7 frees the space on the device.

8 The example also illustrates how to access that space in a **target** region by exposing the device  
9 pointer in an **is\_device\_ptr** clause.

10 The example creates an array of cosine values on the default device, to be used on the host device.  
11 The function fails if a default device is not available.

C / C++

12 *Example device.4.c*

```
S-1 #include <stdio.h>
S-2 #include <math.h>
S-3 #include <stdlib.h>
S-4 #include <omp.h>
S-5
S-6 void get_dev_cos(double *mem, size_t s)
S-7 {
S-8     int h, t, i;
S-9     double * mem_dev_cpy;
S-10    h = omp_get_initial_device();
S-11    t = omp_get_default_device();
S-12
S-13    if (omp_get_num_devices() < 1 || t < 0){
S-14        printf(" ERROR: No device found.\n");
S-15        exit(1);
S-16    }
S-17
S-18    mem_dev_cpy = omp_target_alloc( sizeof(double) * s, t);
S-19    if(mem_dev_cpy == NULL){
S-20        printf(" ERROR: No space left on device.\n");
S-21        exit(1);
S-22    }
S-23
S-24                                /* dst src */
S-25    omp_target_memcpy(mem_dev_cpy, mem, sizeof(double)*s,
S-26                      0, 0,
S-27                      t, h);
S-28
S-29    #pragma omp target is_device_ptr(mem_dev_cpy) device(t)
```

```
S-30 #pragma omp teams distribute parallel for
S-31     for(i=0;i<s;i++){ mem_dev_cpy[i] = cos((double)i); } /* init data */
S-32
S-33         /* dst src */
S-34     omp_target_memcpy(mem, mem_dev_cpy, sizeof(double)*s,
S-35                     0, 0,
S-36                     h, t);
S-37
S-38     omp_target_free(mem_dev_cpy, t);
S-39 }
```

▲————— C / C++ —————▲



## SIMD

---

3 Single instruction, multiple data (SIMD) is a form of parallel execution in which the same operation  
4 is performed on multiple data elements independently in hardware vector processing units (VPU),  
5 also called SIMD units. The addition of two vectors to form a third vector is a SIMD operation.  
6 Many processors have SIMD (vector) units that can perform simultaneously 2, 4, 8 or more  
7 executions of the same operation (by a single SIMD unit).

8 Loops without loop-carried backward dependency (or with dependency preserved using ordered  
9 `simd`) are candidates for vectorization by the compiler for execution with SIMD units. In addition,  
10 with state-of-the-art vectorization technology and `declare simd` construct extensions for  
11 function vectorization in the OpenMP 4.5 specification, loops with function calls can be vectorized  
12 as well. The basic idea is that a scalar function call in a loop can be replaced by a vector version of  
13 the function, and the loop can be vectorized simultaneously by combining a loop vectorization  
14 (`simd` directive on the loop) and a function vectorization (`declare simd` directive on the  
15 function).

16 A `simd` construct states that SIMD operations be performed on the data within the loop. A number  
17 of clauses are available to provide data-sharing attributes (`private`, `linear`, `reduction` and  
18 `lastprivate`). Other clauses provide vector length preference/restrictions (`simdlen` /  
19 `safelen`), loop fusion (`collapse`), and data alignment (`aligned`).

20 The `declare simd` directive designates that a vector version of the function should also be  
21 constructed for execution within loops that contain the function and have a `simd` directive. Clauses  
22 provide argument specifications (`linear`, `uniform`, and `aligned`), a requested vector length  
23 (`simdlen`), and designate whether the function is always/never called conditionally in a loop  
24 (`branch/inbranch`). The latter is for optimizing performance.

25 Also, the `simd` construct has been combined with the worksharing loop constructs (`for simd`  
26 and `do simd`) to enable simultaneous thread execution in different SIMD units.

# 1 5.1 simd and declare simd Constructs

2 The following example illustrates the basic use of the **simd** construct to assure the compiler that  
3 the loop can be vectorized.

▼ C / C++ ▼

4 *Example SIMD.1.c*

```
S-1 void star( double *a, double *b, double *c, int n, int *ioff )  
S-2 {  
S-3     int i;  
S-4     #pragma omp simd  
S-5     for ( i = 0; i < n; i++ )  
S-6         a[i] *= b[i] * c[i+ *ioff];  
S-7 }
```

▲ C / C++ ▲

▼ Fortran ▼

5 *Example SIMD.1.f90*

```
S-1 subroutine star(a,b,c,n,ioff_ptr)  
S-2     implicit none  
S-3     double precision :: a(*),b(*),c(*)  
S-4     integer          :: n, i  
S-5     integer, pointer :: ioff_ptr  
S-6  
S-7     !$omp simd  
S-8     do i = 1,n  
S-9         a(i) = a(i) * b(i) * c(i+ioff_ptr)  
S-10    end do  
S-11  
S-12 end subroutine
```

## Fortran

1 When a function can be inlined within a loop the compiler has an opportunity to vectorize the loop.  
2 By guaranteeing SIMD behavior of a function's operations, characterizing the arguments of the  
3 function and privatizing temporary variables of the loop, the compiler can often create faster, vector  
4 code for the loop. In the examples below the **declare simd** construct is used on the *add1* and  
5 *add2* functions to enable creation of their corresponding SIMD function versions for execution  
6 within the associated SIMD loop. The functions characterize two different approaches of accessing  
7 data within the function: by a single variable and as an element in a data array, respectively. The  
8 *add3* C function uses dereferencing.

9 The **declare simd** constructs also illustrate the use of **uniform** and **linear** clauses. The  
10 **uniform(fact)** clause indicates that the variable *fact* is invariant across the SIMD lanes. In the  
11 *add2* function *a* and *b* are included in the **uniform** list because the C pointer and the Fortran array  
12 references are constant. The *i* index used in the *add2* function is included in a **linear** clause with  
13 a constant-linear-step of 1, to guarantee a unity increment of the associated loop. In the **declare**  
14 **simd** construct for the *add3* C function the **linear(a,b:1)** clause instructs the compiler to  
15 generate unit-stride loads across the SIMD lanes; otherwise, costly *gather* instructions would be  
16 generated for the unknown sequence of access of the pointer dereferences.

17 In the **simd** constructs for the loops the **private(tmp)** clause is necessary to assure that the  
18 each vector operation has its own *tmp* variable.

## C / C++

19 *Example SIMD.2.c*

```
S-1 #include <stdio.h>
S-2
S-3 #pragma omp declare simd uniform(fact)
S-4 double add1(double a, double b, double fact)
S-5 {
S-6     double c;
S-7     c = a + b + fact;
S-8     return c;
S-9 }
S-10
S-11 #pragma omp declare simd uniform(a,b,fact) linear(i:1)
S-12 double add2(double *a, double *b, int i, double fact)
S-13 {
S-14     double c;
S-15     c = a[i] + b[i] + fact;
S-16     return c;
S-17 }
S-18
S-19 #pragma omp declare simd uniform(fact) linear(a,b:1)
S-20 double add3(double *a, double *b, double fact)
S-21 {
```

```

S-22     double c;
S-23     c = *a + *b + fact;
S-24     return c;
S-25     }
S-26
S-27     void work( double *a, double *b, int n )
S-28     {
S-29         int i;
S-30         double tmp;
S-31         #pragma omp simd private(tmp)
S-32         for ( i = 0; i < n; i++ ) {
S-33             tmp = add1( a[i], b[i], 1.0);
S-34             a[i] = add2( a, b, i, 1.0) + tmp;
S-35             a[i] = add3(&a[i], &b[i], 1.0);
S-36         }
S-37     }
S-38
S-39     int main(){
S-40         int i;
S-41         const int N=32;
S-42         double a[N], b[N];
S-43
S-44         for ( i=0; i<N; i++ ) {
S-45             a[i] = i; b[i] = N-i;
S-46         }
S-47
S-48         work(a, b, N );
S-49
S-50         for ( i=0; i<N; i++ ) {
S-51             printf("%d %f\n", i, a[i]);
S-52         }
S-53
S-54         return 0;
S-55     }

```



1 *Example SIMD.2.f90*

```

S-1     program main
S-2         implicit none
S-3         integer, parameter :: N=32
S-4         integer :: i
S-5         double precision :: a(N), b(N)
S-6         do i = 1,N
S-7             a(i) = i-1
S-8             b(i) = N-(i-1)

```

```

S-9      end do
S-10     call work(a, b, N )
S-11     do i = 1,N
S-12         print*, i,a(i)
S-13     end do
S-14 end program
S-15
S-16 function add1(a,b,fact) result(c)
S-17 !$omp declare simd(add1) uniform(fact)
S-18     implicit none
S-19     double precision :: a,b,fact, c
S-20     c = a + b + fact
S-21 end function
S-22
S-23 function add2(a,b,i, fact) result(c)
S-24 !$omp declare simd(add2) uniform(a,b,fact) linear(i:1)
S-25     implicit none
S-26     integer          :: i
S-27     double precision :: a(*),b(*),fact, c
S-28     c = a(i) + b(i) + fact
S-29 end function
S-30
S-31 subroutine work(a, b, n )
S-32     implicit none
S-33     double precision          :: a(n),b(n), tmp
S-34     integer                  :: n, i
S-35     double precision, external :: add1, add2
S-36
S-37     !$omp simd private(tmp)
S-38     do i = 1,n
S-39         tmp = add1(a(i), b(i), 1.0d0)
S-40         a(i) = add2(a, b, i, 1.0d0) + tmp
S-41         a(i) = a(i) + b(i) + 1.0d0
S-42     end do
S-43 end subroutine

```

## Fortran

- 1 A thread that encounters a SIMD construct executes a vectorized code of the iterations. Similar to
- 2 the concerns of a worksharing loop a loop vectorized with a SIMD construct must assure that
- 3 temporary and reduction variables are privatized and declared as reductions with clauses. The
- 4 example below illustrates the use of **private** and **reduction** clauses in a SIMD construct.

C / C++

1 *Example SIMD.3.c*

```

S-1 double work( double *a, double *b, int n )
S-2 {
S-3     int i;
S-4     double tmp, sum;
S-5     sum = 0.0;
S-6     #pragma omp simd private(tmp) reduction(+:sum)
S-7     for (i = 0; i < n; i++) {
S-8         tmp = a[i] + b[i];
S-9         sum += tmp;
S-10    }
S-11    return sum;
S-12 }

```

C / C++

Fortran

2 *Example SIMD.3.f90*

```

S-1 subroutine work( a, b, n, sum )
S-2     implicit none
S-3     integer :: i, n
S-4     double precision :: a(n), b(n), sum, tmp
S-5
S-6     sum = 0.0d0
S-7     !$omp simd private(tmp) reduction(+:sum)
S-8     do i = 1, n
S-9         tmp = a(i) + b(i)
S-10        sum = sum + tmp
S-11    end do
S-12
S-13 end subroutine work

```

Fortran

3 A **safelen(N)** clause in a **simd** construct assures the compiler that there are no loop-carried  
4 dependencies for vectors of size  $N$  or below. If the **safelen** clause is not specified, then the  
5 default safelen value is the number of loop iterations.

6 The **safelen(16)** clause in the example below guarantees that the vector code is safe for vectors  
7 up to and including size 16. In the loop,  $m$  can be 16 or greater, for correct code execution. If the  
8 value of  $m$  is less than 16, the behavior is undefined.

C / C++

1

*Example SIMD.4.c*

```
S-1 void work( float *b, int n, int m )
S-2 {
S-3     int i;
S-4     #pragma omp simd safelen(16)
S-5     for (i = m; i < n; i++)
S-6         b[i] = b[i-m] - 1.0f;
S-7 }
```

C / C++

Fortran

2

*Example SIMD.4.f90*

```
S-1 subroutine work( b, n, m )
S-2     implicit none
S-3     real      :: b(n)
S-4     integer   :: i,n,m
S-5
S-6     !$omp simd safelen(16)
S-7     do i = m+1, n
S-8         b(i) = b(i-m) - 1.0
S-9     end do
S-10 end subroutine work
```

Fortran

3

The following SIMD construct instructs the compiler to collapse the *i* and *j* loops into a single SIMD loop in which SIMD chunks are executed by threads of the team. Within the workshared loop chunks of a thread, the SIMD chunks are executed in the lanes of the vector units.

4

5

C / C++

6

*Example SIMD.5.c*

```
S-1 void work( double **a, double **b, double **c, int n )
S-2 {
S-3     int i, j;
S-4     double tmp;
S-5     #pragma omp for simd collapse(2) private(tmp)
S-6     for (i = 0; i < n; i++) {
S-7         for (j = 0; j < n; j++) {
S-8             tmp = a[i][j] + b[i][j];
S-9             c[i][j] = tmp;
S-10        }
S-11    }
S-12 }
```

C / C++

Fortran

1

*Example SIMD.5.f90*

```
S-1  subroutine work( a, b, c, n )
S-2      implicit none
S-3      integer :: i, j, n
S-4      double precision :: a(n,n), b(n,n), c(n,n), tmp
S-5
S-6      !$omp do simd collapse(2) private(tmp)
S-7      do j = 1, n
S-8          do i = 1, n
S-9              tmp = a(i, j) + b(i, j)
S-10             c(i, j) = tmp
S-11         end do
S-12     end do
S-13
S-14 end subroutine work
```

Fortran

## 2 5.2 inbranch and notinbranch Clauses

3

The following examples illustrate the use of the **declare simd** construct with the **inbranch**

4

and **notinbranch** clauses. The **notinbranch** clause informs the compiler that the function

5

*foo* is never called conditionally in the SIMD loop of the function *myaddint*. On the other hand, the

6

**inbranch** clause for the function *goo* indicates that the function is always called conditionally in

7

the SIMD loop inside the function *myaddfloat*.



1

*Example SIMD.6.c*

```

S-1  #pragma omp declare simd linear(p:1) notinbranch
S-2  int foo(int *p){
S-3      *p = *p + 10;
S-4      return *p;
S-5  }
S-6
S-7  int myaddint(int *a, int *b, int n)
S-8  {
S-9  #pragma omp simd
S-10     for (int i=0; i<n; i++){
S-11         a[i] = foo(&b[i]); /* foo is not called under a condition */
S-12     }
S-13     return a[n-1];
S-14 }
S-15
S-16 #pragma omp declare simd linear(p:1) inbranch
S-17 float goo(float *p){
S-18     *p = *p + 18.5f;
S-19     return *p;
S-20 }
S-21
S-22 int myaddfloat(float *x, float *y, int n)
S-23 {
S-24 #pragma omp simd
S-25     for (int i=0; i<n; i++){
S-26         x[i] = (x[i] > y[i]) ? goo(&y[i]) : y[i];
S-27         /* goo is called under the condition (or within a branch) */
S-28     }
S-29     return x[n-1];
S-30 }

```

2

*Example SIMD.6.f90*

```

S-1  function foo(p) result(r)
S-2  !$omp declare simd(foo) notinbranch
S-3      implicit none
S-4      integer :: p, r
S-5      p = p + 10
S-6      r = p
S-7  end function foo
S-8
S-9  function myaddint(a, b, n) result(r)

```

```

S-10     implicit none
S-11     integer :: a(*), b(*), n, r
S-12     integer :: i
S-13     integer, external :: foo
S-14
S-15     !$omp simd
S-16     do i=1, n
S-17         a(i) = foo(b(i)) ! foo is not called under a condition
S-18     end do
S-19     r = a(n)
S-20
S-21 end function myaddint
S-22
S-23 function goo(p) result(r)
S-24 !$omp declare simd(goo) inbranch
S-25     implicit none
S-26     real :: p, r
S-27     p = p + 18.5
S-28     r = p
S-29 end function goo
S-30
S-31 function myaddfloat(x, y, n) result(r)
S-32     implicit none
S-33     real :: x(*), y(*), r
S-34     integer :: n
S-35     integer :: i
S-36     real, external :: goo
S-37
S-38     !$omp simd
S-39     do i=1, n
S-40         if (x(i) > y(i)) then
S-41             x(i) = goo(y(i))
S-42             ! goo is called under the condition (or within a branch)
S-43         else
S-44             x(i) = y(i)
S-45         endif
S-46     end do
S-47
S-48     r = x(n)
S-49 end function myaddfloat

```

## Fortran

1 In the code below, the function *fib()* is called in the main program and also recursively called in the  
2 function *fib()* within an **if** condition. The compiler creates a masked vector version and a  
3 non-masked vector version for the function *fib()* while retaining the original scalar version of the  
4 *fib()* function.

1

*Example SIMD.7.c*

```

S-1  #include <stdio.h>
S-2  #include <stdlib.h>
S-3
S-4  #define N 45
S-5  int a[N], b[N], c[N];
S-6
S-7  #pragma omp declare simd inbranch
S-8  int fib( int n )
S-9  {
S-10     if ( n <= 1 )
S-11         return n;
S-12     else {
S-13         return fib(n-1) + fib(n-2);
S-14     }
S-15 }
S-16
S-17 int main(void)
S-18 {
S-19     int i;
S-20
S-21     #pragma omp simd
S-22     for (i=0; i < N; i++) b[i] = i;
S-23
S-24     #pragma omp simd
S-25     for (i=0; i < N; i++) {
S-26         a[i] = fib(b[i]);
S-27     }
S-28     printf("Done a[%d] = %d\n", N-1, a[N-1]);
S-29     return 0;
S-30 }

```

2

*Example SIMD.7.f90*

```

S-1  program fibonacci
S-2     implicit none
S-3     integer,parameter :: N=45
S-4     integer           :: a(0:N-1), b(0:N-1)
S-5     integer           :: i
S-6     integer, external :: fib
S-7
S-8     !$omp simd
S-9     do i = 0,N-1

```



1

*Example SIMD.8.c*

```

S-1  #include <stdio.h>
S-2  #include <math.h>
S-3
S-4  int    P[1000];
S-5  float  A[1000];
S-6
S-7  float  do_work(float *arr)
S-8  {
S-9      float pri;
S-10     int i;
S-11     #pragma omp simd lastprivate(pri)
S-12     for (i = 0; i < 999; ++i) {
S-13         int j = P[i];
S-14
S-15         pri = 0.5f;
S-16         if (j % 2 == 0) {
S-17             pri = A[j+1] + arr[i];
S-18         }
S-19         A[j] = pri * 1.5f;
S-20         pri = pri + A[j];
S-21     }
S-22     return pri;
S-23 }
S-24
S-25 int main(void)
S-26 {
S-27     float pri, arr[1000];
S-28     int i;
S-29
S-30     for (i = 0; i < 1000; ++i) {
S-31         P[i]    = i;
S-32         A[i]    = i * 1.5f;
S-33         arr[i]  = i * 1.8f;
S-34     }
S-35     pri = do_work(&arr[0]);
S-36     if (pri == 8237.25) {
S-37         printf("passed: result pri = %7.2f (8237.25) \n", pri);
S-38     }
S-39     else {
S-40         printf("failed: result pri = %7.2f (8237.25) \n", pri);
S-41     }
S-42     return 0;
S-43 }

```

1

*Example SIMD.8.f90*

```

S-1  module work
S-2
S-3  integer :: P(1000)
S-4  real    :: A(1000)
S-5
S-6  contains
S-7  function do_work(arr) result(pri)
S-8    implicit none
S-9    real, dimension(*) :: arr
S-10
S-11    real :: pri
S-12    integer :: i, j
S-13
S-14    !$omp simd private(j) lastprivate(pri)
S-15    do i = 1, 999
S-16      j = P(i)
S-17
S-18      pri = 0.5
S-19      if (mod(j-1, 2) == 0) then
S-20        pri = A(j+1) + arr(i)
S-21      endif
S-22      A(j) = pri * 1.5
S-23      pri = pri + A(j)
S-24    end do
S-25
S-26  end function do_work
S-27
S-28  end module work
S-29
S-30  program simd_8f
S-31    use work
S-32    implicit none
S-33    real :: pri, arr(1000)
S-34    integer :: i
S-35
S-36    do i = 1, 1000
S-37      P(i) = i
S-38      A(i) = (i-1) * 1.5
S-39      arr(i) = (i-1) * 1.8
S-40    end do
S-41    pri = do_work(arr)
S-42    if (pri == 8237.25) then

```

```
S-43     print 2, "passed", pri
S-44     else
S-45     print 2, "failed", pri
S-46     endif
S-47 2 format(a, ": result pri = ", f7.2, " (8237.25)")
S-48
S-49 end program
```

Fortran

2 

## Synchronization

---

3 The **barrier** construct is a stand-alone directive that requires all threads of a team (within a  
4 contention group) to execute the barrier and complete execution of all tasks within the region,  
5 before continuing past the barrier.

6 The **critical** construct is a directive that contains a structured block. The construct allows only  
7 a single thread at a time to execute the structured block (region). Multiple critical regions may exist  
8 in a parallel region, and may act cooperatively (only one thread at a time in all **critical** regions),  
9 or separately (only one thread at a time in each **critical** regions when a unique name is supplied  
10 on each **critical** construct). An optional (lock) **hint** clause may be specified on a named  
11 **critical** construct to provide the OpenMP runtime guidance in selection a locking mechanism.

12 On a finer scale the **atomic** construct allows only a single thread at a time to have atomic access to  
13 a storage location involving a single read, write, update or capture statement, and a limited number  
14 of combinations when specifying the **capture** *atomic-clause* clause. The *atomic-clause* clause is  
15 required for some expression statements, but are not required for **update** statements. Please see  
16 the details in the *atomic Construct* subsection of the *Directives* chapter in the OpenMP  
17 Specifications document.

18 The **ordered** construct either specifies a structured block in a loop, simd, or loop SIMD region  
19 that will be executed in the order of the loop iterations. The ordered construct sequentializes and  
20 orders the execution of ordered regions while allowing code outside the region to run in parallel.

21 Since OpenMP 4.5 the **ordered** construct can also be a stand-alone directive that specifies  
22 cross-iteration dependences in a doacross loop nest. The **depend** clause uses a **sink**  
23 *dependence-type*, along with a iteration vector argument (*vec*) to indicate the iteration that satisfies  
24 the dependence. The **depend** clause with a **source** *dependence-type* specifies dependence  
25 satisfaction.

26 The **flush** directive is a stand-alone construct that forces a thread's temporal local storage (view)  
27 of a variable to memory where a consistent view of the variable storage can be accesses. When the  
28 construct is used without a variable list, all the locally thread-visible data as defined by the base  
29 language are flushed. A construct with a list applies the flush operation only to the items in the list.



1 The **flush** construct also effectively insures that no memory (load or store) operation for the  
2 variable set (list items, or default set) may be reordered across the **flush** directive.

3 General-purpose routines provide mutual exclusion semantics through locks, represented by lock  
4 variables. The semantics allows a task to *set*, and hence *own* a lock, until it is *unset* by the task that  
5 set it. A *nestable* lock can be set multiple times by a task, and is used when in code requires nested  
6 control of locks. A *simple lock* can only be set once by the owning task. There are specific calls for  
7 the two types of locks, and the variable of a specific lock type cannot be used by the other lock type.

8 Any explicit task will observe the synchronization prescribed in a **barrier** construct and an  
9 implied barrier. Also, additional synchronizations are available for tasks. All children of a task will  
10 wait at a **taskwait** (for their siblings to complete). A **taskgroup** construct creates a region in  
11 which the current task is suspended at the end of the region until all sibling tasks, and their  
12 descendants, have completed. Scheduling constraints on task execution can be prescribed by the  
13 **depend** clause to enforce dependence on previously generated tasks. More details on controlling  
14 task executions can be found in the *Tasking* Chapter in the OpenMP Specifications document.

## 1 6.1 The critical Construct

2 The following example includes several **critical** constructs. The example illustrates a queuing  
3 model in which a task is dequeued and worked on. To guard against multiple threads dequeuing the  
4 same task, the dequeuing operation must be in a **critical** region. Because the two queues in this  
5 example are independent, they are protected by **critical** constructs with different names, *xaxis*  
6 and *yaxis*.

C / C++

7 *Example critical.1.c*

```
S-1 int dequeue(float *a);  
S-2 void work(int i, float *a);  
S-3  
S-4 void critical_example(float *x, float *y)  
S-5 {  
S-6     int ix_next, iy_next;  
S-7  
S-8     #pragma omp parallel shared(x, y) private(ix_next, iy_next)  
S-9     {  
S-10        #pragma omp critical (xaxis)  
S-11        ix_next = dequeue(x);  
S-12        work(ix_next, x);  
S-13  
S-14        #pragma omp critical (yaxis)  
S-15        iy_next = dequeue(y);  
S-16        work(iy_next, y);  
S-17    }  
S-18 }  
S-19 }
```

C / C++

Fortran

8 *Example critical.1.f*

```
S-1     SUBROUTINE CRITICAL_EXAMPLE(X, Y)  
S-2  
S-3     REAL X(*), Y(*)  
S-4     INTEGER IX_NEXT, IY_NEXT  
S-5  
S-6     !$OMP PARALLEL SHARED(X, Y) PRIVATE(IX_NEXT, IY_NEXT)  
S-7  
S-8     !$OMP CRITICAL(XAXIS)  
S-9         CALL DEQUEUE(IX_NEXT, X)  
S-10    !$OMP END CRITICAL(XAXIS)  
S-11    CALL WORK(IX_NEXT, X)
```

```

S-12
S-13   !$OMP CRITICAL(YAXIS)
S-14         CALL DEQUEUE(IY_NEXT, Y)
S-15   !$OMP END CRITICAL(YAXIS)
S-16         CALL WORK(IY_NEXT, Y)
S-17
S-18   !$OMP END PARALLEL
S-19
S-20         END SUBROUTINE CRITICAL_EXAMPLE

```

Fortran

1 The following example extends the previous example by adding the **hint** clause to the **critical**  
2 constructs.

C / C++

3 *Example critical.2.c*

```

S-1   #include <omp.h>
S-2
S-3   int dequeue(float *a);
S-4   void work(int i, float *a);
S-5
S-6   void critical_example(float *x, float *y)
S-7   {
S-8       int ix_next, iy_next;
S-9
S-10      #pragma omp parallel shared(x, y) private(ix_next, iy_next)
S-11      {
S-12          #pragma omp critical (xaxis) hint(omp_lock_hint_contended)
S-13              ix_next = dequeue(x);
S-14              work(ix_next, x);
S-15
S-16          #pragma omp critical (yaxis) hint(omp_lock_hint_contended)
S-17              iy_next = dequeue(y);
S-18              work(iy_next, y);
S-19      }
S-20
S-21  }

```

C / C++

1

*Example critical.2.f*

```
S-1      SUBROUTINE CRITICAL_EXAMPLE(X, Y)
S-2          USE OMP_LIB          ! or INCLUDE "omp_lib.h"
S-3
S-4          REAL X(*), Y(*)
S-5          INTEGER IX_NEXT, IY_NEXT
S-6
S-7      !$OMP PARALLEL SHARED(X, Y) PRIVATE(IX_NEXT, IY_NEXT)
S-8
S-9      !$OMP CRITICAL(XAXIS) HINT(OMP_LOCK_HINT_CONTENTENDED)
S-10         CALL DEQUEUE(IX_NEXT, X)
S-11      !$OMP END CRITICAL(XAXIS)
S-12         CALL WORK(IX_NEXT, X)
S-13
S-14      !$OMP CRITICAL(YAXIS) HINT(OMP_LOCK_HINT_CONTENTENDED)
S-15         CALL DEQUEUE(IY_NEXT, Y)
S-16      !$OMP END CRITICAL(YAXIS)
S-17         CALL WORK(IY_NEXT, Y)
S-18
S-19      !$OMP END PARALLEL
S-20
S-21      END SUBROUTINE CRITICAL_EXAMPLE
```

## 1 6.2 Worksharing Constructs Inside a **critical** 2 Construct

3 The following example demonstrates using a worksharing construct inside a **critical** construct.  
4 This example is conforming because the worksharing **single** region is not closely nested inside  
5 the **critical** region. A single thread executes the one and only section in the **sections**  
6 region, and executes the **critical** region. The same thread encounters the nested **parallel**  
7 region, creates a new team of threads, and becomes the master of the new team. One of the threads  
8 in the new team enters the **single** region and increments **i** by 1. At the end of this example **i** is  
9 equal to 2.

▼ C / C++ ▼

10 *Example worksharing\_critical.1.c*

```
S-1 void critical_work()  
S-2 {  
S-3     int i = 1;  
S-4     #pragma omp parallel sections  
S-5     {  
S-6         #pragma omp section  
S-7         {  
S-8             #pragma omp critical (name)  
S-9             {  
S-10                #pragma omp parallel  
S-11                {  
S-12                    #pragma omp single  
S-13                    {  
S-14                        i++;  
S-15                    }  
S-16                }  
S-17            }  
S-18        }  
S-19    }  
S-20 }
```

▲ C / C++ ▲

1

*Example worksharing\_critical.1.f*

```
S-1      SUBROUTINE CRITICAL_WORK()  
S-2  
S-3          INTEGER I  
S-4          I = 1  
S-5  
S-6      !$OMP  PARALLEL SECTIONS  
S-7      !$OMP  SECTION  
S-8      !$OMP  CRITICAL (NAME)  
S-9      !$OMP  PARALLEL  
S-10     !$OMP  SINGLE  
S-11         I = I + 1  
S-12     !$OMP  END SINGLE  
S-13     !$OMP  END PARALLEL  
S-14     !$OMP  END CRITICAL (NAME)  
S-15     !$OMP  END PARALLEL SECTIONS  
S-16     END SUBROUTINE CRITICAL_WORK
```

## 1 6.3 Binding of barrier Regions

2 The binding rules call for a **barrier** region to bind to the closest enclosing **parallel** region.

3 In the following example, the call from the main program to *sub2* is conforming because the  
4 **barrier** region (in *sub3*) binds to the **parallel** region in *sub2*. The call from the main  
5 program to *sub1* is conforming because the **barrier** region binds to the **parallel** region in  
6 subroutine *sub2*.

7 The call from the main program to *sub3* is conforming because the **barrier** region binds to the  
8 implicit inactive **parallel** region enclosing the sequential part. Also note that the **barrier**  
9 region in *sub3* when called from *sub2* only synchronizes the team of threads in the enclosing  
10 **parallel** region and not all the threads created in *sub1*.

▼ C / C++ ▼


11 *Example barrier\_regions.1.c*

```
S-1 void work(int n) {}
S-2
S-3 void sub3(int n)
S-4 {
S-5     work(n);
S-6     #pragma omp barrier
S-7     work(n);
S-8 }
S-9
S-10 void sub2(int k)
S-11 {
S-12     #pragma omp parallel shared(k)
S-13         sub3(k);
S-14 }
S-15
S-16 void sub1(int n)
S-17 {
S-18     int i;
S-19     #pragma omp parallel private(i) shared(n)
S-20         {
S-21             #pragma omp for
S-22             for (i=0; i<n; i++)
S-23                 sub2(i);
S-24         }
S-25 }
S-26
S-27 int main()
S-28 {
S-29     sub1(2);
S-30     sub2(2);
```

```

S-31     sub3(2);
S-32     return 0;
S-33     }

```


  
C / C++
  
Fortran

1

*Example barrier\_regions.1.f*

```

S-1         SUBROUTINE WORK (N)
S-2             INTEGER N
S-3         END SUBROUTINE WORK
S-4
S-5         SUBROUTINE SUB3 (N)
S-6             INTEGER N
S-7             CALL WORK (N)
S-8     !$OMP   BARRIER
S-9             CALL WORK (N)
S-10        END SUBROUTINE SUB3
S-11
S-12        SUBROUTINE SUB2 (K)
S-13            INTEGER K
S-14    !$OMP   PARALLEL SHARED (K)
S-15            CALL SUB3 (K)
S-16    !$OMP   END PARALLEL
S-17        END SUBROUTINE SUB2
S-18
S-19
S-20        SUBROUTINE SUB1 (N)
S-21            INTEGER N
S-22            INTEGER I
S-23    !$OMP   PARALLEL PRIVATE (I) SHARED (N)
S-24    !$OMP   DO
S-25            DO I = 1, N
S-26                CALL SUB2 (I)
S-27            END DO
S-28    !$OMP   END PARALLEL
S-29        END SUBROUTINE SUB1
S-30
S-31        PROGRAM EXAMPLE
S-32            CALL SUB1 (2)
S-33            CALL SUB2 (2)
S-34            CALL SUB3 (2)
S-35        END PROGRAM EXAMPLE

```


  
Fortran



## 1 6.4 The atomic Construct

2 The following example avoids race conditions (simultaneous updates of an element of  $x$  by multiple  
3 threads) by using the **atomic** construct .

4 The advantage of using the **atomic** construct in this example is that it allows updates of two  
5 different elements of  $x$  to occur in parallel. If a **critical** construct were used instead, then all  
6 updates to elements of  $x$  would be executed serially (though not in any guaranteed order).

7 Note that the **atomic** directive applies only to the statement immediately following it. As a result,  
8 elements of  $y$  are not updated atomically in this example.

▼ C / C++ ▼

9 *Example atomic.1.c*

```
S-1 float work1(int i)
S-2 {
S-3     return 1.0 * i;
S-4 }
S-5
S-6 float work2(int i)
S-7 {
S-8     return 2.0 * i;
S-9 }
S-10
S-11 void atomic_example(float *x, float *y, int *index, int n)
S-12 {
S-13     int i;
S-14
S-15     #pragma omp parallel for shared(x, y, index, n)
S-16     for (i=0; i<n; i++) {
S-17         #pragma omp atomic update
S-18         x[index[i]] += work1(i);
S-19         y[i] += work2(i);
S-20     }
S-21 }
S-22
S-23 int main()
S-24 {
S-25     float x[1000];
S-26     float y[10000];
S-27     int index[10000];
S-28     int i;
S-29
S-30     for (i = 0; i < 10000; i++) {
S-31         index[i] = i % 1000;
S-32         y[i]=0.0;
```

```

S-33     }
S-34     for (i = 0; i < 1000; i++)
S-35         x[i] = 0.0;
S-36     atomic_example(x, y, index, 10000);
S-37     return 0;
S-38     }

```



1

*Example atomic.f*

```

S-1         REAL FUNCTION WORK1(I)
S-2             INTEGER I
S-3             WORK1 = 1.0 * I
S-4             RETURN
S-5         END FUNCTION WORK1
S-6
S-7         REAL FUNCTION WORK2(I)
S-8             INTEGER I
S-9             WORK2 = 2.0 * I
S-10            RETURN
S-11        END FUNCTION WORK2
S-12
S-13        SUBROUTINE SUB(X, Y, INDEX, N)
S-14            REAL X(*), Y(*)
S-15            INTEGER INDEX(*), N
S-16
S-17            INTEGER I
S-18
S-19        !$OMP PARALLEL DO SHARED(X, Y, INDEX, N)
S-20            DO I=1,N
S-21        !$OMP ATOMIC UPDATE
S-22                X(INDEX(I)) = X(INDEX(I)) + WORK1(I)
S-23                Y(I) = Y(I) + WORK2(I)
S-24            ENDDO
S-25
S-26        END SUBROUTINE SUB
S-27
S-28        PROGRAM ATOMIC_EXAMPLE
S-29            REAL X(1000), Y(10000)
S-30            INTEGER INDEX(10000)
S-31            INTEGER I
S-32
S-33            DO I=1,10000
S-34                INDEX(I) = MOD(I, 1000) + 1
S-35                Y(I) = 0.0
S-36            ENDDO

```

```

S-37
S-38         DO I = 1,1000
S-39             X(I) = 0.0
S-40         ENDDO
S-41
S-42         CALL SUB(X, Y, INDEX, 10000)
S-43
S-44         END PROGRAM ATOMIC_EXAMPLE

```

## Fortran

1 The following example illustrates the **read** and **write** clauses for the **atomic** directive. These  
2 clauses ensure that the given variable is read or written, respectively, as a whole. Otherwise, some  
3 other thread might read or write part of the variable while the current thread was reading or writing  
4 another part of the variable. Note that most hardware provides atomic reads and writes for some set  
5 of properly aligned variables of specific sizes, but not necessarily for all the variable types  
6 supported by the OpenMP API.

## C / C++

7 *Example atomic.2.c*

```

S-1 int atomic_read(const int *p)
S-2 {
S-3     int value;
S-4     /* Guarantee that the entire value of *p is read atomically. No part of
S-5      * *p can change during the read operation.
S-6      */
S-7     #pragma omp atomic read
S-8         value = *p;
S-9     return value;
S-10 }
S-11
S-12 void atomic_write(int *p, int value)
S-13 {
S-14     /* Guarantee that value is stored atomically into *p. No part of *p can
S-15     change
S-16     * until after the entire write operation is completed.
S-17     */
S-18     #pragma omp atomic write
S-19         *p = value;
S-20 }

```

## C / C++

## Fortran

1 *Example atomic.2.f*

```
S-1      function atomic_read(p)
S-2      integer :: atomic_read
S-3      integer, intent(in) :: p
S-4      ! Guarantee that the entire value of p is read atomically. No part of
S-5      ! p can change during the read operation.
S-6
S-7      !$omp atomic read
S-8      atomic_read = p
S-9      return
S-10     end function atomic_read
S-11
S-12     subroutine atomic_write(p, value)
S-13     integer, intent(out) :: p
S-14     integer, intent(in) :: value
S-15     ! Guarantee that value is stored atomically into p. No part of p can change
S-16     ! until after the entire write operation is completed.
S-17     !$omp atomic write
S-18     p = value
S-19     end subroutine atomic_write
```

## Fortran

2 The following example illustrates the **capture** clause for the **atomic** directive. In this case the  
3 value of a variable is captured, and then the variable is incremented. These operations occur  
4 atomically. This particular example could be implemented using the fetch-and-add instruction  
5 available on many kinds of hardware. The example also shows a way to implement a spin lock  
6 using the **capture** and **read** clauses.

## C / C++

7 *Example atomic.3.c*

```
S-1 int fetch_and_add(int *p)
S-2 {
S-3 /* Atomically read the value of *p and then increment it. The previous value
S-4 is
S-5 * returned. This can be used to implement a simple lock as shown below.
S-6 */
S-7     int old;
S-8 #pragma omp atomic capture
S-9     { old = *p; (*p)++; }
S-10    return old;
S-11 }
S-12
S-13 /*
```



```

S-19         integer :: atomic_read
S-20         integer, intent(in) :: p
S-21     end function
S-22 end interface
S-23 type locktype
S-24     integer ticketnumber
S-25     integer turn
S-26 end type
S-27 contains
S-28     subroutine do_locked_work(lock)
S-29     type(locktype), intent(inout) :: lock
S-30     integer myturn
S-31     integer junk
S-32 ! obtain the lock
S-33     myturn = fetch_and_add(lock%ticketnumber)
S-34     do while (atomic_read(lock%turn) .ne. myturn)
S-35     continue
S-36     enddo
S-37 ! Do some work. The flush is needed to ensure visibility of variables
S-38 ! not involved in atomic directives
S-39 !$omp flush
S-40     call work
S-41 !$omp flush
S-42 ! Release the lock
S-43     junk = fetch_and_add(lock%turn)
S-44     end subroutine
S-45 end module

```

▲────────────────── Fortran ───────────────────▲

## 1 6.5 Restrictions on the `atomic` Construct

2 The following non-conforming examples illustrate the restrictions on the `atomic` construct.

▼ C / C++ ▼

3 *Example atomic\_restrict.1.c*

```
S-1 void atomic_wrong ()
S-2 {
S-3     union {int n; float x;} u;
S-4
S-5     #pragma omp parallel
S-6     {
S-7     #pragma omp atomic update
S-8         u.n++;
S-9
S-10    #pragma omp atomic update
S-11        u.x += 1.0;
S-12
S-13    /* Incorrect because the atomic constructs reference the same location
S-14       through incompatible types */
S-15    }
S-16 }
```

▲ C / C++ ▲

▼ Fortran ▼

4 *Example atomic\_restrict.1.f*

```
S-1     SUBROUTINE ATOMIC_WRONG()
S-2         INTEGER:: I
S-3         REAL:: R
S-4         EQUIVALENCE (I,R)
S-5
S-6     !$OMP PARALLEL
S-7     !$OMP ATOMIC UPDATE
S-8         I = I + 1
S-9     !$OMP ATOMIC UPDATE
S-10        R = R + 1.0
S-11     ! incorrect because I and R reference the same location
S-12     ! but have different types
S-13     !$OMP END PARALLEL
S-14     END SUBROUTINE ATOMIC_WRONG
```

▲ Fortran ▲

1 *Example atomic\_restrict.2.c*

```

S-1 void atomic_wrong2 ()
S-2 {
S-3     int x;
S-4     int *i;
S-5     float *r;
S-6
S-7     i = &x;
S-8     r = (float *)&x;
S-9
S-10    #pragma omp parallel
S-11    {
S-12    #pragma omp atomic update
S-13        *i += 1;
S-14
S-15    #pragma omp atomic update
S-16        *r += 1.0;
S-17
S-18    /* Incorrect because the atomic constructs reference the same location
S-19       through incompatible types */
S-20
S-21    }
S-22 }

```

2 The following example is non-conforming because **I** and **R** reference the same location but have  
 3 different types.

4 *Example atomic\_restrict.2.f*

```

S-1     SUBROUTINE SUB ()
S-2     COMMON /BLK/ R
S-3     REAL R
S-4
S-5     !$OMP ATOMIC UPDATE
S-6         R = R + 1.0
S-7     END SUBROUTINE SUB
S-8
S-9     SUBROUTINE ATOMIC_WRONG2 ()
S-10    COMMON /BLK/ I
S-11    INTEGER I
S-12
S-13    !$OMP PARALLEL
S-14

```



```

S-15  !$OMP    ATOMIC UPDATE
S-16          I = I + 1
S-17          CALL SUB()
S-18  !$OMP    END PARALLEL
S-19  END SUBROUTINE ATOMIC_WRONG2

```

1 Although the following example might work on some implementations, this is also non-conforming:

2 *Example atomic\_restrict.3.f*

```

S-1      SUBROUTINE ATOMIC_WRONG3
S-2          INTEGER :: I
S-3          REAL :: R
S-4          EQUIVALENCE (I, R)
S-5
S-6  !$OMP  PARALLEL
S-7  !$OMP    ATOMIC UPDATE
S-8          I = I + 1
S-9  ! incorrect because I and R reference the same location
S-10 ! but have different types
S-11 !$OMP  END PARALLEL
S-12
S-13 !$OMP  PARALLEL
S-14 !$OMP    ATOMIC UPDATE
S-15          R = R + 1.0
S-16 ! incorrect because I and R reference the same location
S-17 ! but have different types
S-18 !$OMP  END PARALLEL
S-19
S-20      END SUBROUTINE ATOMIC_WRONG3

```

Fortran

## 1 6.6 The flush Construct without a List

2 The following example distinguishes the shared variables affected by a **flush** construct with no  
3 list from the shared objects that are not affected:

C / C++

4 *Example flush\_nolist.1.c*

```
S-1 int x, *p = &x;
S-2
S-3 void f1(int *q)
S-4 {
S-5     *q = 1;
S-6     #pragma omp flush
S-7     /* x, p, and *q are flushed */
S-8     /* because they are shared and accessible */
S-9     /* q is not flushed because it is not shared. */
S-10 }
S-11
S-12 void f2(int *q)
S-13 {
S-14     #pragma omp barrier
S-15     *q = 2;
S-16     #pragma omp barrier
S-17
S-18     /* a barrier implies a flush */
S-19     /* x, p, and *q are flushed */
S-20     /* because they are shared and accessible */
S-21     /* q is not flushed because it is not shared. */
S-22 }
S-23
S-24 int g(int n)
S-25 {
S-26     int i = 1, j, sum = 0;
S-27     *p = 1;
S-28     #pragma omp parallel reduction(+: sum) num_threads(10)
S-29     {
S-30         f1(&j);
S-31
S-32         /* i, n and sum were not flushed */
S-33         /* because they were not accessible in f1 */
S-34         /* j was flushed because it was accessible */
S-35         sum += j;
S-36
S-37         f2(&j);
S-38
S-39         /* i, n, and sum were not flushed */
```

```

S-40     /* because they were not accessible in f2 */
S-41     /* j was flushed because it was accessible */
S-42     sum += i + j + *p + n;
S-43     }
S-44     return sum;
S-45     }
S-46
S-47     int main()
S-48     {
S-49         int result = g(7);
S-50         return result;
S-51     }

```



1

*Example flush\_nolist.f*

```

S-1         SUBROUTINE F1(Q)
S-2             COMMON /DATA/ X, P
S-3             INTEGER, TARGET :: X
S-4             INTEGER, POINTER :: P
S-5             INTEGER Q
S-6
S-7             Q = 1
S-8     !$OMP   FLUSH
S-9             ! X, P and Q are flushed
S-10            ! because they are shared and accessible
S-11     END SUBROUTINE F1
S-12
S-13        SUBROUTINE F2(Q)
S-14            COMMON /DATA/ X, P
S-15            INTEGER, TARGET :: X
S-16            INTEGER, POINTER :: P
S-17            INTEGER Q
S-18
S-19     !$OMP   BARRIER
S-20             Q = 2
S-21     !$OMP   BARRIER
S-22             ! a barrier implies a flush
S-23             ! X, P and Q are flushed
S-24             ! because they are shared and accessible
S-25     END SUBROUTINE F2
S-26
S-27     INTEGER FUNCTION G(N)
S-28         COMMON /DATA/ X, P
S-29         INTEGER, TARGET :: X
S-30         INTEGER, POINTER :: P

```



## 1 6.7 The ordered Clause and the ordered Construct

2 Ordered constructs are useful for sequentially ordering the output from work that is done in  
3 parallel. The following program prints out the indices in sequential order:

C / C++

4 *Example ordered.1.c*

```
S-1 #include <stdio.h>
S-2
S-3 void work(int k)
S-4 {
S-5     #pragma omp ordered
S-6     printf(" %d\n", k);
S-7 }
S-8
S-9 void ordered_example(int lb, int ub, int stride)
S-10 {
S-11     int i;
S-12
S-13     #pragma omp parallel for ordered schedule(dynamic)
S-14     for (i=lb; i<ub; i+=stride)
S-15         work(i);
S-16 }
S-17
S-18 int main()
S-19 {
S-20     ordered_example(0, 100, 5);
S-21     return 0;
S-22 }
```

C / C++

Fortran

5 *Example ordered.1.f*

```
S-1     SUBROUTINE WORK(K)
S-2         INTEGER k
S-3
S-4     !$OMP ORDERED
S-5         WRITE(*,*) K
S-6     !$OMP END ORDERED
S-7
S-8     END SUBROUTINE WORK
S-9
S-10    SUBROUTINE SUB(LB, UB, STRIDE)
S-11        INTEGER LB, UB, STRIDE
S-12        INTEGER I
```

```

S-13
S-14 !$OMP PARALLEL DO ORDERED SCHEDULE(DYNAMIC)
S-15     DO I=LB,UB,STRIDE
S-16         CALL WORK(I)
S-17     END DO
S-18 !$OMP END PARALLEL DO
S-19
S-20     END SUBROUTINE SUB
S-21
S-22     PROGRAM ORDERED_EXAMPLE
S-23         CALL SUB(1,100,5)
S-24     END PROGRAM ORDERED_EXAMPLE

```

### Fortran

1 It is possible to have multiple **ordered** constructs within a loop region with the **ordered** clause  
2 specified. The first example is non-conforming because all iterations execute two **ordered**  
3 regions. An iteration of a loop must not execute more than one **ordered** region:

### C / C++

4 *Example ordered.2.c*

```

S-1 void work(int i) {}
S-2
S-3 void ordered_wrong(int n)
S-4 {
S-5     int i;
S-6     #pragma omp for ordered
S-7     for (i=0; i<n; i++) {
S-8 /* incorrect because an iteration may not execute more than one
S-9     ordered region */
S-10    #pragma omp ordered
S-11    work(i);
S-12    #pragma omp ordered
S-13    work(i+1);
S-14 }
S-15 }

```

### C / C++

## Fortran

1 *Example ordered.2.f*

```
S-1      SUBROUTINE WORK(I)
S-2      INTEGER I
S-3      END SUBROUTINE WORK
S-4
S-5      SUBROUTINE ORDERED_WRONG(N)
S-6      INTEGER N
S-7
S-8      INTEGER I
S-9      !$OMP DO ORDERED
S-10     DO I = 1, N
S-11     ! incorrect because an iteration may not execute more than one
S-12     ! ordered region
S-13     !$OMP ORDERED
S-14         CALL WORK(I)
S-15     !$OMP END ORDERED
S-16
S-17     !$OMP ORDERED
S-18         CALL WORK(I+1)
S-19     !$OMP END ORDERED
S-20     END DO
S-21     END SUBROUTINE ORDERED_WRONG
```

## Fortran

2 The following is a conforming example with more than one **ordered** construct. Each iteration  
3 will execute only one **ordered** region:

## C / C++

4 *Example ordered.3.c*

```
S-1 void work(int i) {}
S-2 void ordered_good(int n)
S-3 {
S-4     int i;
S-5     #pragma omp for ordered
S-6     for (i=0; i<n; i++) {
S-7         if (i <= 10) {
S-8             #pragma omp ordered
S-9             work(i);
S-10        }
S-11        if (i > 10) {
S-12            #pragma omp ordered
S-13            work(i+1);
S-14        }
}
```

```
S-15     }
S-16     }
```

C / C++

Fortran

1

*Example ordered.3.f*

```
S-1         SUBROUTINE ORDERED_GOOD (N)
S-2         INTEGER N
S-3
S-4         !$OMP DO ORDERED
S-5         DO I = 1, N
S-6             IF (I <= 10) THEN
S-7                 !$OMP ORDERED
S-8                     CALL WORK(I)
S-9                 END ORDERED
S-10            ENDIF
S-11
S-12            IF (I > 10) THEN
S-13                !$OMP ORDERED
S-14                    CALL WORK(I+1)
S-15                END ORDERED
S-16            ENDIF
S-17        ENDDO
S-18    END SUBROUTINE ORDERED_GOOD
```

Fortran



## 1 6.8 Doacross Loop Nest

2 An **ordered** clause can be used on a loop construct with an integer parameter argument to define  
3 the number of associated loops within a *doacross loop nest* where cross-iteration dependences  
4 exist. A **depend** clause on an **ordered** construct within an ordered loop describes the  
5 dependences of the *doacross* loops.

6 In the code below, the **depend(sink:i-1)** clause defines an *i-1* to *i* cross-iteration dependence  
7 that specifies a wait point for the completion of computation from iteration *i-1* before proceeding to  
8 the subsequent statements. The **depend(source)** clause indicates the completion of  
9 computation from the current iteration (*i*) to satisfy the cross-iteration dependence that arises from  
10 the iteration. For this example the same sequential ordering could have been achieved with an  
11 **ordered** clause without a parameter, on the loop directive, and a single **ordered** directive  
12 without the **depend** clause specified for the statement executing the *bar* function.

▼ C / C++ ▼

13 *Example doacross.1.c*

```
S-1 float foo(int i);  
S-2 float bar(float a, float b);  
S-3 float baz(float b);  
S-4  
S-5 void work( int N, float *A, float *B, float *C )  
S-6 {  
S-7     int i;  
S-8  
S-9     #pragma omp for ordered(1)  
S-10    for (i=1; i<N; i++)  
S-11    {  
S-12        A[i] = foo(i);  
S-13  
S-14        #pragma omp ordered depend(sink: i-1)  
S-15        B[i] = bar(A[i], B[i-1]);  
S-16        #pragma omp ordered depend(source)  
S-17  
S-18        C[i] = baz(B[i]);  
S-19    }  
S-20 }
```

▲ C / C++ ▲

1 *Example doacross.1.f90*

```

S-1  subroutine work( N, A, B, C )
S-2      integer :: N, i
S-3      real, dimension(N) :: A, B, C
S-4      real, external :: foo, bar, baz
S-5
S-6      !$omp do ordered(1)
S-7      do i=2, N
S-8          A(i) = foo(i)
S-9
S-10         !$omp ordered depend(sink: i-1)
S-11         B(i) = bar(A(i), B(i-1))
S-12         !$omp ordered depend(source)
S-13
S-14         C(i) = baz(B(i))
S-15     end do
S-16 end subroutine

```

2 The following code is similar to the previous example but with *doacross loop nest* extended to two  
3 nested loops, *i* and *j*, as specified by the **ordered(2)** clause on the loop directive. In the C/C++  
4 code, the *i* and *j* loops are the first and second associated loops, respectively, whereas in the Fortran  
5 code, the *j* and *i* loops are the first and second associated loops, respectively. The  
6 **depend(sink:i-1, j)** and **depend(sink:i, j-1)** clauses in the C/C++ code define  
7 cross-iteration dependencies in two dimensions from iterations (*i-1, j*) and (*i, j-1*) to iteration (*i, j*).  
8 Likewise, the **depend(sink: j-1, i)** and **depend(sink: j, i-1)** clauses in the Fortran  
9 code define cross-iteration dependencies from iterations (*j-1, i*) and (*j, i-1*) to iteration (*j, i*).

10 *Example doacross.2.c*

```

S-1  float foo(int i, int j);
S-2  float bar(float a, float b, float c);
S-3  float baz(float b);
S-4
S-5  void work( int N, int M, float **A, float **B, float **C )
S-6  {
S-7      int i, j;
S-8
S-9      #pragma omp for ordered(2)
S-10     for (i=1; i<N; i++)
S-11     {
S-12         for (j=1; j<M; j++)
S-13         {

```

```

S-14     A[i][j] = foo(i, j);
S-15
S-16     #pragma omp ordered depend(sink: i-1,j) depend(sink: i, j-1)
S-17     B[i][j] = bar(A[i][j], B[i-1][j], B[i][j-1]);
S-18     #pragma omp ordered depend(source)
S-19
S-20     C[i][j] = baz(B[i][j]);
S-21     }
S-22     }
S-23     }

```



1

*Example doacross.2.f90*

```

S-1  subroutine work( N, M, A, B, C )
S-2    integer :: N, M, i, j
S-3    real, dimension(M,N) :: A, B, C
S-4    real, external :: foo, bar, baz
S-5
S-6    !$omp do ordered(2)
S-7    do j=2, N
S-8      do i=2, M
S-9        A(i, j) = foo(i, j)
S-10
S-11        !$omp ordered depend(sink: j-1,i) depend(sink: j, i-1)
S-12        B(i, j) = bar(A(i, j), B(i-1, j), B(i, j-1))
S-13        !$omp ordered depend(source)
S-14
S-15        C(i, j) = baz(B(i, j))
S-16      end do
S-17    end do
S-18  end subroutine

```



2  
3  
4  
5  
6  
7

The following example shows the incorrect use of the **ordered** directive with a **depend** clause. There are two issues with the code. The first issue is a missing **ordered depend(source)** directive, which could cause a deadlock. The second issue is the **depend(sink:i+1, j)** and **depend(sink:i, j+1)** clauses define dependences on lexicographically later source iterations  $(i+1, j)$  and  $(i, j+1)$ , which could cause a deadlock as well since they may not start to execute until the current iteration completes.

1

*Example doacross.3.c*

```

S-1  #define N 100
S-2
S-3  void work_wrong(double p[][N][N])
S-4  {
S-5      int i, j, k;
S-6
S-7  #pragma omp parallel for ordered(2) private(i,j,k)
S-8      for (i=1; i<N-1; i++)
S-9      {
S-10         for (j=1; j<N-1; j++)
S-11         {
S-12             #pragma omp ordered depend(sink: i-1,j) depend(sink: i+1,j) \
S-13                 depend(sink: i,j-1) depend(sink: i,j+1)
S-14             for (k=1; k<N-1; k++)
S-15             {
S-16                 double tmp1 = p[i-1][j][k] + p[i+1][j][k];
S-17                 double tmp2 = p[i][j-1][k] + p[i][j+1][k];
S-18                 double tmp3 = p[i][j][k-1] + p[i][j][k+1];
S-19                 p[i][j][k] = (tmp1 + tmp2 + tmp3) / 6.0;
S-20             }
S-21             /* missing #pragma omp ordered depend(source) */
S-22         }
S-23     }
S-24 }

```

2

*Example doacross.3.f90*

```

S-1  subroutine work_wrong(N, p)
S-2      integer :: N
S-3      real(8), dimension(N,N,N) :: p
S-4      integer :: i, j, k
S-5      real(8) :: tmp1, tmp2, tmp3
S-6
S-7  !$omp parallel do ordered(2) private(i,j,k,tmp1,tmp2,tmp3)
S-8      do i=2, N-1
S-9          do j=2, N-1
S-10             !$omp ordered depend(sink: i-1,j) depend(sink: i+1,j) &
S-11                 !$omp& depend(sink: i,j-1) depend(sink: i,j+1)
S-12             do k=2, N-1
S-13                 tmp1 = p(k-1,j,i) + p(k+1,j,i)
S-14                 tmp2 = p(k,j-1,i) + p(k,j+1,i)
S-15                 tmp3 = p(k,j,i-1) + p(k,j,i+1)

```

```

S-16         p(k,j,i) = (tmp1 + tmp2 + tmp3) / 6.0
S-17         end do
S-18     ! missing !$omp ordered depend(source)
S-19         end do
S-20     end do
S-21 end subroutine

```

## Fortran

1 The following example illustrates the use of the **collapse** clause for a *doacross loop nest*. The *i*  
2 and *j* loops are the associated loops for the collapsed loop as well as for the *doacross loop nest*. The  
3 example also shows a compliant usage of the dependence source directive placed before the  
4 corresponding sink directive. Checking the completion of computation from previous iterations at  
5 the sink point can occur after the source statement.

## C / C++

6 *Example doacross.4.c*

```

S-1 double foo(int i, int j);
S-2
S-3 void work( int N, int M, double **A, double **B, double **C )
S-4 {
S-5     int i, j;
S-6     double alpha = 1.2;
S-7
S-8     #pragma omp for collapse(2) ordered(2)
S-9     for (i = 1; i < N-1; i++)
S-10    {
S-11        for (j = 1; j < M-1; j++)
S-12        {
S-13            A[i][j] = foo(i, j);
S-14            #pragma omp ordered depend(source)
S-15
S-16                B[i][j] = alpha * A[i][j];
S-17
S-18            #pragma omp ordered depend(sink: i-1,j) depend(sink: i,j-1)
S-19                C[i][j] = 0.2 * (A[i-1][j] + A[i+1][j] +
S-20                    A[i][j-1] + A[i][j+1] + A[i][j]);
S-21        }
S-22    }
S-23 }

```

## C / C++

1

*Example doacross.4.f90*

```
S-1  subroutine work( N, M, A, B, C )
S-2      integer :: N, M
S-3      real(8), dimension(M, N) :: A, B, C
S-4      real(8), external :: foo
S-5      integer :: i, j
S-6      real(8) :: alpha = 1.2
S-7
S-8      !$omp do collapse(2) ordered(2)
S-9      do j=2, N-1
S-10     do i=2, M-1
S-11         A(i,j) = foo(i, j)
S-12         !$omp ordered depend(source)
S-13
S-14         B(i,j) = alpha * A(i,j)
S-15
S-16         !$omp ordered depend(sink: j,i-1) depend(sink: j-1,i)
S-17         C(i,j) = 0.2 * (A(i-1,j) + A(i+1,j) + &
S-18             A(i,j-1) + A(i,j+1) + A(i,j))
S-19     end do
S-20 end do
S-21 end subroutine
```

## 1 6.9 Lock Routines

2 This section is about the use of lock routines for synchronization.

### 3 6.9.1 The `omp_init_lock` Routine

4 The following example demonstrates how to initialize an array of locks in a **parallel** region by  
5 using `omp_init_lock`.

C++

6 *Example `init_lock.1.cpp`*

```
S-1 #include <omp.h>
S-2
S-3 omp_lock_t *new_locks()
S-4 {
S-5     int i;
S-6     omp_lock_t *lock = new omp_lock_t[1000];
S-7
S-8     #pragma omp parallel for private(i)
S-9         for (i=0; i<1000; i++)
S-10         {
S-11             omp_init_lock(&lock[i]);
S-12         }
S-13     return lock;
S-14 }
```

C++

Fortran

7 *Example `init_lock.1.f`*

```
S-1     FUNCTION NEW_LOCKS()
S-2         USE OMP_LIB          ! or INCLUDE "omp_lib.h"
S-3         INTEGER(OMP_LOCK_KIND), DIMENSION(1000) :: NEW_LOCKS
S-4
S-5         INTEGER I
S-6
S-7     !$OMP PARALLEL DO PRIVATE(I)
S-8         DO I=1,1000
S-9             CALL OMP_INIT_LOCK(NEW_LOCKS(I))
S-10        END DO
S-11     !$OMP END PARALLEL DO
S-12
S-13     END FUNCTION NEW_LOCKS
```

## 1 6.9.2 The `omp_init_lock_with_hint` Routine

2 The following example demonstrates how to initialize an array of locks in a **parallel** region by  
 3 using `omp_init_lock_with_hint`. Note, hints are combined with an `|` or `+` operator in  
 4 C/C++ and a `+` operator in Fortran.

C++

5 *Example `init_lock_with_hint.1.cpp`*

```
S-1 #include <omp.h>
S-2
S-3 omp_lock_t *new_locks ()
S-4 {
S-5     int i;
S-6     omp_lock_t *lock = new omp_lock_t[1000];
S-7
S-8     #pragma omp parallel for private(i)
S-9         for (i=0; i<1000; i++)
S-10         {
S-11             omp_init_lock_with_hint(&lock[i],
S-12                 omp_lock_hint_contented | omp_lock_hint_speculative);
S-13         }
S-14     return lock;
S-15 }
```

C++

Fortran

6 *Example `init_lock_with_hint.1.f`*

```
S-1     FUNCTION NEW_LOCKS ()
S-2         USE OMP_LIB          ! or INCLUDE "omp_lib.h"
S-3         INTEGER(OMP_LOCK_KIND), DIMENSION(1000) :: NEW_LOCKS
S-4
S-5         INTEGER I
S-6
S-7     !$OMP PARALLEL DO PRIVATE(I)
S-8         DO I=1,1000
S-9             CALL OMP_INIT_LOCK_WITH_HINT(NEW_LOCKS(I),
S-10             & OMP_LOCK_HINT_CONTENTED + OMP_LOCK_HINT_SPECULATIVE)
S-11         END DO
S-12     !$OMP END PARALLEL DO
S-13
S-14     END FUNCTION NEW_LOCKS
```



### 1 6.9.3 Ownership of Locks

2 Ownership of locks has changed since OpenMP 2.5. In OpenMP 2.5, locks are owned by threads;  
 3 so a lock released by the `omp_unset_lock` routine must be owned by the same thread executing  
 4 the routine. Beginning with OpenMP 3.0, locks are owned by task regions; so a lock released by the  
 5 `omp_unset_lock` routine in a task region must be owned by the same task region.

6 This change in ownership requires extra care when using locks. The following program is  
 7 conforming in OpenMP 2.5 because the thread that releases the lock `lck` in the parallel region is  
 8 the same thread that acquired the lock in the sequential part of the program (master thread of  
 9 parallel region and the initial thread are the same). However, it is not conforming beginning with  
 10 OpenMP 3.0, because the task region that releases the lock `lck` is different from the task region  
 11 that acquires the lock.

C / C++

12 *Example lock\_owner.1.c*

```

S-1  #include <stdlib.h>
S-2  #include <stdio.h>
S-3  #include <omp.h>
S-4
S-5  int main()
S-6  {
S-7      int x;
S-8      omp_lock_t lck;
S-9
S-10     omp_init_lock (&lck);
S-11     omp_set_lock (&lck);
S-12     x = 0;
S-13
S-14     #pragma omp parallel shared (x)
S-15     {
S-16         #pragma omp master
S-17         {
S-18             x = x + 1;
S-19             omp_unset_lock (&lck);
S-20         }
S-21
S-22         /* Some more stuff. */
S-23     }
S-24     omp_destroy_lock (&lck);
S-25     return 0;
S-26 }
```

1

*Example lock\_owner.f*

```

S-1      program lock
S-2      use omp_lib
S-3      integer :: x
S-4      integer (kind=omp_lock_kind) :: lck
S-5
S-6      call omp_init_lock (lck)
S-7      call omp_set_lock(lck)
S-8      x = 0
S-9
S-10     !$omp parallel shared (x)
S-11     !$omp master
S-12         x = x + 1
S-13         call omp_unset_lock(lck)
S-14     !$omp end master
S-15
S-16     !      Some more stuff.
S-17     !$omp end parallel
S-18
S-19         call omp_destroy_lock(lck)
S-20     end

```

## 2 6.9.4 Simple Lock Routines

3 In the following example, the lock routines cause the threads to be idle while waiting for entry to  
 4 the first critical section, but to do other work while waiting for entry to the second. The  
 5 **omp\_set\_lock** function blocks, but the **omp\_test\_lock** function does not, allowing the work  
 6 in **skip** to be done.

7 Note that the argument to the lock routines should have type **omp\_lock\_t**, and that there is no  
 8 need to flush it.

1

*Example simple\_lock.1.c*

```

S-1  #include <stdio.h>
S-2  #include <omp.h>
S-3  void skip(int i) {}
S-4  void work(int i) {}
S-5  int main()
S-6  {
S-7      omp_lock_t lck;
S-8      int id;
S-9      omp_init_lock(&lck);
S-10
S-11     #pragma omp parallel shared(lck) private(id)
S-12     {
S-13         id = omp_get_thread_num();
S-14
S-15         omp_set_lock(&lck);
S-16         /* only one thread at a time can execute this printf */
S-17         printf("My thread id is %d.\n", id);
S-18         omp_unset_lock(&lck);
S-19
S-20         while (! omp_test_lock(&lck)) {
S-21             skip(id);    /* we do not yet have the lock,
S-22                          so we must do something else */
S-23         }
S-24
S-25         work(id);        /* we now have the lock
S-26                          and can do the work */
S-27
S-28         omp_unset_lock(&lck);
S-29     }
S-30     omp_destroy_lock(&lck);
S-31
S-32     return 0;
S-33 }

```

2

Note that there is no need to flush the lock variable.

1

*Example simple\_lock.1.f*

```

S-1      SUBROUTINE SKIP (ID)
S-2      END SUBROUTINE SKIP
S-3
S-4      SUBROUTINE WORK (ID)
S-5      END SUBROUTINE WORK
S-6
S-7      PROGRAM SIMPLELOCK
S-8
S-9          INCLUDE "omp_lib.h"      ! or USE OMP_LIB
S-10
S-11         INTEGER (OMP_LOCK_KIND) LCK
S-12         INTEGER ID
S-13
S-14         CALL OMP_INIT_LOCK (LCK)
S-15
S-16     !$OMP PARALLEL SHARED (LCK) PRIVATE (ID)
S-17         ID = OMP_GET_THREAD_NUM ()
S-18         CALL OMP_SET_LOCK (LCK)
S-19         PRINT *, 'My thread id is ', ID
S-20         CALL OMP_UNSET_LOCK (LCK)
S-21
S-22         DO WHILE (.NOT. OMP_TEST_LOCK (LCK))
S-23             CALL SKIP (ID)      ! We do not yet have the lock
S-24                                 ! so we must do something else
S-25         END DO
S-26
S-27         CALL WORK (ID)          ! We now have the lock
S-28                                 ! and can do the work
S-29
S-30         CALL OMP_UNSET_LOCK ( LCK )
S-31
S-32     !$OMP END PARALLEL
S-33
S-34         CALL OMP_DESTROY_LOCK ( LCK )
S-35
S-36     END PROGRAM SIMPLELOCK

```

## 1 6.9.5 Nestable Lock Routines

2 The following example demonstrates how a nestable lock can be used to synchronize updates both  
3 to a whole structure and to one of its members.

C / C++

4 *Example nestable\_lock.1.c*

```
S-1 #include <omp.h>
S-2 typedef struct {
S-3     int a,b;
S-4     omp_nest_lock_t lck; } pair;
S-5
S-6 int work1();
S-7 int work2();
S-8 int work3();
S-9 void incr_a(pair *p, int a)
S-10 {
S-11     /* Called only from incr_pair, no need to lock. */
S-12     p->a += a;
S-13 }
S-14 void incr_b(pair *p, int b)
S-15 {
S-16     /* Called both from incr_pair and elsewhere, */
S-17     /* so need a nestable lock. */
S-18
S-19     omp_set_nest_lock(&p->lck);
S-20     p->b += b;
S-21     omp_unset_nest_lock(&p->lck);
S-22 }
S-23 void incr_pair(pair *p, int a, int b)
S-24 {
S-25     omp_set_nest_lock(&p->lck);
S-26     incr_a(p, a);
S-27     incr_b(p, b);
S-28     omp_unset_nest_lock(&p->lck);
S-29 }
S-30 void nestlock(pair *p)
S-31 {
S-32     #pragma omp parallel sections
S-33     {
S-34         #pragma omp section
S-35         incr_pair(p, work1(), work2());
S-36         #pragma omp section
S-37         incr_b(p, work3());
S-38     }
S-39 }
```

1

*Example nestable\_lock.1.f*

```

S-1      MODULE DATA
S-2          USE OMP_LIB, ONLY: OMP_NEST_LOCK_KIND
S-3          TYPE LOCKED_PAIR
S-4          INTEGER A
S-5          INTEGER B
S-6          INTEGER (OMP_NEST_LOCK_KIND) LCK
S-7      END TYPE
S-8      END MODULE DATA
S-9
S-10     SUBROUTINE INCR_A(P, A)
S-11         ! called only from INCR_PAIR, no need to lock
S-12         USE DATA
S-13         TYPE (LOCKED_PAIR) :: P
S-14         INTEGER A
S-15         P%A = P%A + A
S-16     END SUBROUTINE INCR_A
S-17
S-18     SUBROUTINE INCR_B(P, B)
S-19         ! called from both INCR_PAIR and elsewhere,
S-20         ! so we need a nestable lock
S-21         USE OMP_LIB      ! or INCLUDE "omp_lib.h"
S-22         USE DATA
S-23         TYPE (LOCKED_PAIR) :: P
S-24         INTEGER B
S-25         CALL OMP_SET_NEST_LOCK(P%LCK)
S-26         P%B = P%B + B
S-27         CALL OMP_UNSET_NEST_LOCK(P%LCK)
S-28     END SUBROUTINE INCR_B
S-29
S-30     SUBROUTINE INCR_PAIR(P, A, B)
S-31         USE OMP_LIB      ! or INCLUDE "omp_lib.h"
S-32         USE DATA
S-33         TYPE (LOCKED_PAIR) :: P
S-34         INTEGER A
S-35         INTEGER B
S-36
S-37         CALL OMP_SET_NEST_LOCK(P%LCK)
S-38         CALL INCR_A(P, A)
S-39         CALL INCR_B(P, B)
S-40         CALL OMP_UNSET_NEST_LOCK(P%LCK)
S-41     END SUBROUTINE INCR_PAIR
S-42

```

```

S-43      SUBROUTINE NESTLOCK(P)
S-44          USE OMP_LIB          ! or INCLUDE "omp_lib.h"
S-45          USE DATA
S-46          TYPE(LOCKED_PAIR) :: P
S-47          INTEGER WORK1, WORK2, WORK3
S-48          EXTERNAL WORK1, WORK2, WORK3
S-49
S-50      !$OMP  PARALLEL SECTIONS
S-51
S-52      !$OMP  SECTION
S-53          CALL INCR_PAIR(P, WORK1(), WORK2())
S-54      !$OMP  SECTION
S-55          CALL INCR_B(P, WORK3())
S-56      !$OMP  END PARALLEL SECTIONS
S-57
S-58          END SUBROUTINE NESTLOCK

```

Fortran

2 

## Data Environment

---

3 The OpenMP *data environment* contains data attributes of variables and objects. Many constructs  
4 (such as **parallel**, **simd**, **task**) accept clauses to control *data-sharing* attributes of referenced  
5 variables in the construct, where *data-sharing* applies to whether the attribute of the variable is  
6 *shared*, is *private* storage, or has special operational characteristics (as found in the  
7 **firstprivate**, **lastprivate**, **linear**, or **reduction** clause).

8 The data environment for a device (distinguished as a *device data environment*) is controlled on the  
9 host by *data-mapping* attributes, which determine the relationship of the data on the host, the  
10 *original* data, and the data on the device, the *corresponding* data.

11 

### DATA-SHARING ATTRIBUTES

12 Data-sharing attributes of variables can be classified as being *predetermined*, *explicitly determined*  
13 or *implicitly determined*.

14 Certain variables and objects have predetermined attributes. A commonly found case is the loop  
15 iteration variable in associated loops of a **for** or **do** construct. It has a private data-sharing  
16 attribute. Variables with predetermined data-sharing attributes can not be listed in a data-sharing  
17 clause; but there are some exceptions (mainly concerning loop iteration variables).

18 Variables with explicitly determined data-sharing attributes are those that are referenced in a given  
19 construct and are listed in a data-sharing attribute clause on the construct. Some of the common  
20 data-sharing clauses are: **shared**, **private**, **firstprivate**, **lastprivate**, **linear**, and  
21 **reduction**.

22 Variables with implicitly determined data-sharing attributes are those that are referenced in a given  
23 construct, do not have predetermined data-sharing attributes, and are not listed in a data-sharing  
24 attribute clause of an enclosing construct. For a complete list of variables and objects with  
25 predetermined and implicitly determined attributes, please refer to the *Data-sharing Attribute Rules*  
26 *for Variables Referenced in a Construct* subsection of the OpenMP Specifications document.



## 1 DATA-MAPPING ATTRIBUTES

2 The **map** clause on a device construct explicitly specifies how the list items in the clause are mapped  
3 from the encountering task's data environment (on the host) to the corresponding item in the device  
4 data environment (on the device). The common *list items* are arrays, array sections, scalars,  
5 pointers, and structure elements (members).

6 Procedures and global variables have predetermined data mapping if they appear within the list or  
7 block of a **declare target** directive. Also, a C/C++ pointer is mapped as a zero-length array  
8 section, as is a C++ variable that is a reference to a pointer.

9 Without explicit mapping, non-scalar and non-pointer variables within the scope of the **target**  
10 construct are implicitly mapped with a *map-type* of **tofrom**. Without explicit mapping, scalar  
11 variables within the scope of the **target** construct are not mapped, but have an implicit *firstprivate*  
12 data-sharing attribute. (That is, the value of the original variable is given to a private variable of the  
13 same name on the device.) This behavior can be changed with the **defaultmap** clause.

14 The **map** clause can appear on **target**, **target data** and **target enter/exit data**  
15 constructs. The operations of creation and removal of device storage as well as assignment of the  
16 original list item values to the corresponding list items may be complicated when the list item  
17 appears on multiple constructs or when the host and device storage is shared. In these cases the  
18 item's reference count, the number of times it has been referenced (+1 on entry and -1 on exited) in  
19 nested (structured) map regions and/or accumulative (unstructured) mappings, determines the  
20 operation. Details of the **map** clause and reference count operation are specified in the *map Clause*  
21 subsection of the OpenMP Specifications document.

## 1 7.1 The `threadprivate` Directive

2 The following examples demonstrate how to use the `threadprivate` directive to give each  
3 thread a separate counter.

▼ C / C++ ▼

4 *Example threadprivate.1.c*

```
S-1 int counter = 0;  
S-2 #pragma omp threadprivate(counter)  
S-3  
S-4 int increment_counter()  
S-5 {  
S-6     counter++;  
S-7     return(counter);  
S-8 }
```

▲ C / C++ ▲  
▼ Fortran ▼

5 *Example threadprivate.1.f*

```
S-1     INTEGER FUNCTION INCREMENT_COUNTER()  
S-2     COMMON/INC_COMMON/COUNTER  
S-3     !$OMP    THREADPRIVATE (/INC_COMMON/)  
S-4  
S-5     COUNTER = COUNTER +1  
S-6     INCREMENT_COUNTER = COUNTER  
S-7     RETURN  
S-8     END FUNCTION INCREMENT_COUNTER
```

▲ Fortran ▲  
▼ C / C++ ▼

6 The following example uses `threadprivate` on a static variable:

7 *Example threadprivate.2.c*

```
S-1 int increment_counter_2()  
S-2 {  
S-3     static int counter = 0;  
S-4     #pragma omp threadprivate(counter)  
S-5     counter++;  
S-6     return(counter);  
S-7 }
```

1 The following example demonstrates unspecified behavior for the initialization of a  
2 **threadprivate** variable. A **threadprivate** variable is initialized once at an unspecified  
3 point before its first reference. Because **a** is constructed using the value of **x** (which is modified by  
4 the statement **x++**), the value of **a.val** at the start of the **parallel** region could be either 1 or  
5 2. This problem is avoided for **b**, which uses an auxiliary **const** variable and a copy-constructor.

6 *Example threadprivate.3.cpp*

```
S-1 class T {
S-2     public:
S-3         int val;
S-4         T (int);
S-5         T (const T&);
S-6     };
S-7
S-8     T :: T (int v){
S-9         val = v;
S-10    }
S-11
S-12    T :: T (const T& t) {
S-13        val = t.val;
S-14    }
S-15
S-16    void g(T a, T b){
S-17        a.val += b.val;
S-18    }
S-19
S-20    int x = 1;
S-21    T a(x);
S-22    const T b_aux(x); /* Capture value of x = 1 */
S-23    T b(b_aux);
S-24    #pragma omp threadprivate(a, b)
S-25
S-26    void f(int n) {
S-27        x++;
S-28        #pragma omp parallel for
S-29        /* In each thread:
S-30         * a is constructed from x (with value 1 or 2?)
S-31         * b is copy-constructed from b_aux
S-32         */
S-33
S-34        for (int i=0; i<n; i++) {
S-35            g(a, b); /* Value of a is unspecified. */
S-36        }
S-37    }
```

▲ C / C++ ▲

1 The following examples show non-conforming uses and correct uses of the **threadprivate**  
2 directive.

## Fortran

3 The following example is non-conforming because the common block is not declared local to the  
4 subroutine that refers to it:

5 *Example threadprivate.2.f*

```
S-1      MODULE INC_MODULE
S-2      COMMON /T/ A
S-3      END MODULE INC_MODULE
S-4
S-5      SUBROUTINE INC_MODULE_WRONG ()
S-6      USE INC_MODULE
S-7      !$OMP THREADPRIVATE (/T/)
S-8      !non-conforming because /T/ not declared in INC_MODULE_WRONG
S-9      END SUBROUTINE INC_MODULE_WRONG
```

6 The following example is also non-conforming because the common block is not declared local to  
7 the subroutine that refers to it:

8 *Example threadprivate.3.f*

```
S-1      SUBROUTINE INC_WRONG ()
S-2      COMMON /T/ A
S-3      !$OMP THREADPRIVATE (/T/)
S-4
S-5      CONTAINS
S-6      SUBROUTINE INC_WRONG_SUB ()
S-7      !$OMP PARALLEL COPYIN (/T/)
S-8      !non-conforming because /T/ not declared in INC_WRONG_SUB
S-9      !$OMP END PARALLEL
S-10     END SUBROUTINE INC_WRONG_SUB
S-11     END SUBROUTINE INC_WRONG
```

9 The following example is a correct rewrite of the previous example:

10 *Example threadprivate.4.f*

```
S-1      SUBROUTINE INC_GOOD ()
S-2      COMMON /T/ A
S-3      !$OMP THREADPRIVATE (/T/)
S-4
S-5      CONTAINS
S-6      SUBROUTINE INC_GOOD_SUB ()
S-7      COMMON /T/ A
S-8      !$OMP THREADPRIVATE (/T/)
S-9
S-10     !$OMP PARALLEL COPYIN (/T/)
```

```
S-11  !$OMP      END PARALLEL
S-12      END SUBROUTINE INC_GOOD_SUB
S-13      END SUBROUTINE INC_GOOD
```

1 The following is an example of the use of **threadprivate** for local variables:

2 *Example threadprivate.5.f*

```
S-1      PROGRAM INC_GOOD2
S-2      INTEGER, ALLOCATABLE, SAVE :: A(:)
S-3      INTEGER, POINTER, SAVE :: PTR
S-4      INTEGER, SAVE :: I
S-5      INTEGER, TARGET :: TARG
S-6      LOGICAL :: FIRSTIN = .TRUE.
S-7      !$OMP  THREADPRIVATE(A, I, PTR)
S-8
S-9      ALLOCATE (A(3))
S-10     A = (/1,2,3/)
S-11     PTR => TARG
S-12     I = 5
S-13
S-14     !$OMP  PARALLEL COPYIN(I, PTR)
S-15     !$OMP  CRITICAL
S-16         IF (FIRSTIN) THEN
S-17             TARG = 4           ! Update target of ptr
S-18             I = I + 10
S-19             IF (ALLOCATED(A)) A = A + 10
S-20             FIRSTIN = .FALSE.
S-21         END IF
S-22
S-23         IF (ALLOCATED(A)) THEN
S-24             PRINT *, 'a = ', A
S-25         ELSE
S-26             PRINT *, 'A is not allocated'
S-27         END IF
S-28
S-29         PRINT *, 'ptr = ', PTR
S-30         PRINT *, 'i = ', I
S-31         PRINT *
S-32
S-33     !$OMP  END CRITICAL
S-34     !$OMP  END PARALLEL
S-35     END PROGRAM INC_GOOD2
```

3 The above program, if executed by two threads, will print one of the following two sets of output:

```

1      a = 11 12 13
2      ptr = 4
3      i = 15

4      A is not allocated
5      ptr = 4
6      i = 5

7      or

8      A is not allocated
9      ptr = 4
10     i = 15

11     a = 1 2 3
12     ptr = 4
13     i = 5

```

14 The following is an example of the use of **threadprivate** for module variables:

15 *Example threadprivate.6.f*

```

S-1      MODULE INC_MODULE_GOOD3
S-2          REAL, POINTER :: WORK(:)
S-3          SAVE WORK
S-4      !$OMP   THREADPRIVATE(WORK)
S-5          END MODULE INC_MODULE_GOOD3
S-6
S-7      SUBROUTINE SUB1(N)
S-8          USE INC_MODULE_GOOD3
S-9      !$OMP   PARALLEL PRIVATE(THE_SUM)
S-10         ALLOCATE(WORK(N))
S-11         CALL SUB2(THE_SUM)
S-12         WRITE(*,*)THE_SUM
S-13     !$OMP   END PARALLEL
S-14     END SUBROUTINE SUB1
S-15
S-16     SUBROUTINE SUB2(THE_SUM)
S-17         USE INC_MODULE_GOOD3
S-18         WORK(:) = 10
S-19         THE_SUM=SUM(WORK)
S-20     END SUBROUTINE SUB2
S-21
S-22     PROGRAM INC_GOOD3
S-23         N = 10
S-24         CALL SUB1(N)

```

S-25

END PROGRAM INC\_GOOD3

Fortran

C++

1 The following example illustrates initialization of **threadprivate** variables for class-type **T**. **t1**  
2 is default constructed, **t2** is constructed taking a constructor accepting one argument of integer  
3 type, **t3** is copy constructed with argument **f()** :

4 *Example threadprivate.4.cpp*

```
S-1 static T t1;  
S-2 #pragma omp threadprivate(t1)  
S-3 static T t2( 23 );  
S-4 #pragma omp threadprivate(t2)  
S-5 static T t3 = f();  
S-6 #pragma omp threadprivate(t3)
```

5 The following example illustrates the use of **threadprivate** for static class members. The  
6 **threadprivate** directive for a static class member must be placed inside the class definition.

7 *Example threadprivate.5.cpp*

```
S-1 class T {  
S-2 public:  
S-3     static int i;  
S-4 #pragma omp threadprivate(i)  
S-5 };
```

C++

## 1 7.2 The default (none) Clause

2 The following example distinguishes the variables that are affected by the **default (none)**  
3 clause from those that are not.

C / C++

4 Beginning with OpenMP 4.0, variables with **const**-qualified type and no mutable member are no  
5 longer predetermined shared. Thus, these variables (variable *c* in the example) need to be explicitly  
6 listed in data-sharing attribute clauses when the **default (none)** clause is specified.

7 *Example default\_none.1.c*

```
S-1 #include <omp.h>
S-2 int x, y, z[1000];
S-3 #pragma omp threadprivate(x)
S-4
S-5 void default_none(int a) {
S-6     const int c = 1;
S-7     int i = 0;
S-8
S-9     #pragma omp parallel default(none) private(a) shared(z, c)
S-10    {
S-11        int j = omp_get_num_threads();
S-12        /* O.K. - j is declared within parallel region */
S-13        a = z[j]; /* O.K. - a is listed in private clause */
S-14                /* - z is listed in shared clause */
S-15        x = c; /* O.K. - x is threadprivate */
S-16                /* - c has const-qualified type and
S-17                is listed in shared clause */
S-18        z[i] = y; /* Error - cannot reference i or y here */
S-19
S-20        #pragma omp for firstprivate(y)
S-21                /* Error - Cannot reference y in the firstprivate clause */
S-22        for (i=0; i<10 ; i++) {
S-23            z[i] = i; /* O.K. - i is the loop iteration variable */
S-24        }
S-25
S-26        z[i] = y; /* Error - cannot reference i or y here */
S-27    }
S-28 }
```

C / C++



1

*Example default\_none.f*

```

S-1      SUBROUTINE DEFAULT_NONE (A)
S-2      INCLUDE "omp_lib.h"      ! or USE OMP_LIB
S-3
S-4      INTEGER A
S-5
S-6      INTEGER X, Y, Z(1000)
S-7      COMMON/BLOCKX/X
S-8      COMMON/BLOCKY/Y
S-9      COMMON/BLOCKZ/Z
S-10     !$OMP THREADPRIVATE (/BLOCKX/)
S-11
S-12      INTEGER I, J
S-13      i = 1
S-14
S-15     !$OMP  PARALLEL DEFAULT(NONE) PRIVATE(A) SHARED(Z) PRIVATE(J)
S-16          J = OMP_GET_NUM_THREADS();
S-17              ! O.K. - J is listed in PRIVATE clause
S-18          A = Z(J) ! O.K. - A is listed in PRIVATE clause
S-19              ! - Z is listed in SHARED clause
S-20          X = 1    ! O.K. - X is THREADPRIVATE
S-21          Z(I) = Y ! Error - cannot reference I or Y here
S-22
S-23     !$OMP DO firstprivate(y)
S-24         ! Error - Cannot reference y in the firstprivate clause
S-25         DO I = 1,10
S-26             Z(I) = I ! O.K. - I is the loop iteration variable
S-27         END DO
S-28
S-29         Z(I) = Y    ! Error - cannot reference I or Y here
S-31     !$OMP  END PARALLEL
S-32     END SUBROUTINE DEFAULT_NONE

```

## 1 7.3 The private Clause

2 In the following example, the values of original list items *i* and *j* are retained on exit from the  
3 **parallel** region, while the private list items *i* and *j* are modified within the **parallel**  
4 construct.

C / C++

5 *Example private.1.c*

```
S-1 #include <stdio.h>
S-2 #include <assert.h>
S-3
S-4 int main()
S-5 {
S-6     int i, j;
S-7     int *ptr_i, *ptr_j;
S-8
S-9     i = 1;
S-10    j = 2;
S-11
S-12    ptr_i = &i;
S-13    ptr_j = &j;
S-14
S-15    #pragma omp parallel private(i) firstprivate(j)
S-16    {
S-17        i = 3;
S-18        j = j + 2;
S-19        assert (*ptr_i == 1 && *ptr_j == 2);
S-20    }
S-21
S-22    assert(i == 1 && j == 2);
S-23
S-24    return 0;
S-25 }
```

C / C++

## Fortran

1 *Example private.1.f*

```
S-1      PROGRAM PRIV_EXAMPLE
S-2          INTEGER I, J
S-3
S-4          I = 1
S-5          J = 2
S-6
S-7      !$OMP  PARALLEL PRIVATE(I) FIRSTPRIVATE(J)
S-8          I = 3
S-9          J = J + 2
S-10     !$OMP  END PARALLEL
S-11
S-12          PRINT *, I, J ! I .eq. 1 .and. J .eq. 2
S-13     END PROGRAM PRIV_EXAMPLE
```

## Fortran

2 In the following example, all uses of the variable *a* within the loop construct in the routine *f* refer to  
3 a private list item *a*, while it is unspecified whether references to *a* in the routine *g* are to a private  
4 list item or the original list item.

## C / C++

5 *Example private.2.c*

```
S-1      int a;
S-2
S-3      void g(int k) {
S-4          a = k; /* Accessed in the region but outside of the construct;
S-5                  * therefore unspecified whether original or private list
S-6                  * item is modified. */
S-7      }
S-8
S-9
S-10     void f(int n) {
S-11         int a = 0;
S-12
S-13         #pragma omp parallel for private(a)
S-14         for (int i=1; i<n; i++) {
S-15             a = i;
S-16             g(a*2); /* Private copy of "a" */
S-17         }
S-18     }
```

## C / C++

1 *Example private.2.f*

```

S-1      MODULE PRIV_EXAMPLE2
S-2      REAL A
S-3
S-4      CONTAINS
S-5
S-6      SUBROUTINE G(K)
S-7      REAL K
S-8      A = K ! Accessed in the region but outside of the
S-9            ! construct; therefore unspecified whether
S-10           ! original or private list item is modified.
S-11     END SUBROUTINE G
S-12
S-13     SUBROUTINE F(N)
S-14     INTEGER N
S-15     REAL A
S-16
S-17     INTEGER I
S-18     !$OMP    PARALLEL DO PRIVATE(A)
S-19           DO I = 1,N
S-20             A = I
S-21             CALL G(A*2)
S-22           ENDDO
S-23     !$OMP    END PARALLEL DO
S-24     END SUBROUTINE F
S-25
S-26     END MODULE PRIV_EXAMPLE2

```

2 The following example demonstrates that a list item that appears in a **private** clause in a  
 3 **parallel** construct may also appear in a **private** clause in an enclosed worksharing construct,  
 4 which results in an additional private copy.

5 *Example private.3.c*

```

S-1     #include <assert.h>
S-2     void priv_example3()
S-3     {
S-4         int i, a;
S-5
S-6         #pragma omp parallel private(a)
S-7         {
S-8             a = 1;
S-9         #pragma omp parallel for private(a)

```

```

S-10     for (i=0; i<10; i++)
S-11     {
S-12         a = 2;
S-13     }
S-14     assert(a == 1);
S-15 }
S-16 }

```



1

*Example private.3.f*

```

S-1         SUBROUTINE PRIV_EXAMPLE3()
S-2             INTEGER I, A
S-3
S-4     !$OMP   PARALLEL PRIVATE(A)
S-5             A = 1
S-6     !$OMP   PARALLEL DO PRIVATE(A)
S-7             DO I = 1, 10
S-8                 A = 2
S-9             END DO
S-10    !$OMP   END PARALLEL DO
S-11    PRINT *, A ! Outer A still has value 1
S-12    !$OMP   END PARALLEL
S-13    END SUBROUTINE PRIV_EXAMPLE3

```



## 1 7.4 Fortran Private Loop Iteration Variables

### Fortran

2 In general loop iteration variables will be private, when used in the *do-loop* of a **do** and  
3 **parallel do** construct or in sequential loops in a **parallel** construct (see Section 2.7.1 and  
4 Section 2.14.1 of the OpenMP 4.0 specification). In the following example of a sequential loop in a  
5 **parallel** construct the loop iteration variable *I* will be private.

6 *Example fort\_loopvar.1.f90*

```
S-1 SUBROUTINE PLOOP_1(A,N)
S-2 INCLUDE "omp_lib.h"      ! or USE OMP_LIB
S-3
S-4 REAL A(*)
S-5 INTEGER I, MYOFFSET, N
S-6
S-7 !$OMP PARALLEL PRIVATE(MYOFFSET)
S-8     MYOFFSET = OMP_GET_THREAD_NUM()*N
S-9     DO I = 1, N
S-10        A(MYOFFSET+I) = FLOAT(I)
S-11     ENDDO
S-12 !$OMP END PARALLEL
S-13
S-14 END SUBROUTINE PLOOP_1
```

7 In exceptional cases, loop iteration variables can be made shared, as in the following example:

8 *Example fort\_loopvar.2.f90*

```
S-1 SUBROUTINE PLOOP_2(A,B,N,I1,I2)
S-2 REAL A(*), B(*)
S-3 INTEGER I1, I2, N
S-4
S-5 !$OMP PARALLEL SHARED(A,B,I1,I2)
S-6 !$OMP SECTIONS
S-7 !$OMP SECTION
S-8     DO I1 = I1, N
S-9         IF (A(I1).NE.0.0) EXIT
S-10    ENDDO
S-11 !$OMP SECTION
S-12     DO I2 = I2, N
S-13         IF (B(I2).NE.0.0) EXIT
S-14    ENDDO
S-15 !$OMP END SECTIONS
S-16 !$OMP SINGLE
S-17     IF (I1.LE.N) PRINT *, 'ITEMS IN A UP TO ', I1, 'ARE ALL ZERO.'
S-18     IF (I2.LE.N) PRINT *, 'ITEMS IN B UP TO ', I2, 'ARE ALL ZERO.'
```

```
S-19  !$OMP END SINGLE
S-20  !$OMP END PARALLEL
S-21
S-22  END SUBROUTINE PLOOP_2
```

1 Note however that the use of shared loop iteration variables can easily lead to race conditions.



Fortran

## 1 7.5 Fortran Restrictions on shared and private 2 Clauses with Common Blocks

### Fortran

3 When a named common block is specified in a **private**, **firstprivate**, or **lastprivate**  
4 clause of a construct, none of its members may be declared in another data-sharing attribute clause  
5 on that construct. The following examples illustrate this point.

6 The following example is conforming:

7 *Example fort\_sp\_common.1.f*

```
S-1          SUBROUTINE COMMON_GOOD ()  
S-2          COMMON /C/ X,Y  
S-3          REAL X, Y  
S-4  
S-5          !$OMP PARALLEL PRIVATE (/C/)  
S-6             ! do work here  
S-7          !$OMP END PARALLEL  
S-8          !$OMP PARALLEL SHARED (X,Y)  
S-9             ! do work here  
S-10         !$OMP END PARALLEL  
S-11         END SUBROUTINE COMMON_GOOD
```

8 The following example is also conforming:

9 *Example fort\_sp\_common.2.f*

```
S-1          SUBROUTINE COMMON_GOOD2 ()  
S-2          COMMON /C/ X,Y  
S-3          REAL X, Y  
S-4          INTEGER I  
S-5          !$OMP PARALLEL  
S-6             !$OMP DO PRIVATE (/C/)  
S-7                DO I=1,1000  
S-8                   ! do work here  
S-9                ENDDO  
S-10          !$OMP END DO  
S-11          !$OMP DO PRIVATE (X)  
S-12             DO I=1,1000  
S-13                ! do work here  
S-14             ENDDO  
S-15          !$OMP END DO  
S-16          !$OMP END PARALLEL  
S-17          END SUBROUTINE COMMON_GOOD2
```



## Fortran (cont.)

1 The following example is conforming:

2 *Example fort\_sp\_common.3.f*

```
S-1      SUBROUTINE COMMON_GOOD3 ()
S-2          COMMON /C/ X,Y
S-3      !$OMP   PARALLEL PRIVATE (/C/)
S-4          ! do work here
S-5      !$OMP   END PARALLEL
S-6      !$OMP   PARALLEL SHARED (/C/)
S-7          ! do work here
S-8      !$OMP   END PARALLEL
S-9      END SUBROUTINE COMMON_GOOD3
```

3 The following example is non-conforming because **x** is a constituent element of **c**:

4 *Example fort\_sp\_common.4.f*

```
S-1      SUBROUTINE COMMON_WRONG ()
S-2          COMMON /C/ X,Y
S-3      ! Incorrect because X is a constituent element of C
S-4      !$OMP   PARALLEL PRIVATE (/C/), SHARED(X)
S-5          ! do work here
S-6      !$OMP   END PARALLEL
S-7      END SUBROUTINE COMMON_WRONG
```

5 The following example is non-conforming because a common block may not be declared both  
6 shared and private:

7 *Example fort\_sp\_common.5.f*

```
S-1      SUBROUTINE COMMON_WRONG2 ()
S-2          COMMON /C/ X,Y
S-3      ! Incorrect: common block C cannot be declared both
S-4      ! shared and private
S-5      !$OMP   PARALLEL PRIVATE (/C/), SHARED (/C/)
S-6          ! do work here
S-7      !$OMP   END PARALLEL
S-8
S-9      END SUBROUTINE COMMON_WRONG2
```

Fortran

## 1 7.6 Fortran Restrictions on Storage Association 2 with the `private` Clause

### Fortran

3 The following non-conforming examples illustrate the implications of the `private` clause rules  
4 with regard to storage association.

5 *Example fort\_sa\_private.1.f*

```
S-1          SUBROUTINE SUB ()  
S-2          COMMON /BLOCK/ X  
S-3          PRINT *,X              ! X is undefined  
S-4          END SUBROUTINE SUB  
S-5  
S-6          PROGRAM PRIV_RESTRICT  
S-7          COMMON /BLOCK/ X  
S-8          X = 1.0  
S-9          !$OMP PARALLEL PRIVATE (X)  
S-10         X = 2.0  
S-11         CALL SUB ()  
S-12         !$OMP END PARALLEL  
S-13         END PROGRAM PRIV_RESTRICT
```

6 *Example fort\_sa\_private.2.f*

```
S-1          PROGRAM PRIV_RESTRICT2  
S-2          COMMON /BLOCK2/ X  
S-3          X = 1.0  
S-4  
S-5          !$OMP PARALLEL PRIVATE (X)  
S-6          X = 2.0  
S-7          CALL SUB ()  
S-8          !$OMP END PARALLEL  
S-9  
S-10         CONTAINS  
S-11  
S-12         SUBROUTINE SUB ()  
S-13         COMMON /BLOCK2/ Y  
S-14  
S-15         PRINT *,X              ! X is undefined  
S-16         PRINT *,Y              ! Y is undefined  
S-17         END SUBROUTINE SUB  
S-18  
S-19         END PROGRAM PRIV_RESTRICT2
```

7 *Example fort\_sa\_private.3.f*

-----Fortran (cont.)-----

```

S-1      PROGRAM PRIV_RESTRICT3
S-2      EQUIVALENCE (X,Y)
S-3      X = 1.0
S-4
S-5      !$OMP  PARALLEL PRIVATE(X)
S-6          PRINT *,Y                ! Y is undefined
S-7          Y = 10
S-8          PRINT *,X                ! X is undefined
S-9      !$OMP  END PARALLEL
S-10     END PROGRAM PRIV_RESTRICT3

```

1

*Example fort\_sa\_private.4.f*

```

S-1      PROGRAM PRIV_RESTRICT4
S-2      INTEGER I, J
S-3      INTEGER A(100), B(100)
S-4      EQUIVALENCE (A(51), B(1))
S-5
S-6      !$OMP PARALLEL DO DEFAULT(PRIVATE) PRIVATE(I,J) LASTPRIVATE(A)
S-7          DO I=1,100
S-8              DO J=1,100
S-9                  B(J) = J - 1
S-10             ENDDO
S-11
S-12             DO J=1,100
S-13                 A(J) = J    ! B becomes undefined at this point
S-14             ENDDO
S-15
S-16             DO J=1,50
S-17                 B(J) = B(J) + 1 ! B is undefined
S-18                 ! A becomes undefined at this point
S-19             ENDDO
S-20         ENDDO
S-21     !$OMP END PARALLEL DO        ! The LASTPRIVATE write for A has
S-22                                     ! undefined results
S-23
S-24         PRINT *, B              ! B is undefined since the LASTPRIVATE
S-25                                     ! write of A was not defined
S-26     END PROGRAM PRIV_RESTRICT4

```

2

*Example fort\_sa\_private.5.f*

```

S-1      SUBROUTINE SUB1(X)
S-2      DIMENSION X(10)
S-3
S-4      ! This use of X does not conform to the

```



## 1 7.7 C/C++ Arrays in a `firstprivate` Clause

C / C++

2 The following example illustrates the size and value of list items of array or pointer type in a  
3 **firstprivate** clause . The size of new list items is based on the type of the corresponding  
4 original list item, as determined by the base language.

5 In this example:

- 6 • The type of **A** is array of two arrays of two ints.
- 7 • The type of **B** is adjusted to pointer to array of **n** ints, because it is a function parameter.
- 8 • The type of **C** is adjusted to pointer to int, because it is a function parameter.
- 9 • The type of **D** is array of two arrays of two ints.
- 10 • The type of **E** is array of **n** arrays of **n** ints.

11 Note that **B** and **E** involve variable length array types.

12 The new items of array type are initialized as if each integer element of the original array is  
13 assigned to the corresponding element of the new array. Those of pointer type are initialized as if  
14 by assignment from the original item to the new item.

15 *Example `carrays_fpriv.1.c`*

```
S-1 #include <assert.h>
S-2
S-3 int A[2][2] = {1, 2, 3, 4};
S-4
S-5 void f(int n, int B[n][n], int C[])
S-6 {
S-7     int D[2][2] = {1, 2, 3, 4};
S-8     int E[n][n];
S-9
S-10    assert(n >= 2);
S-11    E[1][1] = 4;
S-12
S-13    #pragma omp parallel firstprivate(B, C, D, E)
S-14    {
S-15        assert(sizeof(B) == sizeof(int (*)[n]));
S-16        assert(sizeof(C) == sizeof(int*));
S-17        assert(sizeof(D) == 4 * sizeof(int));
S-18        assert(sizeof(E) == n * n * sizeof(int));
S-19
S-20        /* Private B and C have values of original B and C. */
S-21        assert(&B[1][1] == &A[1][1]);
S-22        assert(&C[3] == &A[1][1]);
S-23        assert(D[1][1] == 4);
S-24        assert(E[1][1] == 4);
```

```
S-25     }  
S-26   }  
S-27  
S-28   int main() {  
S-29     f(2, A, A[0]);  
S-30     return 0;  
S-31   }
```

▲————— C / C++ —————▲

## 1 7.8 The lastprivate Clause

2 Correct execution sometimes depends on the value that the last iteration of a loop assigns to a  
3 variable. Such programs must list all such variables in a **lastprivate** clause so that the values  
4 of the variables are the same as when the loop is executed sequentially.

▼ C / C++ ▼

5 *Example lastprivate.1.c*

```
S-1 void lastpriv (int n, float *a, float *b)
S-2 {
S-3     int i;
S-4
S-5     #pragma omp parallel
S-6     {
S-7         #pragma omp for lastprivate(i)
S-8         for (i=0; i<n-1; i++)
S-9             a[i] = b[i] + b[i+1];
S-10    }
S-11
S-12    a[i]=b[i];      /* i == n-1 here */
S-13 }
```

▲ C / C++ ▲

▼ Fortran ▼

6 *Example lastprivate.1.f*

```
S-1     SUBROUTINE LASTPRIV(N, A, B)
S-2
S-3     INTEGER N
S-4     REAL A(*), B(*)
S-5     INTEGER I
S-6     !$OMP PARALLEL
S-7     !$OMP DO LASTPRIVATE(I)
S-8
S-9     DO I=1,N-1
S-10    A(I) = B(I) + B(I+1)
S-11    ENDDO
S-12
S-13     !$OMP END PARALLEL
S-14     A(I) = B(I)      ! I has the value of N here
S-15
S-16     END SUBROUTINE LASTPRIV
```

▲ Fortran ▲

## 1 7.9 The reduction Clause

2 The following example demonstrates the **reduction** clause ; note that some reductions can be  
3 expressed in the loop in several ways, as shown for the **max** and **min** reductions below:

C / C++

4 *Example reduction.1.c*

```
S-1 #include <math.h>
S-2 void reduction1(float *x, int *y, int n)
S-3 {
S-4     int i, b, c;
S-5     float a, d;
S-6     a = 0.0;
S-7     b = 0;
S-8     c = y[0];
S-9     d = x[0];
S-10 #pragma omp parallel for private(i) shared(x, y, n) \
S-11         reduction(+:a) reduction(^:b) \
S-12         reduction(min:c) reduction(max:d)
S-13     for (i=0; i<n; i++) {
S-14         a += x[i];
S-15         b ^= y[i];
S-16         if (c > y[i]) c = y[i];
S-17         d = fmaxf(d,x[i]);
S-18     }
S-19 }
```

C / C++

Fortran

5 *Example reduction.1.f90*

```
S-1 SUBROUTINE REDUCTION1(A, B, C, D, X, Y, N)
S-2     REAL :: X(*), A, D
S-3     INTEGER :: Y(*), N, B, C
S-4     INTEGER :: I
S-5     A = 0
S-6     B = 0
S-7     C = Y(1)
S-8     D = X(1)
S-9     !$OMP PARALLEL DO PRIVATE(I) SHARED(X, Y, N) REDUCTION(+:A) &
S-10     !$OMP& REDUCTION(IEOR:B) REDUCTION(MIN:C) REDUCTION(MAX:D)
S-11     DO I=1,N
S-12         A = A + X(I)
S-13         B = IEOR(B, Y(I))
S-14         C = MIN(C, Y(I))
S-15         IF (D < X(I)) D = X(I)
```



```
S-16         END DO
S-17
S-18 END SUBROUTINE REDUCTION1
```

Fortran

1 A common implementation of the preceding example is to treat it as if it had been written as  
2 follows:

C / C++

3 *Example reduction.2.c*

```
S-1 #include <limits.h>
S-2 #include <math.h>
S-3 void reduction2(float *x, int *y, int n)
S-4 {
S-5     int i, b, b_p, c, c_p;
S-6     float a, a_p, d, d_p;
S-7     a = 0.0f;
S-8     b = 0;
S-9     c = y[0];
S-10    d = x[0];
S-11    #pragma omp parallel shared(a, b, c, d, x, y, n) \
S-12                private(a_p, b_p, c_p, d_p)
S-13    {
S-14        a_p = 0.0f;
S-15        b_p = 0;
S-16        c_p = INT_MAX;
S-17        d_p = -HUGE_VALF;
S-18        #pragma omp for private(i)
S-19        for (i=0; i<n; i++) {
S-20            a_p += x[i];
S-21            b_p ^= y[i];
S-22            if (c_p > y[i]) c_p = y[i];
S-23            d_p = fmaxf(d_p,x[i]);
S-24        }
S-25        #pragma omp critical
S-26        {
S-27            a += a_p;
S-28            b ^= b_p;
S-29            if( c > c_p ) c = c_p;
S-30            d = fmaxf(d,d_p);
S-31        }
S-32    }
S-33 }
```

C / C++

1 *Example reduction.2.f90*

```

S-1      SUBROUTINE REDUCTION2(A, B, C, D, X, Y, N)
S-2          REAL :: X(*), A, D
S-3          INTEGER :: Y(*), N, B, C
S-4          REAL :: A_P, D_P
S-5          INTEGER :: I, B_P, C_P
S-6          A = 0
S-7          B = 0
S-8          C = Y(1)
S-9          D = X(1)
S-10         !$OMP PARALLEL SHARED(X, Y, A, B, C, D, N) &
S-11         !$OMP&          PRIVATE(A_P, B_P, C_P, D_P)
S-12             A_P = 0.0
S-13             B_P = 0
S-14             C_P = HUGE(C_P)
S-15             D_P = -HUGE(D_P)
S-16             !$OMP DO PRIVATE(I)
S-17             DO I=1,N
S-18                 A_P = A_P + X(I)
S-19                 B_P = IEOR(B_P, Y(I))
S-20                 C_P = MIN(C_P, Y(I))
S-21                 IF (D_P < X(I)) D_P = X(I)
S-22             END DO
S-23             !$OMP CRITICAL
S-24                 A = A + A_P
S-25                 B = IEOR(B, B_P)
S-26                 C = MIN(C, C_P)
S-27                 D = MAX(D, D_P)
S-28             !$OMP END CRITICAL
S-29         !$OMP END PARALLEL
S-30     END SUBROUTINE REDUCTION2

```

2 The following program is non-conforming because the reduction is on the *intrinsic procedure name*  
3 **MAX** but that name has been redefined to be the variable named **MAX**.

4 *Example reduction.3.f90*

```

S-1      PROGRAM REDUCTION_WRONG
S-2          MAX = HUGE(0)
S-3          M = 0
S-4
S-5          !$OMP PARALLEL DO REDUCTION(MAX: M)
S-6          ! MAX is no longer the intrinsic so this is non-conforming
S-7          DO I = 1, 100
S-8              CALL SUB(M, I)
S-9          END DO

```

```

S-10
S-11     END PROGRAM REDUCTION_WRONG
S-12
S-13     SUBROUTINE SUB(M, I)
S-14         M = MAX(M, I)
S-15     END SUBROUTINE SUB

```

1           The following conforming program performs the reduction using the *intrinsic procedure name* **MAX**  
2           even though the intrinsic **MAX** has been renamed to **REN**.

3           *Example reduction.4.f90*

```

S-1     MODULE M
S-2         INTRINSIC MAX
S-3     END MODULE M
S-4
S-5     PROGRAM REDUCTION3
S-6         USE M, REN => MAX
S-7         N = 0
S-8     !$OMP PARALLEL DO REDUCTION(REN: N)      ! still does MAX
S-9         DO I = 1, 100
S-10            N = MAX(N, I)
S-11         END DO
S-12     END PROGRAM REDUCTION3

```

4           The following conforming program performs the reduction using *intrinsic procedure name* **MAX**  
5           even though the intrinsic **MAX** has been renamed to **MIN**.

6           *Example reduction.5.f90*

```

S-1     MODULE MOD
S-2         INTRINSIC MAX, MIN
S-3     END MODULE MOD
S-4
S-5     PROGRAM REDUCTION4
S-6         USE MOD, MIN=>MAX, MAX=>MIN
S-7         REAL :: R
S-8         R = -HUGE(0.0)
S-9
S-10    !$OMP PARALLEL DO REDUCTION(MIN: R)      ! still does MAX
S-11    DO I = 1, 1000
S-12        R = MIN(R, SIN(REAL(I)))
S-13    END DO
S-14    PRINT *, R
S-15    END PROGRAM REDUCTION4

```

## Fortran

1 The following example is non-conforming because the initialization (**a = 0**) of the original list  
2 item **a** is not synchronized with the update of **a** as a result of the reduction computation in the **for**  
3 loop. Therefore, the example may print an incorrect value for **a**.

4 To avoid this problem, the initialization of the original list item **a** should complete before any  
5 update of **a** as a result of the **reduction** clause. This can be achieved by adding an explicit  
6 barrier after the assignment **a = 0**, or by enclosing the assignment **a = 0** in a **single** directive  
7 (which has an implied barrier), or by initializing **a** before the start of the **parallel** region.

## C / C++

8 *Example reduction.6.c*

```
S-1 #include <stdio.h>
S-2
S-3 int main (void)
S-4 {
S-5     int a, i;
S-6
S-7     #pragma omp parallel shared(a) private(i)
S-8     {
S-9         #pragma omp master
S-10        a = 0;
S-11
S-12        // To avoid race conditions, add a barrier here.
S-13
S-14        #pragma omp for reduction(+:a)
S-15        for (i = 0; i < 10; i++) {
S-16            a += i;
S-17        }
S-18
S-19        #pragma omp single
S-20        printf ("Sum is %d\n", a);
S-21    }
S-22    return 0;
S-23 }
```

## C / C++

## Fortran

1 *Example reduction.6.f*

```
S-1      INTEGER A, I
S-2
S-3      !$OMP PARALLEL SHARED(A) PRIVATE(I)
S-4
S-5      !$OMP MASTER
S-6      A = 0
S-7      !$OMP END MASTER
S-8
S-9      ! To avoid race conditions, add a barrier here.
S-10
S-11     !$OMP DO REDUCTION(+:A)
S-12     DO I= 0, 9
S-13         A = A + I
S-14     END DO
S-15
S-16     !$OMP SINGLE
S-17     PRINT *, "Sum is ", A
S-18     !$OMP END SINGLE
S-19
S-20     !$OMP END PARALLEL
S-21     END
```

## Fortran

2 The following example demonstrates the reduction of array *a*. In C/C++ this is illustrated by the  
3 explicit use of an array section *a[0:N]* in the **reduction** clause. The corresponding Fortran  
4 example uses array syntax supported in the base language. As of the OpenMP 4.5 specification the  
5 explicit use of array section in the **reduction** clause in Fortran is not permitted. But this  
6 oversight will be fixed in the next release of the specification.

## C / C++

7 *Example reduction.7.c*

```
S-1      #include <stdio.h>
S-2
S-3      #define N 100
S-4      void init(int n, float (*b) [N]);
S-5
S-6      int main(){
S-7
S-8          int i,j;
S-9          float a[N], b[N] [N];
S-10
S-11          init(N,b);
```

```

S-12
S-13   for(i=0; i<N; i++) a[i]=0.0e0;
S-14
S-15   #pragma omp parallel for reduction(+:a[0:N]) private(j)
S-16   for(i=0; i<N; i++){
S-17       for(j=0; j<N; j++){
S-18           a[j] += b[i][j];
S-19       }
S-20   }
S-21   printf(" a[0] a[N-1]: %f %f\n", a[0], a[N-1]);
S-22
S-23   return 0;
S-24 }

```

▲ C / C++ ▲

▼ Fortran ▼

1

*Example reduction.7.f90*

```

S-1  program array_red
S-2
S-3      integer,parameter :: n=100
S-4      integer           :: j
S-5      real              :: a(n), b(n,n)
S-6
S-7      call init(n,b)
S-8
S-9      a(:) = 0.0e0
S-10
S-11     !$omp parallel do reduction(+:a)
S-12     do j = 1, n
S-13         a(:) = a(:) + b(:,j)
S-14     end do
S-15
S-16     print*, " a(1) a(n): ", a(1), a(n)
S-17
S-18 end program

```

▲ Fortran ▲

## 1 7.10 The copyin Clause

2 The **copyin** clause is used to initialize threadprivate data upon entry to a **parallel** region. The  
3 value of the threadprivate variable in the master thread is copied to the threadprivate variable of  
4 each other team member.

▼ C / C++ ▼

5 *Example copyin.1.c*

```
S-1 #include <stdlib.h>
S-2
S-3 float* work;
S-4 int size;
S-5 float tol;
S-6
S-7 #pragma omp threadprivate(work,size,tol)
S-8
S-9 void build()
S-10 {
S-11     int i;
S-12     work = (float*)malloc( sizeof(float)*size );
S-13     for( i = 0; i < size; ++i ) work[i] = tol;
S-14 }
S-15
S-16 void copyin_example( float t, int n )
S-17 {
S-18     tol = t;
S-19     size = n;
S-20     #pragma omp parallel copyin(tol,size)
S-21     {
S-22         build();
S-23     }
S-24 }
```

▲ C / C++ ▲

1

*Example copyin.1.f*

```
S-1      MODULE M
S-2          REAL, POINTER, SAVE :: WORK(:)
S-3          INTEGER :: SIZE
S-4          REAL :: TOL
S-5      !$OMP   THREADPRIVATE(WORK, SIZE, TOL)
S-6      END MODULE M
S-7
S-8      SUBROUTINE COPYIN_EXAMPLE( T, N )
S-9          USE M
S-10         REAL :: T
S-11         INTEGER :: N
S-12         TOL = T
S-13         SIZE = N
S-14     !$OMP   PARALLEL COPYIN(TOL, SIZE)
S-15         CALL BUILD
S-16     !$OMP   END PARALLEL
S-17     END SUBROUTINE COPYIN_EXAMPLE
S-18
S-19     SUBROUTINE BUILD
S-20         USE M
S-21         ALLOCATE(WORK(SIZE))
S-22         WORK = TOL
S-23     END SUBROUTINE BUILD
```



## 1 7.11 The copyprivate Clause

2 The **copyprivate** clause can be used to broadcast values acquired by a single thread directly to  
3 all instances of the private variables in the other threads. In this example, if the routine is called  
4 from the sequential part, its behavior is not affected by the presence of the directives. If it is called  
5 from a **parallel** region, then the actual arguments with which **a** and **b** are associated must be  
6 private.

7 The thread that executes the structured block associated with the **single** construct broadcasts the  
8 values of the private variables **a**, **b**, **x**, and **y** from its implicit task's data environment to the data  
9 environments of the other implicit tasks in the thread team. The broadcast completes before any of  
10 the threads have left the barrier at the end of the construct.

▼ C / C++ ▼

11 *Example copyprivate.1.c*

```
S-1 #include <stdio.h>
S-2 float x, y;
S-3 #pragma omp threadprivate(x, y)
S-4
S-5 void init(float a, float b ) {
S-6     #pragma omp single copyprivate(a,b,x,y)
S-7     {
S-8         scanf("%f %f %f %f", &a, &b, &x, &y);
S-9     }
S-10 }
```

▲ C / C++ ▲

▼ Fortran ▼

12 *Example copyprivate.1.f*

```
S-1     SUBROUTINE INIT(A,B)
S-2     REAL A, B
S-3     COMMON /XY/ X,Y
S-4     !$OMP THREADPRIVATE (/XY/)
S-5
S-6     !$OMP SINGLE
S-7         READ (11) A,B,X,Y
S-8     !$OMP END SINGLE COPYPRIVATE (A,B,/XY/)
S-9
S-10     END SUBROUTINE INIT
```

▲ Fortran ▲

13 In this example, assume that the input must be performed by the master thread. Since the **master**  
14 construct does not support the **copyprivate** clause, it cannot broadcast the input value that is  
15 read. However, **copyprivate** is used to broadcast an address where the input value is stored.

1 *Example copyprivate.2.c*

```

S-1  #include <stdio.h>
S-2  #include <stdlib.h>
S-3
S-4  float read_next( ) {
S-5      float * tmp;
S-6      float return_val;
S-7
S-8      #pragma omp single copyprivate(tmp)
S-9      {
S-10     tmp = (float *) malloc(sizeof(float));
S-11     } /* copies the pointer only */
S-12
S-13
S-14     #pragma omp master
S-15     {
S-16         scanf("%f", tmp);
S-17     }
S-18
S-19     #pragma omp barrier
S-20     return_val = *tmp;
S-21     #pragma omp barrier
S-22
S-23     #pragma omp single nowait
S-24     {
S-25         free(tmp);
S-26     }
S-27
S-28     return return_val;
S-29 }

```

2 *Example copyprivate.2.f*

```

S-1      REAL FUNCTION READ_NEXT()
S-2      REAL, POINTER :: TMP
S-3
S-4      !$OMP SINGLE
S-5          ALLOCATE (TMP)
S-6      !$OMP END SINGLE COPYPRIVATE (TMP) ! copies the pointer only
S-7
S-8      !$OMP MASTER
S-9          READ (11) TMP
S-10     !$OMP END MASTER

```

```

S-11
S-12  !$OMP  BARRIER
S-13          READ_NEXT = TMP
S-14  !$OMP  BARRIER
S-15
S-16  !$OMP  SINGLE
S-17          DEALLOCATE (TMP)
S-18  !$OMP  END SINGLE NOWAIT
S-19  END FUNCTION READ_NEXT

```

Fortran

1 Suppose that the number of lock variables required within a **parallel** region cannot easily be  
2 determined prior to entering it. The **copyprivate** clause can be used to provide access to shared  
3 lock variables that are allocated within that **parallel** region.

C / C++

4 *Example copyprivate.3.c*

```

S-1  #include <stdio.h>
S-2  #include <stdlib.h>
S-3  #include <omp.h>
S-4
S-5  omp_lock_t *new_lock()
S-6  {
S-7      omp_lock_t *lock_ptr;
S-8
S-9      #pragma omp single copyprivate(lock_ptr)
S-10     {
S-11         lock_ptr = (omp_lock_t *) malloc(sizeof(omp_lock_t));
S-12         omp_init_lock( lock_ptr );
S-13     }
S-14
S-15     return lock_ptr;
S-16 }

```

C / C++

1 *Example copyprivate.3.f*

```

S-1      FUNCTION NEW_LOCK()
S-2      USE OMP_LIB      ! or INCLUDE "omp_lib.h"
S-3      INTEGER(OMP_LOCK_KIND), POINTER :: NEW_LOCK
S-4
S-5      !$OMP  SINGLE
S-6          ALLOCATE (NEW_LOCK)
S-7          CALL OMP_INIT_LOCK (NEW_LOCK)
S-8      !$OMP  END SINGLE COPYPRIVATE (NEW_LOCK)
S-9      END FUNCTION NEW_LOCK

```

2 Note that the effect of the **copyprivate** clause on a variable with the **allocatable** attribute  
3 is different than on a variable with the **pointer** attribute. The value of **A** is copied (as if by  
4 intrinsic assignment) and the pointer **B** is copied (as if by pointer assignment) to the corresponding  
5 list items in the other implicit tasks belonging to the **parallel** region.

6 *Example copyprivate.4.f*

```

S-1      SUBROUTINE S (N)
S-2      INTEGER N
S-3
S-4      REAL, DIMENSION (:), ALLOCATABLE :: A
S-5      REAL, DIMENSION (:), POINTER :: B
S-6
S-7      ALLOCATE (A (N))
S-8      !$OMP  SINGLE
S-9          ALLOCATE (B (N))
S-10         READ (11) A,B
S-11      !$OMP  END SINGLE COPYPRIVATE (A,B)
S-12          ! Variable A is private and is
S-13          ! assigned the same value in each thread
S-14          ! Variable B is shared
S-15
S-16      !$OMP  BARRIER
S-17      !$OMP  SINGLE
S-18          DEALLOCATE (B)
S-19      !$OMP  END SINGLE NOWAIT
S-20      END SUBROUTINE S

```

## 1 7.12 C++ Reference in Data-Sharing Clauses

C++

2 C++ reference types are allowed in data-sharing attribute clauses as of OpenMP 4.5, except for the  
3 **threadprivate**, **copyin** and **copyprivate** clauses. (See the Data-Sharing Attribute  
4 Clauses Section of the 4.5 OpenMP specification.) When a variable with C++ reference type is  
5 privatized, the object the reference refers to is privatized in addition to the reference itself. The  
6 following example shows the use of reference types in data-sharing clauses in the usual way.  
7 Additionally it shows how the data-sharing of formal arguments with a C++ reference type on an  
8 orphaned task generating construct is determined implicitly. (See the Data-sharing Attribute Rules  
9 for Variables Referenced in a Construct Section of the 4.5 OpenMP specification.)

10 *Example `cpp_reference.1.cpp`*

```
S-1  
S-2 void task_body (int &);  
S-3 void gen_task (int &x) { // on orphaned task construct reference argument  
S-4     #pragma omp task // x is implicitly determined firstprivate(x)  
S-5     task_body (x);  
S-6 }  
S-7 void test (int &y, int &z) {  
S-8     #pragma omp parallel private(y)  
S-9     {  
S-10        y = z + 2;  
S-11        gen_task (y); // no matter if the argument is determined private  
S-12        gen_task (z); // or shared in the enclosing context.  
S-13  
S-14        y++;           // each thread has its own int object y refers to  
S-15        gen_task (y);  
S-16     }  
S-17 }  
S-18
```

C++

## 1 7.13 Fortran ASSOCIATE Construct

### Fortran

2 The following is an invalid example of specifying an associate name on a data-sharing attribute  
3 clause. The constraint in the Data Sharing Attribute Rules section in the OpenMP 4.0 API  
4 Specifications states that an associate name preserves the association with the selector established  
5 at the **ASSOCIATE** statement. The associate name *b* is associated with the shared variable *a*. With  
6 the predetermined data-sharing attribute rule, the associate name *b* is not allowed to be specified on  
7 the **private** clause.

8 *Example associate.1.f*

```
S-1      program example
S-2      real :: a, c
S-3      associate (b => a)
S-4      !$omp parallel private(b, c)          ! invalid to privatize b
S-5      c = 2.0*b
S-6      !$omp end parallel
S-7      end associate
S-8      end program
```

9 In next example, within the **parallel** construct, the association name *thread\_id* is associated  
10 with the private copy of *i*. The print statement should output the unique thread number.

11 *Example associate.2.f*

```
S-1      program example
S-2      use omp_lib
S-3      integer i
S-4      !$omp parallel private(i)
S-5      i = omp_get_thread_num()
S-6      associate(thread_id => i)
S-7      print *, thread_id          ! print private i value
S-8      end associate
S-9      !$omp end parallel
S-10     end program
```

12 The following example illustrates the effect of specifying a selector name on a data-sharing  
13 attribute clause. The associate name *u* is associated with *v* and the variable *v* is specified on the  
14 **private** clause of the **parallel** construct. The construct association is established prior to the  
15 **parallel** region. The association between *u* and the original *v* is retained (see the Data Sharing  
16 Attribute Rules section in the OpenMP 4.0 API Specifications). Inside the **parallel** region, *v*  
17 has the value of -1 and *u* has the value of the original *v*.

18 *Example associate.3.f90*

```
S-1  program example
S-2      integer :: v
S-3      v = 15
S-4  associate(u => v)
S-5  !$omp parallel private(v)
S-6      v = -1
S-7      print *, v                ! private v=-1
S-8      print *, u                ! original v=15
S-9  !$omp end parallel
S-10 end associate
S-11 end program
```

Fortran

## Memory Model

---

3 In this chapter, examples illustrate race conditions on access to variables with shared data-sharing  
4 attributes. A race condition can exist when two or more threads are involved in accessing a variable  
5 in which not all of the accesses are reads; that is, a WaR, RaW or WaW condition exists (R=read,  
6 a=after, W=write). A RaR does not produce a race condition. Ensuring thread execution order at  
7 the processor level is not enough to avoid race conditions, because the local storage at the processor  
8 level (registers, caches, etc.) must be synchronized so that a consistent view of the variable in the  
9 memory hierarchy can be seen by the threads accessing the variable.

10 OpenMP provides a shared-memory model which allows all threads access to *memory* (shared  
11 data). Each thread also has exclusive access to *threadprivate memory* (private data). A private  
12 variable referenced in an OpenMP directive's structured block is a new version of the original  
13 variable (with the same name) for each task (or SIMD lane) within the code block. A private  
14 variable is initially undefined (except for variables in **firstprivate** and **linear** clauses), and  
15 the original variable value is unaltered by assignments to the private variable, (except for  
16 **reduction**, **lastprivate** and **linear** clauses).

17 Private variables in an outer **parallel** region can be shared by implicit tasks of an inner  
18 **parallel** region (with a **share** clause on the inner **parallel** directive). Likewise, a private  
19 variable may be shared in the region of an explicit **task** (through a **shared** clause).

20 The **flush** directive forces a consistent view of local variables of the thread executing the **flush**.  
21 When a list is supplied on the directive, only the items (variables) in the list are guaranteed to be  
22 flushed.

23 Implied flushes exist at prescribed locations of certain constructs. For the complete list of these  
24 locations and associated constructs, please refer to the *flush Construct* section of the OpenMP  
25 Specifications document.

26 Examples 1-3 show the difficulty of synchronizing threads through **flush** and **atomic** directives.  
27



## 1 8.1 The OpenMP Memory Model

2 In the following example, at Print 1, the value of  $x$  could be either 2 or 5, depending on the timing  
3 of the threads, and the implementation of the assignment to  $x$ . There are two reasons that the value  
4 at Print 1 might not be 5. First, Print 1 might be executed before the assignment to  $x$  is executed.  
5 Second, even if Print 1 is executed after the assignment, the value 5 is not guaranteed to be seen by  
6 thread 1 because a flush may not have been executed by thread 0 since the assignment.

7 The barrier after Print 1 contains implicit flushes on all threads, as well as a thread synchronization,  
8 so the programmer is guaranteed that the value 5 will be printed by both Print 2 and Print 3.

▼ C / C++ ▼

9 *Example mem\_model.1.c*

```
S-1 #include <stdio.h>
S-2 #include <omp.h>
S-3
S-4 int main(){
S-5     int x;
S-6
S-7     x = 2;
S-8     #pragma omp parallel num_threads(2) shared(x)
S-9     {
S-10
S-11         if (omp_get_thread_num() == 0) {
S-12             x = 5;
S-13         } else {
S-14             /* Print 1: the following read of x has a race */
S-15             printf("1: Thread# %d: x = %d\n", omp_get_thread_num(), x );
S-16         }
S-17
S-18         #pragma omp barrier
S-19
S-20         if (omp_get_thread_num() == 0) {
S-21             /* Print 2 */
S-22             printf("2: Thread# %d: x = %d\n", omp_get_thread_num(), x );
S-23         } else {
S-24             /* Print 3 */
S-25             printf("3: Thread# %d: x = %d\n", omp_get_thread_num(), x );
S-26         }
S-27     }
S-28     return 0;
S-29 }
```

▲ C / C++ ▲

1

*Example mem\_model.1.f90*

```

S-1 PROGRAM MEMMODEL
S-2   INCLUDE "omp_lib.h"      ! or USE OMP_LIB
S-3   INTEGER X
S-4
S-5   X = 2
S-6   !$OMP PARALLEL NUM_THREADS(2) SHARED(X)
S-7
S-8     IF (OMP_GET_THREAD_NUM() .EQ. 0) THEN
S-9       X = 5
S-10    ELSE
S-11     ! PRINT 1: The following read of x has a race
S-12     PRINT *, "1: THREAD# ", OMP_GET_THREAD_NUM(), "X = ", X
S-13     ENDF
S-14
S-15   !$OMP BARRIER
S-16
S-17     IF (OMP_GET_THREAD_NUM() .EQ. 0) THEN
S-18     ! PRINT 2
S-19     PRINT *, "2: THREAD# ", OMP_GET_THREAD_NUM(), "X = ", X
S-20     ELSE
S-21     ! PRINT 3
S-22     PRINT *, "3: THREAD# ", OMP_GET_THREAD_NUM(), "X = ", X
S-23     ENDF
S-24
S-25   !$OMP END PARALLEL
S-26
S-27 END PROGRAM MEMMODEL

```

2 The following example demonstrates why synchronization is difficult to perform correctly through  
3 variables. The value of flag is undefined in both prints on thread 1 and the value of data is only  
4 well-defined in the second print.

1

*Example mem\_model.2.c*

```

S-1  #include <omp.h>
S-2  #include <stdio.h>
S-3  int main()
S-4  {
S-5      int data;
S-6      int flag=0;
S-7      #pragma omp parallel num_threads(2)
S-8      {
S-9          if (omp_get_thread_num()==0)
S-10         {
S-11             /* Write to the data buffer that will be
S-12             read by thread */
S-13             data = 42;
S-14             /* Flush data to thread 1 and strictly order
S-15             the write to data
S-16             relative to the write to the flag */
S-17             #pragma omp flush(flag, data)
S-18             /* Set flag to release thread 1 */
S-19             flag = 1;
S-20             /* Flush flag to ensure that thread 1 sees
S-21             the change */
S-22             #pragma omp flush(flag)
S-23         }
S-24         else if(omp_get_thread_num()==1)
S-25         {
S-26             /* Loop until we see the update to the flag */
S-27             #pragma omp flush(flag, data)
S-28             while (flag < 1)
S-29             {
S-30                 #pragma omp flush(flag, data)
S-31             }
S-32             /* Values of flag and data are undefined */
S-33             printf("flag=%d data=%d\n", flag, data);
S-34             #pragma omp flush(flag, data)
S-35             /* Values data will be 42, value of flag
S-36             still undefined */
S-37             printf("flag=%d data=%d\n", flag, data);
S-38         }
S-39     }
S-40     return 0;
S-41 }

```

1

*Example mem\_model.2.f*

```

S-1      PROGRAM EXAMPLE
S-2      INCLUDE "omp_lib.h" ! or USE OMP_LIB
S-3      INTEGER DATA
S-4      INTEGER FLAG
S-5
S-6      FLAG = 0
S-7      !$OMP PARALLEL NUM_THREADS(2)
S-8          IF(OMP_GET_THREAD_NUM() .EQ. 0) THEN
S-9              ! Write to the data buffer that will be read by thread 1
S-10             DATA = 42
S-11             ! Flush DATA to thread 1 and strictly order the write to DATA
S-12             ! relative to the write to the FLAG
S-13             !$OMP FLUSH(FLAG, DATA)
S-14             ! Set FLAG to release thread 1
S-15             FLAG = 1;
S-16             ! Flush FLAG to ensure that thread 1 sees the change */
S-17             !$OMP FLUSH(FLAG)
S-18         ELSE IF(OMP_GET_THREAD_NUM() .EQ. 1) THEN
S-19             ! Loop until we see the update to the FLAG
S-20             !$OMP FLUSH(FLAG, DATA)
S-21             DO WHILE(FLAG .LT. 1)
S-22                 !$OMP FLUSH(FLAG, DATA)
S-23             ENDDO
S-24
S-25             ! Values of FLAG and DATA are undefined
S-26             PRINT *, 'FLAG=', FLAG, ' DATA=', DATA
S-27             !$OMP FLUSH(FLAG, DATA)
S-28
S-29             !Values DATA will be 42, value of FLAG still undefined */
S-30             PRINT *, 'FLAG=', FLAG, ' DATA=', DATA
S-31         ENDIF
S-32     !$OMP END PARALLEL
S-33 END

```

2 The next example demonstrates why synchronization is difficult to perform correctly through  
3 variables. Because the *write(1)-flush(1)-flush(2)-read(2)* sequence cannot be guaranteed in the  
4 example, the statements on thread 0 and thread 1 may execute in either order.

1

*Example mem\_model.3.c*

```

S-1  #include <omp.h>
S-2  #include <stdio.h>
S-3  int main()
S-4  {
S-5      int flag=0;
S-6
S-7      #pragma omp parallel num_threads(3)
S-8      {
S-9          if(omp_get_thread_num()==0)
S-10         {
S-11             /* Set flag to release thread 1 */
S-12             #pragma omp atomic update
S-13             flag++;
S-14             /* Flush of flag is implied by the atomic directive */
S-15         }
S-16         else if(omp_get_thread_num()==1)
S-17         {
S-18             /* Loop until we see that flag reaches 1*/
S-19             #pragma omp flush(flag)
S-20             while(flag < 1)
S-21             {
S-22                 #pragma omp flush(flag)
S-23             }
S-24             printf("Thread 1 awoken\n");
S-25
S-26             /* Set flag to release thread 2 */
S-27             #pragma omp atomic update
S-28             flag++;
S-29             /* Flush of flag is implied by the atomic directive */
S-30         }
S-31         else if(omp_get_thread_num()==2)
S-32         {
S-33             /* Loop until we see that flag reaches 2 */
S-34             #pragma omp flush(flag)
S-35             while(flag < 2)
S-36             {
S-37                 #pragma omp flush(flag)
S-38             }
S-39             printf("Thread 2 awoken\n");
S-40         }
S-41     }
S-42     return 0;
S-43 }

```

1

*Example mem\_model.3.f*

```

S-1      PROGRAM EXAMPLE
S-2      INCLUDE "omp_lib.h" ! or USE OMP_LIB
S-3      INTEGER FLAG
S-4
S-5      FLAG = 0
S-6      !$OMP PARALLEL NUM_THREADS(3)
S-7          IF(OMP_GET_THREAD_NUM() .EQ. 0) THEN
S-8              ! Set flag to release thread 1
S-9              !$OMP ATOMIC UPDATE
S-10             FLAG = FLAG + 1
S-11             !Flush of FLAG is implied by the atomic directive
S-12         ELSE IF(OMP_GET_THREAD_NUM() .EQ. 1) THEN
S-13             ! Loop until we see that FLAG reaches 1
S-14             !$OMP FLUSH(FLAG, DATA)
S-15             DO WHILE(FLAG .LT. 1)
S-16                 !$OMP FLUSH(FLAG, DATA)
S-17             ENDDO
S-18
S-19             PRINT *, 'Thread 1 awoken'
S-20
S-21             ! Set FLAG to release thread 2
S-22             !$OMP ATOMIC UPDATE
S-23             FLAG = FLAG + 1
S-24             !Flush of FLAG is implied by the atomic directive
S-25         ELSE IF(OMP_GET_THREAD_NUM() .EQ. 2) THEN
S-26             ! Loop until we see that FLAG reaches 2
S-27             !$OMP FLUSH(FLAG, DATA)
S-28             DO WHILE(FLAG .LT. 2)
S-29                 !$OMP FLUSH(FLAG, DATA)
S-30             ENDDO
S-31
S-32             PRINT *, 'Thread 2 awoken'
S-33         ENDIF
S-34     !$OMP END PARALLEL
S-35     END

```

## 1 8.2 Race Conditions Caused by Implied Copies 2 of Shared Variables in Fortran

### Fortran

3 The following example contains a race condition, because the shared variable, which is an array  
4 section, is passed as an actual argument to a routine that has an assumed-size array as its dummy  
5 argument. The subroutine call passing an array section argument may cause the compiler to copy  
6 the argument into a temporary location prior to the call and copy from the temporary location into  
7 the original variable when the subroutine returns. This copying would cause races in the  
8 **parallel** region.

9 *Example fort\_race.1.f90*

```
S-1 SUBROUTINE SHARED_RACE
S-2
S-3     INCLUDE "omp_lib.h"      ! or USE OMP_LIB
S-4
S-5     REAL A(20)
S-6     INTEGER MYTHREAD
S-7
S-8     !$OMP PARALLEL SHARED(A) PRIVATE(MYTHREAD)
S-9
S-10    MYTHREAD = OMP_GET_THREAD_NUM()
S-11    IF (MYTHREAD .EQ. 0) THEN
S-12        CALL SUB(A(1:10)) ! compiler may introduce writes to A(6:10)
S-13    ELSE
S-14        A(6:10) = 12
S-15    ENDIF
S-16
S-17    !$OMP END PARALLEL
S-18
S-19 END SUBROUTINE SHARED_RACE
S-20
S-21 SUBROUTINE SUB(X)
S-22     REAL X(*)
S-23     X(1:5) = 4
S-24 END SUBROUTINE SUB
```

### Fortran

2 

## Program Control

---

3 Some specific and elementary concepts of controlling program execution are illustrated in the  
4 examples of this chapter. Control can be directly managed with conditional control code (ifdef's  
5 with the `_OPENMP` macro, and the Fortran sentinel (`!$`) for conditionally compiling). The `if`  
6 clause on some constructs can direct the runtime to ignore or alter the behavior of the construct. Of  
7 course, the base-language `if` statements can be used to control the "execution" of stand-alone  
8 directives (such as `flush`, `barrier`, `taskwait`, and `taskyield`). However, the directives  
9 must appear in a block structure, and not as a substatement as shown in examples 1 and 2 of this  
10 chapter.

11 

### CANCELLATION

12 Cancellation (termination) of the normal sequence of execution for the threads in an OpenMP  
13 region can be accomplished with the `cancel` construct. The construct uses a  
14 *construct-type-clause* to set the region-type to activate for the cancellation. That is, inclusion of one  
15 of the *construct-type-clause* names `parallel`, `for`, `do`, `sections` or `taskgroup` on the  
16 directive line activates the corresponding region. The `cancel` construct is activated by the first  
17 encountering thread, and it continues execution at the end of the named region. The `cancel`  
18 construct is also a cancellation point for any other thread of the team to also continue execution at  
19 the end of the named region.

20 Also, once the specified region has been activated for cancellation any thread that encounters a  
21 `cancellation point` construct with the same named region (*construct-type-clause*),  
22 continues execution at the end of the region.

23 For an activated `cancel taskgroup` construct, the tasks that belong to the taskgroup set of the  
24 innermost enclosing taskgroup region will be canceled.

25 A task that encounters the cancel taskgroup construct continues execution at the end of its task  
26 region. Any task of the taskgroup that has already begun execution will run to completion, unless it  
27 encounters a `cancellation point`; tasks that have not begun execution "may" be discarded as  
28 completed tasks.



1 CONTROL VARIABLES

2 Internal control variables (ICV) are used by implementations to hold values which control the  
3 execution of OpenMP regions. Control (and hence the ICVs) may be set as implementation  
4 defaults, or set and adjusted through environment variables, clauses, and API functions. Many of  
5 the ICV control values are accessible through API function calls. Also, initial ICV values are  
6 reported by the runtime if the **OMP\_DISPLAY\_ENV** environment variable has been set to **TRUE**.

7 NESTED CONSTRUCTS

8 Certain combinations of nested constructs are permitted, giving rise to a *combined* construct  
9 consisting of two or more constructs. These can be used when the two (or several) constructs would  
10 be used immediately in succession (closely nested). A combined construct can use the clauses of  
11 the component constructs without restrictions. A *composite* construct is a combined construct  
12 which has one or more clauses with (an often obviously) modified or restricted meaning, relative to  
13 when the constructs are uncombined.

14 Certain nestings are forbidden, and often the reasoning is obvious. Worksharing constructs cannot  
15 be nested, and the **barrier** construct cannot be nested inside a worksharing construct, or a  
16 **critical** construct. Also, **target** constructs cannot be nested.

17 The **parallel** construct can be nested, as well as the **task** construct. The parallel execution in  
18 the nested **parallel** construct(s) is control by the **OMP\_NESTED** and  
19 **OMP\_MAX\_ACTIVE\_LEVELS** environment variables, and the **omp\_set\_nested()** and  
20 **omp\_set\_max\_active\_levels()** functions.

21 More details on nesting can be found in the *Nesting of Regions* of the *Directives* chapter in the  
22 OpenMP Specifications document.

## 1 9.1 Conditional Compilation

C / C++

2 The following example illustrates the use of conditional compilation using the OpenMP macro  
3 `_OPENMP`. With OpenMP compilation, the `_OPENMP` macro becomes defined.

4 *Example cond\_comp.1.c*

```
S-1 #include <stdio.h>
S-2
S-3 int main()
S-4 {
S-5
S-6 # ifdef _OPENMP
S-7     printf("Compiled by an OpenMP-compliant implementation.\n");
S-8 # endif
S-9
S-10     return 0;
S-11 }
```

C / C++

Fortran

5 The following example illustrates the use of the conditional compilation sentinel. With OpenMP  
6 compilation, the conditional compilation sentinel `!$` is recognized and treated as two spaces. In  
7 fixed form source, statements guarded by the sentinel must start after column 6.

8 *Example cond\_comp.1.f*

```
S-1         PROGRAM EXAMPLE
S-2
S-3 C234567890
S-4 !$     PRINT *, "Compiled by an OpenMP-compliant implementation."
S-5
S-6         END PROGRAM EXAMPLE
```

Fortran

## 1 9.2 Internal Control Variables (ICVs)

2 According to Section 2.3 of the OpenMP 4.0 specification, an OpenMP implementation must act as  
3 if there are ICVs that control the behavior of the program. This example illustrates two ICVs,  
4 *nthreads-var* and *max-active-levels-var*. The *nthreads-var* ICV controls the number of threads  
5 requested for encountered parallel regions; there is one copy of this ICV per task. The  
6 *max-active-levels-var* ICV controls the maximum number of nested active parallel regions; there is  
7 one copy of this ICV for the whole program.

8 In the following example, the *nest-var*, *max-active-levels-var*, *dyn-var*, and *nthreads-var* ICVs are  
9 modified through calls to the runtime library routines **omp\_set\_nested**,  
10 **omp\_set\_max\_active\_levels**, **omp\_set\_dynamic**, and **omp\_set\_num\_threads**  
11 respectively. These ICVs affect the operation of **parallel** regions. Each implicit task generated  
12 by a **parallel** region has its own copy of the *nest-var*, *dyn-var*, and *nthreads-var* ICVs.

13 In the following example, the new value of *nthreads-var* applies only to the implicit tasks that  
14 execute the call to **omp\_set\_num\_threads**. There is one copy of the *max-active-levels-var*  
15 ICV for the whole program and its value is the same for all tasks. This example assumes that nested  
16 parallelism is supported.

17 The outer **parallel** region creates a team of two threads; each of the threads will execute one of  
18 the two implicit tasks generated by the outer **parallel** region.

19 Each implicit task generated by the outer **parallel** region calls **omp\_set\_num\_threads(3)**,  
20 assigning the value 3 to its respective copy of *nthreads-var*. Then each implicit task encounters an  
21 inner **parallel** region that creates a team of three threads; each of the threads will execute one of  
22 the three implicit tasks generated by that inner **parallel** region.

23 Since the outer **parallel** region is executed by 2 threads, and the inner by 3, there will be a total  
24 of 6 implicit tasks generated by the two inner **parallel** regions.

25 Each implicit task generated by an inner **parallel** region will execute the call to  
26 **omp\_set\_num\_threads(4)**, assigning the value 4 to its respective copy of *nthreads-var*.

27 The print statement in the outer **parallel** region is executed by only one of the threads in the  
28 team. So it will be executed only once.

29 The print statement in an inner **parallel** region is also executed by only one of the threads in the  
30 team. Since we have a total of two inner **parallel** regions, the print statement will be executed  
31 twice – once per inner **parallel** region.

▼ C / C++ ▼

32 *Example icv.1.c*

```

S-1  #include <stdio.h>
S-2  #include <omp.h>
S-3
S-4  int main (void)
S-5  {
S-6      omp_set_nested(1);
S-7      omp_set_max_active_levels(8);
S-8      omp_set_dynamic(0);
S-9      omp_set_num_threads(2);
S-10 #pragma omp parallel
S-11 {
S-12     omp_set_num_threads(3);
S-13
S-14     #pragma omp parallel
S-15     {
S-16         omp_set_num_threads(4);
S-17         #pragma omp single
S-18         {
S-19             /*
S-20              * The following should print:
S-21              * Inner: max_act_lev=8, num_thds=3, max_thds=4
S-22              * Inner: max_act_lev=8, num_thds=3, max_thds=4
S-23              */
S-24             printf ("Inner: max_act_lev=%d, num_thds=%d, max_thds=%d\n",
S-25                    omp_get_max_active_levels(), omp_get_num_threads(),
S-26                    omp_get_max_threads());
S-27         }
S-28     }
S-29
S-30     #pragma omp barrier
S-31     #pragma omp single
S-32     {
S-33         /*
S-34          * The following should print:
S-35          * Outer: max_act_lev=8, num_thds=2, max_thds=3
S-36          */
S-37         printf ("Outer: max_act_lev=%d, num_thds=%d, max_thds=%d\n",
S-38                omp_get_max_active_levels(), omp_get_num_threads(),
S-39                omp_get_max_threads());
S-40     }
S-41 }
S-42 return 0;
S-43 }

```

C / C++

1

*Example icv.1.f*

```

S-1      program icv
S-2      use omp_lib
S-3
S-4      call omp_set_nested(.true.)
S-5      call omp_set_max_active_levels(8)
S-6      call omp_set_dynamic(.false.)
S-7      call omp_set_num_threads(2)
S-8
S-9      !$omp parallel
S-10     call omp_set_num_threads(3)
S-11
S-12     !$omp parallel
S-13     call omp_set_num_threads(4)
S-14     !$omp single
S-15     !       The following should print:
S-16     !       Inner: max_act_lev= 8 , num_thds= 3 , max_thds= 4
S-17     !       Inner: max_act_lev= 8 , num_thds= 3 , max_thds= 4
S-18     print *, "Inner: max_act_lev=", omp_get_max_active_levels(),
S-19     &         ", num_thds=", omp_get_num_threads(),
S-20     &         ", max_thds=", omp_get_max_threads()
S-21     !$omp end single
S-22     !$omp end parallel
S-23
S-24     !$omp barrier
S-25     !$omp single
S-26     !       The following should print:
S-27     !       Outer: max_act_lev= 8 , num_thds= 2 , max_thds= 3
S-28     print *, "Outer: max_act_lev=", omp_get_max_active_levels(),
S-29     &         ", num_thds=", omp_get_num_threads(),
S-30     &         ", max_thds=", omp_get_max_threads()
S-31     !$omp end single
S-32     !$omp end parallel
S-33     end

```

## 1 9.3 Placement of flush, barrier, taskwait 2 and taskyield Directives

3 The following example is non-conforming, because the **flush**, **barrier**, **taskwait**, and  
4 **taskyield** directives are stand-alone directives and cannot be the immediate substatement of an  
5 **if** statement.

▼ C / C++ ▼

6 *Example standalone.1.c*

```
S-1 void standalone_wrong()  
S-2 {  
S-3     int a = 1;  
S-4  
S-5         if (a != 0)  
S-6             #pragma omp flush(a)  
S-7             /* incorrect as flush cannot be immediate substatement  
S-8                of if statement */  
S-9  
S-10            if (a != 0)  
S-11                #pragma omp barrier  
S-12                /* incorrect as barrier cannot be immediate substatement  
S-13                   of if statement */  
S-14  
S-15            if (a!=0)  
S-16                #pragma omp taskyield  
S-17                /* incorrect as taskyield cannot be immediate substatement of if statement  
S-18                   */  
S-19  
S-20            if (a != 0)  
S-21                #pragma omp taskwait  
S-22                /* incorrect as taskwait cannot be immediate substatement  
S-23                   of if statement */  
S-24  
S-25        }  
S-26
```

▲ C / C++ ▲

7 The following example is non-conforming, because the **flush**, **barrier**, **taskwait**, and  
8 **taskyield** directives are stand-alone directives and cannot be the action statement of an **if**  
9 statement or a labeled branch target.

1

*Example standalone.1.f90*

```
S-1  SUBROUTINE STANDALONE_WRONG()
S-2      INTEGER A
S-3      A = 1
S-4      ! the FLUSH directive must not be the action statement
S-5      ! in an IF statement
S-6      IF (A .NE. 0) !$OMP FLUSH(A)
S-7
S-8      ! the BARRIER directive must not be the action statement
S-9      ! in an IF statement
S-10     IF (A .NE. 0) !$OMP BARRIER
S-11
S-12     ! the TASKWAIT directive must not be the action statement
S-13     ! in an IF statement
S-14     IF (A .NE. 0) !$OMP TASKWAIT
S-15
S-16     ! the TASKYIELD directive must not be the action statement
S-17     ! in an IF statement
S-18     IF (A .NE. 0) !$OMP TASKYIELD
S-19
S-20     GOTO 100
S-21
S-22     ! the FLUSH directive must not be a labeled branch target
S-23     ! statement
S-24     100 !$OMP FLUSH(A)
S-25     GOTO 200
S-26
S-27     ! the BARRIER directive must not be a labeled branch target
S-28     ! statement
S-29     200 !$OMP BARRIER
S-30     GOTO 300
S-31
S-32     ! the TASKWAIT directive must not be a labeled branch target
S-33     ! statement
S-34     300 !$OMP TASKWAIT
S-35     GOTO 400
S-36
S-37     ! the TASKYIELD directive must not be a labeled branch target
S-38     ! statement
S-39     400 !$OMP TASKYIELD
S-40
S-41     END SUBROUTINE
```

## Fortran

1 The following version of the above example is conforming because the **flush**, **barrier**,  
2 **taskwait**, and **taskyield** directives are enclosed in a compound statement.

## C / C++

3 *Example standalone.2.c*

```
S-1 void standalone_ok()  
S-2 {  
S-3     int a = 1;  
S-4  
S-5     #pragma omp parallel  
S-6     {  
S-7         if (a != 0) {  
S-8             #pragma omp flush(a)  
S-9             }  
S-10            if (a != 0) {  
S-11                #pragma omp barrier  
S-12                }  
S-13                if (a != 0) {  
S-14                    #pragma omp taskwait  
S-15                    }  
S-16                    if (a != 0) {  
S-17                        #pragma omp taskyield  
S-18                        }  
S-19                }  
S-20            }  
}
```

## C / C++

4 The following example is conforming because the **flush**, **barrier**, **taskwait**, and  
5 **taskyield** directives are enclosed in an **if** construct or follow the labeled branch target.



1

*Example standalone.2.f90*

```
S-1  SUBROUTINE STANDALONE_OK()  
S-2      INTEGER  A  
S-3      A = 1  
S-4      IF (A .NE. 0) THEN  
S-5          !$OMP FLUSH(A)  
S-6      ENDIF  
S-7      IF (A .NE. 0) THEN  
S-8          !$OMP BARRIER  
S-9      ENDIF  
S-10     IF (A .NE. 0) THEN  
S-11         !$OMP TASKWAIT  
S-12     ENDIF  
S-13     IF (A .NE. 0) THEN  
S-14         !$OMP TASKYIELD  
S-15     ENDIF  
S-16     GOTO 100  
S-17     100 CONTINUE  
S-18     !$OMP FLUSH(A)  
S-19     GOTO 200  
S-20     200 CONTINUE  
S-21     !$OMP BARRIER  
S-22     GOTO 300  
S-23     300 CONTINUE  
S-24     !$OMP TASKWAIT  
S-25     GOTO 400  
S-26     400 CONTINUE  
S-27     !$OMP TASKYIELD  
S-28  END SUBROUTINE
```

## 1 9.4 Cancellation Constructs

2 The following example shows how the **cancel** directive can be used to terminate an OpenMP  
3 region. Although the **cancel** construct terminates the OpenMP worksharing region, programmers  
4 must still track the exception through the pointer **ex** and issue a cancellation for the **parallel**  
5 region if an exception has been raised. The master thread checks the exception pointer to make sure  
6 that the exception is properly handled in the sequential part. If cancellation of the **parallel**  
7 region has been requested, some threads might have executed **phase\_1()**. However, it is  
8 guaranteed that none of the threads executed **phase\_2()**.

C++

9 *Example cancellation.1.cpp*

```
S-1 #include <iostream>
S-2 #include <exception>
S-3 #include <cstdint>
S-4
S-5 #define N 10000
S-6
S-7 extern void causes_an_exception();
S-8 extern void phase_1();
S-9 extern void phase_2();
S-10
S-11 void example() {
S-12     std::exception *ex = NULL;
S-13     #pragma omp parallel shared(ex)
S-14     {
S-15     #pragma omp for
S-16         for (int i = 0; i < N; i++) {
S-17             // no 'if' that prevents compiler optimizations
S-18             try {
S-19                 causes_an_exception();
S-20             }
S-21             catch (std::exception *e) {
S-22                 // still must remember exception for later handling
S-23     #pragma omp atomic write
S-24                 ex = e;
S-25                                     // cancel worksharing construct
S-26     #pragma omp cancel for
S-27                 }
S-28             }
S-29             // if an exception has been raised, cancel parallel region
S-30             if (ex) {
S-31     #pragma omp cancel parallel
S-32                 }
S-33                 phase_1();
```

```

S-34 #pragma omp barrier
S-35     phase_2();
S-36     }
S-37     // continue here if an exception has been thrown in the worksharing loop
S-38     if (ex) {
S-39         // handle exception stored in ex
S-40     }
S-41 }

```

C++

1 The following example illustrates the use of the **cancel** construct in error handling. If there is an  
2 error condition from the **allocate** statement, the cancellation is activated. The encountering  
3 thread sets the shared variable **err** and other threads of the binding thread set proceed to the end of  
4 the worksharing construct after the cancellation has been activated.

Fortran

5 *Example cancellation.1.f90*

```

S-1  subroutine example(n, dim)
S-2      integer, intent(in) :: n, dim(n)
S-3      integer :: i, s, err
S-4      real, allocatable :: B(:)
S-5      err = 0
S-6      !$omp parallel shared(err)
S-7      ! ...
S-8      !$omp do private(s, B)
S-9          do i=1, n
S-10         !$omp cancellation point do
S-11             allocate(B(dim(i)), stat=s)
S-12             if (s .gt. 0) then
S-13                 !$omp atomic write
S-14                 err = s
S-15                 !$omp cancel do
S-16             endif
S-17             ! ...
S-18             ! deallocate private array B
S-19             if (allocated(B)) then
S-20                 deallocate(B)
S-21             endif
S-22         enddo
S-23     !$omp end parallel
S-24 end subroutine

```

1 The following example shows how to cancel a parallel search on a binary tree as soon as the search  
 2 value has been detected. The code creates a task to descend into the child nodes of the current tree  
 3 node. If the search value has been found, the code remembers the tree node with the found value  
 4 through an **atomic** write to the result variable and then cancels execution of all search tasks. The  
 5 function **search\_tree\_parallel** groups all search tasks into a single task group to control  
 6 the effect of the **cancel taskgroup** directive. The *level* argument is used to create undelayed  
 7 tasks after the first ten levels of the tree.

8 *Example cancellation.2.c*

```

S-1 #include <stddef.h>
S-2
S-3 typedef struct binary_tree_s {
S-4     int value;
S-5     struct binary_tree_s *left, *right;
S-6 } binary_tree_t;
S-7
S-8 binary_tree_t *search_tree(binary_tree_t *tree, int value, int level) {
S-9     binary_tree_t *found = NULL;
S-10    if (tree) {
S-11        if (tree->value == value) {
S-12            found = tree;
S-13        }
S-14        else {
S-15            #pragma omp task shared(found) if(level < 10)
S-16            {
S-17                binary_tree_t *found_left = NULL;
S-18                found_left = search_tree(tree->left, value, level + 1);
S-19                if (found_left) {
S-20                    #pragma omp atomic write
S-21                    found = found_left;
S-22                    #pragma omp cancel taskgroup
S-23                    }
S-24                }
S-25            #pragma omp task shared(found) if(level < 10)
S-26            {
S-27                binary_tree_t *found_right = NULL;
S-28                found_right = search_tree(tree->right, value, level + 1);
S-29                if (found_right) {
S-30                    #pragma omp atomic write
S-31                    found = found_right;
S-32                    #pragma omp cancel taskgroup
S-33                    }
S-34                }

```

```

S-35 #pragma omp taskwait
S-36     }
S-37     }
S-38     return found;
S-39 }
S-40 binary_tree_t *search_tree_parallel(binary_tree_t *tree, int value) {
S-41     binary_tree_t *found = NULL;
S-42     #pragma omp parallel shared(found, tree, value)
S-43     {
S-44     #pragma omp master
S-45     {
S-46     #pragma omp taskgroup
S-47     {
S-48         found = search_tree(tree, value, 0);
S-49     }
S-50     }
S-51     }
S-52     return found;
S-53 }

```

C / C++

1 The following is the equivalent parallel search example in Fortran.

Fortran

2 *Example cancellation.2.f90*

```

S-1 module parallel_search
S-2     type binary_tree
S-3         integer :: value
S-4         type(binary_tree), pointer :: right
S-5         type(binary_tree), pointer :: left
S-6     end type
S-7
S-8 contains
S-9     recursive subroutine search_tree(tree, value, level, found)
S-10        type(binary_tree), intent(in), pointer :: tree
S-11        integer, intent(in) :: value, level
S-12        type(binary_tree), pointer :: found
S-13        type(binary_tree), pointer :: found_left => NULL(), found_right => NULL()
S-14
S-15        if (associated(tree)) then
S-16            if (tree%value .eq. value) then
S-17                found => tree
S-18            else
S-19                !$omp task shared(found) if(level<10)
S-20                    call search_tree(tree%left, value, level+1, found_left)
S-21                    if (associated(found_left)) then

```

```

S-22  !$omp critical
S-23      found => found_left
S-24  !$omp end critical
S-25
S-26  !$omp cancel taskgroup
S-27      endif
S-28  !$omp end task
S-29
S-30  !$omp task shared(found) if(level<10)
S-31      call search_tree(tree%right, value, level+1, found_right)
S-32      if (associated(found_right)) then
S-33  !$omp critical
S-34      found => found_right
S-35  !$omp end critical
S-36
S-37  !$omp cancel taskgroup
S-38      endif
S-39  !$omp end task
S-40
S-41  !$omp taskwait
S-42      endif
S-43      endif
S-44  end subroutine
S-45
S-46  subroutine search_tree_parallel(tree, value, found)
S-47      type(binary_tree), intent(in), pointer :: tree
S-48      integer, intent(in) :: value
S-49      type(binary_tree), pointer :: found
S-50
S-51      found => NULL()
S-52  !$omp parallel shared(found, tree, value)
S-53  !$omp master
S-54  !$omp taskgroup
S-55      call search_tree(tree, value, 0, found)
S-56  !$omp end taskgroup
S-57  !$omp end master
S-58  !$omp end parallel
S-59  end subroutine
S-60
S-61  end module parallel_search

```

▲────────────────── Fortran ───────────────────▲

## 1 9.5 Nested Loop Constructs

2 The following example of loop construct nesting is conforming because the inner and outer loop  
3 regions bind to different **parallel** regions:

▼ C / C++ ▼

4 *Example nested\_loop.l.c*

```
S-1 void work(int i, int j) {}
S-2
S-3 void good_nesting(int n)
S-4 {
S-5     int i, j;
S-6     #pragma omp parallel default(shared)
S-7     {
S-8         #pragma omp for
S-9         for (i=0; i<n; i++) {
S-10            #pragma omp parallel shared(i, n)
S-11            {
S-12                #pragma omp for
S-13                for (j=0; j < n; j++)
S-14                    work(i, j);
S-15            }
S-16        }
S-17    }
S-18 }
```

▲ C / C++ ▲  
▼ Fortran ▼

5 *Example nested\_loop.l.f*

```
S-1     SUBROUTINE WORK(I, J)
S-2     INTEGER I, J
S-3     END SUBROUTINE WORK
S-4
S-5     SUBROUTINE GOOD_NESTING(N)
S-6     INTEGER N
S-7
S-8         INTEGER I
S-9     !$OMP PARALLEL DEFAULT(SHARED)
S-10    !$OMP DO
S-11        DO I = 1, N
S-12    !$OMP PARALLEL SHARED(I,N)
S-13    !$OMP DO
S-14        DO J = 1, N
S-15            CALL WORK(I,J)
S-16        END DO
```

```

S-17  !$OMP      END PARALLEL
S-18      END DO
S-19  !$OMP  END PARALLEL
S-20      END SUBROUTINE GOOD_NESTING

```

Fortran

1 The following variation of the preceding example is also conforming:

C / C++

2 *Example nested\_loop.2.c*

```

S-1  void work(int i, int j) {}
S-2
S-3
S-4  void work1(int i, int n)
S-5  {
S-6      int j;
S-7      #pragma omp parallel default(shared)
S-8      {
S-9          #pragma omp for
S-10         for (j=0; j<n; j++)
S-11             work(i, j);
S-12     }
S-13 }
S-14
S-15
S-16 void good_nesting2(int n)
S-17 {
S-18     int i;
S-19     #pragma omp parallel default(shared)
S-20     {
S-21         #pragma omp for
S-22         for (i=0; i<n; i++)
S-23             work1(i, n);
S-24     }
S-25 }

```

C / C++



1

*Example nested\_loop.2.f*

```
S-1      SUBROUTINE WORK(I, J)
S-2      INTEGER I, J
S-3      END SUBROUTINE WORK
S-4
S-5      SUBROUTINE WORK1(I, N)
S-6      INTEGER J
S-7      !$OMP PARALLEL DEFAULT(SHARED)
S-8      !$OMP DO
S-9          DO J = 1, N
S-10         CALL WORK(I, J)
S-11     END DO
S-12     !$OMP END PARALLEL
S-13     END SUBROUTINE WORK1
S-14
S-15     SUBROUTINE GOOD_NESTING2(N)
S-16     INTEGER N
S-17     !$OMP PARALLEL DEFAULT(SHARED)
S-18     !$OMP DO
S-19         DO I = 1, N
S-20             CALL WORK1(I, N)
S-21         END DO
S-22     !$OMP END PARALLEL
S-23     END SUBROUTINE GOOD_NESTING2
```

## 1 9.6 Restrictions on Nesting of Regions

2 The examples in this section illustrate the region nesting rules.

3 The following example is non-conforming because the inner and outer loop regions are closely  
4 nested:

▼ C / C++ ▼

5 *Example nesting\_restrict.1.c*

```
S-1 void work(int i, int j) {}  
S-2 void wrong1(int n)  
S-3 {  
S-4     #pragma omp parallel default(shared)  
S-5     {  
S-6         int i, j;  
S-7         #pragma omp for  
S-8         for (i=0; i<n; i++) {  
S-9             /* incorrect nesting of loop regions */  
S-10            #pragma omp for  
S-11                for (j=0; j<n; j++)  
S-12                    work(i, j);  
S-13            }  
S-14        }  
S-15    }
```

▲ C / C++ ▲

▼ Fortran ▼

6 *Example nesting\_restrict.1.f*

```
S-1     SUBROUTINE WORK(I, J)  
S-2     INTEGER I, J  
S-3     END SUBROUTINE WORK  
S-4     SUBROUTINE WRONG1(N)  
S-5     INTEGER N  
S-6         INTEGER I, J  
S-7     !$OMP PARALLEL DEFAULT(SHARED)  
S-8     !$OMP DO  
S-9         DO I = 1, N  
S-10    !$OMP DO ! incorrect nesting of loop regions  
S-11        DO J = 1, N  
S-12            CALL WORK(I, J)  
S-13        END DO  
S-14    END DO  
S-15    !$OMP END PARALLEL  
S-16    END SUBROUTINE WRONG1
```

## Fortran

1 The following orphaned version of the preceding example is also non-conforming:

## C / C++

2 *Example nesting\_restrict.2.c*

```
S-1 void work(int i, int j) {}
S-2 void work1(int i, int n)
S-3 {
S-4     int j;
S-5     /* incorrect nesting of loop regions */
S-6     #pragma omp for
S-7         for (j=0; j<n; j++)
S-8         work(i, j);
S-9 }
S-10
S-11 void wrong2(int n)
S-12 {
S-13     #pragma omp parallel default(shared)
S-14     {
S-15         int i;
S-16         #pragma omp for
S-17             for (i=0; i<n; i++)
S-18             work1(i, n);
S-19     }
S-20 }
```

## C / C++

## Fortran

3 *Example nesting\_restrict.2.f*

```
S-1     SUBROUTINE WORK1(I,N)
S-2     INTEGER I, N
S-3     INTEGER J
S-4     !$OMP DO      ! incorrect nesting of loop regions
S-5     DO J = 1, N
S-6         CALL WORK(I,J)
S-7     END DO
S-8     END SUBROUTINE WORK1
S-9     SUBROUTINE WRONG2(N)
S-10    INTEGER N
S-11    INTEGER I
S-12    !$OMP PARALLEL DEFAULT(SHARED)
S-13    !$OMP DO
S-14        DO I = 1, N
S-15        CALL WORK1(I,N)
```

```

S-16         END DO
S-17 !$OMP   END PARALLEL
S-18         END SUBROUTINE WRONG2

```

Fortran

1 The following example is non-conforming because the loop and **single** regions are closely nested:

C / C++

2 *Example nesting\_restrict.3.c*

```

S-1 void work(int i, int j) {}
S-2 void wrong3(int n)
S-3 {
S-4     #pragma omp parallel default(shared)
S-5     {
S-6         int i;
S-7         #pragma omp for
S-8         for (i=0; i<n; i++) {
S-9             /* incorrect nesting of regions */
S-10            #pragma omp single
S-11            work(i, 0);
S-12        }
S-13    }
S-14 }

```

C / C++

Fortran

3 *Example nesting\_restrict.3.f*

```

S-1         SUBROUTINE WRONG3(N)
S-2         INTEGER N
S-3
S-4         INTEGER I
S-5 !$OMP   PARALLEL DEFAULT(SHARED)
S-6 !$OMP   DO
S-7         DO I = 1, N
S-8 !$OMP   SINGLE                                ! incorrect nesting of regions
S-9         CALL WORK(I, 1)
S-10 !$OMP   END SINGLE
S-11         END DO
S-12 !$OMP   END PARALLEL
S-13         END SUBROUTINE WRONG3

```

Fortran

4 The following example is non-conforming because a **barrier** region cannot be closely nested  
5 inside a loop region:

C / C++

1

*Example nesting\_restrict.4.c*

```

S-1 void work(int i, int j) {}
S-2 void wrong4(int n)
S-3 {
S-4
S-5     #pragma omp parallel default(shared)
S-6     {
S-7         int i;
S-8         #pragma omp for
S-9         for (i=0; i<n; i++) {
S-10            work(i, 0);
S-11 /* incorrect nesting of barrier region in a loop region */
S-12         #pragma omp barrier
S-13         work(i, 1);
S-14     }
S-15 }
S-16 }

```

C / C++

Fortran

2

*Example nesting\_restrict.4.f*

```

S-1     SUBROUTINE WRONG4(N)
S-2     INTEGER N
S-3
S-4     INTEGER I
S-5     !$OMP PARALLEL DEFAULT(SHARED)
S-6     !$OMP DO
S-7         DO I = 1, N
S-8             CALL WORK(I, 1)
S-9     ! incorrect nesting of barrier region in a loop region
S-10    !$OMP BARRIER
S-11        CALL WORK(I, 2)
S-12    END DO
S-13    !$OMP END PARALLEL
S-14    END SUBROUTINE WRONG4

```

Fortran

3

The following example is non-conforming because the **barrier** region cannot be closely nested

4

inside the **critical** region. If this were permitted, it would result in deadlock due to the fact that

5

only one thread at a time can enter the **critical** region:

1 *Example nesting\_restrict.5.c*

```

S-1 void work(int i, int j) {}
S-2 void wrong5(int n)
S-3 {
S-4     #pragma omp parallel
S-5     {
S-6         #pragma omp critical
S-7         {
S-8             work(n, 0);
S-9         /* incorrect nesting of barrier region in a critical region */
S-10            #pragma omp barrier
S-11            work(n, 1);
S-12        }
S-13    }
S-14 }

```

2 *Example nesting\_restrict.5.f*

```

S-1     SUBROUTINE WRONG5(N)
S-2     INTEGER N
S-3
S-4     !$OMP PARALLEL DEFAULT(SHARED)
S-5     !$OMP CRITICAL
S-6         CALL WORK(N,1)
S-7     ! incorrect nesting of barrier region in a critical region
S-8     !$OMP BARRIER
S-9         CALL WORK(N,2)
S-10    !$OMP END CRITICAL
S-11    !$OMP END PARALLEL
S-12    END SUBROUTINE WRONG5

```

3 The following example is non-conforming because the **barrier** region cannot be closely nested  
 4 inside the **single** region. If this were permitted, it would result in deadlock due to the fact that  
 5 only one thread executes the **single** region:

C / C++

1

*Example nesting\_restrict.6.c*

```
S-1 void work(int i, int j) {}
S-2 void wrong6(int n)
S-3 {
S-4     #pragma omp parallel
S-5     {
S-6         #pragma omp single
S-7         {
S-8             work(n, 0);
S-9         /* incorrect nesting of barrier region in a single region */
S-10            #pragma omp barrier
S-11            work(n, 1);
S-12        }
S-13    }
S-14 }
```

C / C++

Fortran

2

*Example nesting\_restrict.6.f*

```
S-1     SUBROUTINE WRONG6(N)
S-2     INTEGER N
S-3
S-4     !$OMP PARALLEL DEFAULT(SHARED)
S-5     !$OMP SINGLE
S-6         CALL WORK(N,1)
S-7     ! incorrect nesting of barrier region in a single region
S-8     !$OMP BARRIER
S-9         CALL WORK(N,2)
S-10    !$OMP END SINGLE
S-11    !$OMP END PARALLEL
S-12    END SUBROUTINE WRONG6
```

Fortran

## 2 Document Revision History

---

### 3 A.1 Changes from 4.0.2 to 4.5.0

- 4 • Reorganized into chapters of major topics
- 5 • Included file extensions in example labels to indicate source type
- 6 • Applied the explicit **map(tofrom)** for scalar variables in a number of examples to comply
- 7 with the change of the default behavior for scalar variables from **map(tofrom)** to
- 8 **firstprivate** in the 4.5 specification
- 9 • Added the following new examples:
  - 10 – **linear** clause in loop constructs (Section 1.8 on page 22)
  - 11 – task priority (Section 3.2 on page 71)
  - 12 – **taskloop** construct (Section 3.6 on page 85)
  - 13 – *directive-name* modifier in multiple **if** clauses on a combined construct (Section 4.1.5 on
  - 14 page 93)
  - 15 – unstructured data mapping (Section 4.3 on page 108)
  - 16 – **link** clause for **declare target** directive (Section 4.5.5 on page 123)
  - 17 – asynchronous target execution with **nowait** clause (Section 4.7 on page 135)
  - 18 – device memory routines and device pointers (Section 4.9.4 on page 152)
  - 19 – doacross loop nest (Section 6.8 on page 194)
  - 20 – locks with hints (Section 6.9 on page 200)
  - 21 – C/C++ array reduction (Section 7.9 on page 233)
  - 22 – C++ reference types in data sharing clauses (Section 7.12 on page 246)



## 1 A.2 Changes from 4.0.1 to 4.0.2

- 2 • Names of examples were changed from numbers to mnemonics
- 3 • Added SIMD examples (Section 5.1 on page 155)
- 4 • Applied miscellaneous fixes in several source codes
- 5 • Added the revision history

## 6 A.3 Changes from 4.0 to 4.0.1

7 Added the following new examples:

- 8 • the `proc_bind` clause (Section 2.1 on page 42)
- 9 • the `taskgroup` construct (Section 3.4 on page 80)

## 10 A.4 Changes from 3.1 to 4.0

11 Beginning with OpenMP 4.0, examples were placed in a separate document from the specification  
12 document.

13 Version 4.0 added the following new examples:

- 14 • task dependences (Section 3.3 on page 73)
- 15 • `target` construct (Section 4.1 on page 88)
- 16 • `target data` construct (Section 4.2 on page 96)
- 17 • `target update` construct (Section 4.4 on page 111)
- 18 • `declare target` construct (Section 4.5 on page 115)
- 19 • `teams` constructs (Section 4.6 on page 126)
- 20 • asynchronous execution of a `target` region using tasks (Section 4.7.1 on page 135)
- 21 • array sections in device constructs (Section 4.8 on page 144)
- 22 • device runtime routines (Section 4.9 on page 148)

- 1           • Fortran ASSOCIATE construct (Section [7.13](#) on page [247](#))
- 2           • cancellation constructs (Section [9.4](#) on page [267](#))